



# भारत का राजपत्र The Gazette of India

भाग II—खण्ड 3—उप-खण्ड (II)  
PART II—Section 3—Sub-section (II)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 23] नई दिल्ली, शनिवार, जून 6, 1981/ज्यैष्ठ 16, 1903  
No. 23] NEW DELHI, SATURDAY, JUNE 6, 1981/JYAISTHA 16, 1903

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके  
Separate paging is given to this Part in order that it may be filed as a separate compilation

(रक्षा मंत्रालय को छोड़कर) भारत सरकार के मंत्रालयों द्वारा जारी किए गए सांविधिक आदेश और सूचनाएं  
Statutory Orders and Notification issued by the Ministries of the Government of India  
(other then the Ministries of Defence)

गृह मंत्रालय

(कार्मिक और प्रशासनिक सुधार विभाग)

आदेश

नई दिल्ली, 19 मई, 1981

कां.आ. 1644 — दिल्ली विशेष पुलिस स्थापना अधिनियम 1946 (1946 का 25) की धारा 6 के साथ पठित धारा 5 की उप-धारा (1) के द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, भ्रम सरकार की सहमति से, एन.ए.आर. भ्रम राज्य के पुलिस थाना जोरहाट के मामला संख्या 16(4)/81 के सम्बन्ध में विस्फोटक पदार्थ अधिनियम 1908 (1908 का 6) की धारा 5 तथा भारतीय बन्ध संहिता, 1860 (1860 का 45) की धारा 302 के प्राचीन तथ्यात्मक अपराधों तथा उक्त अपराधों के सम्बन्ध में तथा उनसे सम्बन्धित प्रयत्नों, कुत्सेणों तथा बर्हयों और उन्हीं तथ्यों से उत्पन्न तथा उसी कार्रवाई के दौरान किए गये किसी अन्य अपराध का अन्वेषण करने के लिए, दिल्ली विशेष पुलिस स्थापना के सदस्यों की शक्तियों एवं अधिकार-क्षेत्र का समस्त भ्रम राज्य में विस्तार करती है।

[संख्या 2284/81-ए. जी. 0-III]

काली प्रसाद, धनर सचिव

MINISTRY OF HOME AFFAIRS

(Department of Personnel and Administrative Reforms)

ORDER

New Delhi, the 19th May, 1981

S.O. 1644.—In exercise of the powers conferred by sub-section (1) of section 5, read with section 6, of the Delhi Special Police Establishment Act, 1946 (25 of 1946), the

Central Government, with the consent of the Government of Assam, hereby extends the powers and jurisdiction of the members of the Delhi Special Police Establishment to the whole of the State of Assam for the investigation of offences punishable under section 5 of the Explosive Substances Act, 1908 (6 of 1908) and section 302 of the Indian Penal Code, 1860 (45 of 1860) and attempts, abetments and conspiracies in relation to, or in connection with, the said offences and any other offence committed in the course of the same transaction, arising out of the same facts, in regard to case No. 16(4)81 of P.S. Jorhat in the State of Assam.

[No. 228/4/81-AVD. II]

KALI PRASAD, Under Secy.

सुडि-पत्र

नई दिल्ली, 19 मई, 1981

कां.आ. 1645 भारत के राजपत्र, भाग 2, खण्ड 3, उपखण्ड (ii) तारीख 16 अगस्त, 1980 पृष्ठ 2836-2837 पर प्रकाशित भारत सरकार के गृह मंत्रालय (कार्मिक और प्रशासनिक सुधार विभाग) की अधिसूचना संख्या कां. आ. 2034 तारीख 1 अगस्त, 1980 के पृष्ठ 2837 पर क्रम संख्या 10 में "उपनियम (क)" के स्थान पर "उपनियम (1)" पढ़ें।

[संख्या 31(1)/पेंशन/80]

हजारा सिंह, धनर सचिव

CORRIGENDUM

New Delhi, the 19th May, 1981

S.O. 1645.—In the notification of Government of India, in the Ministry of Home Affairs (Department of Personnel and Administrative Reforms) No. S.O. 2034, dated the 1st August, 1980, published at pages 2838-2839 of the Gazette of India, Part II, section 2, sub-section (ii) dated the 16th August, 1980, at pages 2838, in serial number 10, for "in sub-rule (a)", read "in sub-rule (1)".

[No. 31(4)-Pen/80]

HAZARA SINGH, Under Secy.

## (राजभाषा विभाग)

नई दिल्ली, 21 मई, 1981

क्रा० आ० 1646 केन्द्रीय सरकार राजभाषा (संघ के शासकीय प्रयोजनों के लिये प्रयोग (नियम, 1976 के नियम 10 के उप नियम (4) के अनुसरण में निम्नलिखित विभागों को जिनके कर्मचारी वृद्ध ने हिन्दी का कार्यसाधक ज्ञान प्राप्त कर लिया है, अधिसूचित करती है :—

1. विज्ञान और प्रौद्योगिकी विभाग।
2. भारत के नियंत्रक और महालेखा परीक्षक का कार्यालय।

[संख्या 12022/1/78-रा० भा० (ख०-2)]

विजय सिन्हा, उप सचिव

## (Department of Official Language)

New Delhi, the 21st May, 1981

S.O. 1646.—In pursuance of Sub-rule (4) of rule 10 of the Official Language (use for Official Purposes of the Union) Rules, 1976, the Central Government hereby notifies the following Departments, the staff whereof have acquired a working knowledge in Hindi :—

1. Department of Science and Technology.
2. Office of the Comptroller and Auditor General of India.

[No. 12022/1/78-O.L. (B2)]

V. SINHA, Dy. Secy.

## वित्त मंत्रालय

## (राजस्व विभाग)

नई दिल्ली, 27 अप्रैल, 1981

## आयकर

क्रा० आ० 1647 आयकर अधिनियम, 1961 (1961 का 43) की धारा 2 के खंड (44) के उपखंड (iii) के अनुसरण में वित्त मंत्रालय (राजस्व विभाग) द्वारा 7 जुलाई, 1978 को जारी की गई (12 मई 1980 की अधिसूचना सं० 3293 (फा० सं० 398/8/80-आ० क० सं० क०), द्वारा यथा संशोधित) अधिसूचना सं० 2394 (फा० सं० 404/104/77-आ० क० सं० क०) जिसमें श्री के० एस० हमीद को उक्त अधिनियम के अधीन कर-वसूली अधिकारी की शक्तियों का प्रयोग करने के लिए प्राधिकृत किया गया था, उस तारीख से लागू नहीं रहेगी जिस तारीख को श्री के० एस० हमीद कर वसूली अधिकारी के रूप में अपना कार्यभार सौंपे।

[सं० 3939/फा० सं० 398/12/81-आ० क० सं० क०]

एच० वेंकटरामन, निदेशक

## MINISTRY OF FINANCE

## (Department of Revenue)

New Delhi, the 27th April, 1981

## INCOME TAX

S.O. 1647.—The Notification issued in the Ministry of Finance (Department of Revenue) No. 2394 (F. No. 404/104/77-ITCC), dated 7th July, 1978 [as modified by Notification No. 3293 (F. No. 398/8/80-ITCC) dated 12th May, 1980] in pursuance of sub-clause (iii) of Clause (44) of Section 2 of the Income-tax Act, 1961 (43 of 1961) authorising Shri K. S. Hameed to exercise the powers of a Tax Recovery Officer under the said Act, will cease to be in force with effect from the date on which Shri K. S. Hameed hands over his charge as Tax Recovery Officer.

[No. 3939/F. No. 398/12/81-ITCC]  
H. VENKATARAMAN, Director

नई दिल्ली, 22 मई, 1981

क्रा० आ० 1648 केन्द्रीय सरकार, विदेशी मुद्रा विनियम अधिनियम, 1973 (1973 का 46) की धारा 3 के खण्ड (क) के साथ पठित धारा 4 की उपधारा (1) द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, उक्त

अधिनियम के उपबन्धों को प्रवृत्त करने के प्रयोजनार्थ श्री सी० सी० मंडल को प्रवर्तन-अधिकारी नियुक्त करती है, जिनका पदाभिधान विशेष प्रवर्तन निदेशक होगा और उक्त अधिनियम की धारा 50 द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, उन्हें नवधीन बनाए गए किसी नियम, निदेश या आदेश या उसके उपबन्धों [धारा 13, धारा 18 की उपधारा (1) के खंड (क) और धारा 19 की उपधारा (1) के खंड (क) से भिन्न] के किसी उल्लंघन के मामलों का अधिनियम करने के लिए सशक्त करती है।

[फा० सं० 164/35/81-टी० सी० (ई०)]

बकुल क० धक्शी, उप सचिव

New Delhi, the 22nd May, 1981

S.O. 1648.—In exercise of the powers conferred by sub-section (1) of section 4, read with clause (c) of section 3 of the Foreign Exchange Regulation Act, 1973 (46 of 1973), the Central Government hereby appoints Shri D. C. Mandal to be an officer of Enforcement with the designation of Spl. Director of Enforcement, for the purpose of enforcing the provisions of the said Act; and in exercise of the powers conferred by Section 50 of the said Act hereby empowers him to adjudicate cases of contravention of any of the provisions thereof [other than section 13, clause (a) of sub-section (1) of section 18 and clause (a) of sub-section (1) of section 19] or of any rule, direction or order made thereunder.

[F. No. 164/35/81-TC(E)]

B. K. BAKSHI, Dy. Secy.

## बाणिज्य कार्य विभाग

## बैंकिंग प्रभाग

नई दिल्ली, 21 मई, 1981

क्रा० आ० 1649 बैंककारी विनियमन अधिनियम, 1949 (1949 का 10) की धारा 53 द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, भारतीय रिजर्व बैंक की सिफारिश पर एतद्वारा यह घोषणा करती है कि उक्त अधिनियम की धारा 19 की उपधारा (2) के उपबन्ध एक वर्ष की घोर अवधि के लिए अर्थात् 17 अप्रैल, 1982 तक मर्कन्टाइल बैंक, लि० पर उस सीमा तक लागू नहीं होंगे जहां तक इनका सम्बन्ध इसके द्वारा मैसर्स पर्ल साईकल इन्डस्ट्रीज, लिमिटेड में 100 रुपये प्रत्येक के 20181 शेयरों की धारिता से है।

[संख्या 15/13/81-बी० घो०-III]

## (Department of Economic Affairs)

## BANKING DIVISION

New Delhi, the 21st May, 1981

S.O. 1649.—In exercise of the powers conferred by Section 53 of the Banking Regulation Act, 1949 (10 of 1949), the Central Government on the recommendation of the Reserve Bank of India, hereby declares that the provisions of sub-section (2) of section 19 of the said Act shall not apply to the Mercantile Bank Ltd., for a further period of one year, i.e. upto 17th April, 1982 in respect of its holdings 20181 shares of Rs. 100 each in M/s Pearl Cycle Industries Ltd. as pledgee.

[No. 15/13/81-B.O. III]

नई दिल्ली, 26 मई, 1981

क्रा० आ० 1650 बैंककारी विनियमन अधिनियम, 1949 (1949 का 10) की धारा 53 द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, भारतीय रिजर्व बैंक की सिफारिश पर, एतद्वारा यह घोषणा करती है कि उक्त अधिनियम की धारा 19 की उपधारा (2) के उपबन्ध 31 मार्च, 1982 की अवधि तक पिब्लेज बैंक लि०, कलकत्ता पर उस सीमा तक लागू नहीं होंगे जहां तक उनका सम्बन्ध मैसर्स जे० के० आर्टोमोंबाइस प्रा० लि० तथा मैसर्स ग्लोबल यूनाइटेड इंजीनियरिंग तथा फाउन्ड्री कम्पनी लिमिटेड में इसकी शेयर धारिता से है।

[संख्या 15/14/81-बी०-III]

New Delhi, the 26th May, 1981

New Delhi, the 22nd May, 1981

**S.O. 1650.**—In exercise of the powers conferred by section 53 of the Banking Regulation Act, 1949 (10 of 1949), the Central Government on the recommendation of the Reserve Bank of India, hereby declares that the provisions of sub-section (2) of section 19 of the said Act shall not apply, till the 31st March, 1982 to the Grindlays Bank Ltd., Calcutta insofar as they relate to its holding of the shares in M/s Jay Kay Automobiles Pvt. Ltd. and M/s. Globe United Engineering and Foundry Co. Ltd. as pledgee.

[No. 15/14/81-B.O. III]

**का०आ० 1651.**—बैंककारी विनियम (न) अधिनियम, 1949 (1949 का 10) की धारा 53 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, भारतीय रिजर्व बैंक की सिकारिश पर एतद्वारा यह घोषणा करती है कि उक्त अधिनियम की तीसरी अनुसूची के काम 'क' के साथ संलग्न द्विपणी (ज) के उपबन्ध, 31 दिसम्बर, 1980 की स्थिति के अनुसार तैयार किये गये, निम्नलिखित बैंकों के तुलन-पत्र पर उस सीमा तक लागू नहीं होंगे जहां तक कि वह उक्त काम की संपत्ति तथा परिसंपत्ति शीर्ष की मद 4 के उप शीर्ष (2), (3), (4) और (5) में से किसी के सामने, अन्तर के कालम में दिखाया गया मूल्य उस उप-शीर्ष के अन्तर्गत निवेशों के बाजार मूल्य से बढ़ गया हो तो उसे उप-शीर्ष के अन्तर्गत किए गए निवेशों का बाजार मूल्य कौष्ठकों के अन्तर अलग से दिखाता है :—

1. यूनाइटेड बैंक ऑफ इंडिया
2. यूनाइटेड इंडस्ट्रियल बैंक लि०
3. ओरिएण्टल बैंक ऑफ कामर्स
4. इण्डियन बैंक

[संख्या 15/9/81-बी०ओ०-III]

एन०डी० बत्रा, अवर सचिव

**S.O. 1651.**—In exercise of the powers conferred by Section 53 of the Banking Regulation Act, 1949 (10 of 1949), the Central Government on the recommendation of the Reserve Bank of India, hereby declares that the provisions of Note (f) appended to the Form 'A' in the Third Schedule to the said Act shall not apply to the following banks, viz.—

1. United Bank of India,
2. United Industrial Bank Limited,
3. Oriental Bank of Commerce,
4. Indian Bank.

in respect of their balance-sheet as on the 31st December, 1980, which when the value shown in the inner column against any of the sub-heads (ii), (iii), (iv) and (v) of the item 4 of the Property and Assets side of the said Form exceeds the market value of the investments under that sub-head, shows separately within brackets the market value of the investments under that sub-head.

[No. 15/9/81-B.O. III]

N. D. BATRA, Under Secy.

नई दिल्ली, 22 मई, 1981

**का०आ० 1652.**—औद्योगिक वित्त निगम अधिनियम, 1948 (1948 का 15) की धारा 21 की उपधारा (2) के अनुसरण में, केन्द्रीय सरकार, भारतीय औद्योगिक वित्त निगम के निवेशक मण्डल की सिकारिश पर, उक्त निगम द्वारा 10 जून, 1981 को जारी किये जाने वाले और 10 जून, 1986 को पर्यन्त होने वाले बांझों पर सी जाने वाली ब्याज की दर एतद्वारा 7½ (सत्ता सात प्रतिशत) वार्षिक निर्धारित करती है।

[संख्या एक० 2(27) आई०एफ०/1/81]

के०पी० पाण्डेयन, अवर सचिव

**S.O. 1652.**—In pursuance of sub-section (2) of Section 21 of the Industrial Finance Corporation Act, 1948 (15 of 1948), the Central Government on the recommendation of the Board of Directors of the Industrial Finance Corporation of India, hereby fixes 7½ per cent (seven and one-fourth per cent) per annum as the rate of interest payable on the bonds to be issued by the said Corporation on 10th June, 1981 and maturing on 10th June, 1996.

[No. F. 2(27)IF. I/81]

K. P. PANDIAN, Under Secy.

नई दिल्ली, 27 मई, 1981

**का०आ० 1653** प्रादेशिक ग्रामीण बैंक अधिनियम, 1976 (1976 का 21) की धारा 11 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, एतद्वारा श्री बंगजम बाबू सिंह को मणिपुर, ग्रामीण बैंक, इम्फाल के अध्यक्ष के रूप में नियुक्त करती है तथा 28 मई 1981 से प्रारम्भ होकर 27 मई, 1984 को समाप्त होने वाली अवधि को उस अवधि के रूप में निर्धारित करती है जिसके दौरान श्री बंगजम बाबू सिंह अध्यक्ष के रूप में कार्य करेंगे।

[संख्या एक० 1-19/79-आर०आर०बी०]

इन्द्रानी सेन, अवर सचिव

New Delhi, the 27th May, 1981

**S.O. 1653.**—In exercise of the powers conferred by sub-section (1) of section 11 of the Regional Rural Banks Act, 1976 (21 of 1976), the Central Government hereby appoints Shri Thangjam Babu Singh as the Chairman of the Manipur Rural Bank, Imphal and specifies the period commencing on the 28th May, 1981 and ending, with the 27th May, 1984 as the period for which the said Shri Thangjam Babu Singh shall hold office as such Chairman.

[No. F. 1-19/79-RRB]

INDRANI SEN, Under Secy.

केन्द्रीय उत्पाद शुल्क और सीमाशुल्क बोर्ड

नई दिल्ली, 30 मई, 1981

**का०आ० 1654.**—केन्द्रीय उत्पाद शुल्क और सीमा शुल्क बोर्ड, सीमा शुल्क अधिनियम, 1962 (1962 का 52) की धारा 9 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, तमिलनाडु राज्य में कोयम्बटूर को भाण्डागार स्टेशन के रूप में घोषित करता है।

[संख्या 151/81-सीमाशुल्क का०सं० 473/20/81-सीमा-शुल्क-7]

CENTRAL BOARD OF EXCISE AND CUSTOMS

New Delhi, the 30th May, 1981

**S.O. 1654.**—In exercise of the powers conferred by section 9 of the Customs Act, 1962 (52 of 1962), the Central Board of Excise and Customs hereby declares Coimbatore in the State of Tamil Nadu to be a warehousing station.

[No. 151/81-CUSTOMS F. No. 473/20/81-Cus-VII]

**का०आ० 1655.**—केन्द्रीय उत्पाद शुल्क और सीमा शुल्क बोर्ड, सीमा शुल्क अधिनियम, 1962 (1962 का 52) की धारा 9 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए तमिलनाडु राज्य में धर्मपुरी जिले के होसूर को भाण्डागार स्टेशन के रूप में घोषित करता है।

[सं० 152/81-सीमा-शुल्क का०सं० 473/20/81-सी०शु०-7]

S.O. 1655.—In exercise of the powers conferred by section 9 of the Customs Act, 1962 (52 of 1962), the Central Board of Excise and Customs hereby declares Hosur, Dharmapuri District in the State of Tamil Nadu to be a warehousing station.

[No. 152/81-CUSTOMS F. No. 473/20/81-Cus-VII]

का० जा० 1656.—केन्द्रीय उत्पाद शुल्क और सीमा शुल्क बोर्ड, सीमा शुल्क अधिनियम, 1962 (1962 का 52) की धारा 9 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, आन्ध्र प्रदेश राज्य में रंगारेड्डी जिले के कुकटपल्ली की भाण्डागार स्टेशन के रूप में घोषित करता है।

[सं० 153/81-सीमा-शुल्क फा० सं० 473/149/80-सी० शु०-7]

एन०के०कपूर, सचिव

S.O. 1656.—In exercise of the powers conferred by section 9 of the Customs Act, 1962 (52 of 1962), the Central Board of Excise and Customs hereby declares Kukatpalli of Rangareddy District in the State of Andhra Pradesh to be a warehousing station.

[No. 153/81-CUSTOMS F. No. 473/149/80-Cus. VII]

N. K. KAPUR, Under Secy.

### नागरिक पुरि संवालय

नई दिल्ली, 22 मई, 1981

का० जा० 1657.—केन्द्रीय सरकार, अधिनियम (विनियम) अधिनियम, 1952 (1952 का 74) की धारा 5 के अधीन साउथ इंडिया

काउन् एसोसिएशन, कोयम्बटूर द्वारा मान्यता के नवीकरण के लिए किये गये प्रार्थना पर वायदा बाजार प्रायोग के परामर्श से विचार कच्चे और यह समाधान हो जाने पर कि ऐसा करना व्यापार के हित में और लोकहित में भी होगा, एतद्वारा उक्त अधिनियम की धारा 6 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए उक्त एसोसिएशन को कपास की अधिनियमों के बारे में पहली जून, 1982 को समाप्त अतिरिक्त कालावधि के लिए मान्यता प्रदान करती है।

2. एतद्वारा प्रदत्त मान्यता इस शर्त के अधीन है कि उक्त एसोसिएशन ऐसे सभी निदेशों का पालन करेगी जो वायदा बाजार प्रायोग द्वारा समय-समय पर दिए जायें।

[सि० सं० 12(1)-आई०आर०/81]

एन०एस० सेठ, सचिव

### MINISTRY OF CIVIL SUPPLIES

New Delhi, the 22nd May, 1981

S.O. 1657.—The Central Government, having considered in consultation with the Forward Markets Commission, the application for recognition made under Section 5 of the Forward Contracts (Regulation) Act, 1952 (74 of 1952), by the South Cotton Association, Coimbatore, and being satisfied that it would be in the interest of the trade and also in the public interest so to do, hereby grants, in exercise of the powers conferred by Section 6 of the said Act, recognition to the said association for a further period upto the 1st June, 1982, in respect of Forward Contracts in cotton.

2. The recognition hereby granted is subject to the condition that the said Association shall comply with such directions as may, from time to time, be given by the Forward Markets Commission.

[File No. 12(1)/IT/81]

H. S. SETHI, Under Secy.

### अधिसूचना

नई दिल्ली, 1981-05-14








### भारतीय मानक संस्था

का० जा० 1658.—भारतीय मानक संस्था (प्रमाणन विज्ञान) विनियम 1955 के विनियम 4 के उपविनियम (1) के अनुसार भारतीय मानक संस्था की ओर से अधिसूचित किया जाता है कि जिन मानक विज्ञानों के डिजाइन उनके शाब्दिक विवरण तथा तस्मन्वी भारतीय मानक के शीर्षक सहित नीचे अनुसूची में दिए गए हैं वे भारतीय मानक संस्था द्वारा निर्धारित किए गए हैं।

भा मा संस्था (प्रमाणन विज्ञान) अधिनियम 1952 और उसके अधीन बने नियमों और विनियमों के निमित्त ये मानक विज्ञान उनके प्रागे दी गई तिथियों से लागू होंगे:

### अनुसूची

क्रम सं०	मानक विज्ञान	उत्पाद/उत्पाद की श्रेणी	तस्मन्वी भारतीय मानक परम्परा और शीर्षक	मानक विज्ञान के डिजाइन का शाब्दिक विवरण	लागू होने की तिथि
(1)	(2)	(3)	(4)	(5)	(6)
1.	IS: 2871—64	भाग बुझाने के लिए यूनि-वर्सल बॉक्स वाइज	IS: 2871—1964 भाग बुझाने के लिए यूनिवर्सल बॉक्स	भारतीय मानक संस्था का शीर्षक जिसमें "ISI" शब्द होने है, तस्म (2) में दिखाई गई शैली और अनुपात में तैयार किया गया है और जिस डिजाइन में दिखाया गया है को कोडिंग के अन्तर्गत की ओर भारतीय मानक की संख्या और दर्ज किया गया है।	1980-10-16
2.	IS: 3087—65	पार्टीकिल लकड़ी के पार्टीकिल बॉर्ड (मध्यम घनत्व)	IS: 3087—1965 सामान्य कार्यों के लिए लकड़ी के पार्टीकिल बॉर्ड (मध्यम घनत्व) की विनिर्दिष्ट	"	1980-04-16

1	2	3	4	5	6
3.	IS : 5290—77  लैडिंग वाल्व (पानी के भीतरी नल के लिए)	IS : 5290—1977 लैडिंग वाल्व (पानी के भीतरी नल के लिए) का विशिष्ट (पहला पुनरीक्षण)	भारतीय मानक संस्था का मोनोग्राम जिसमें "ISI" शब्द होते हैं, स्तम्भ (2) में दिखाई गई शैली और अनुपात में तैयार किया गया है और जैसा डिजाइन में दिखाया गया है मोनोग्राम के ऊपर की ओर भारतीय मानक की संख्या और वर्ष दिया गया है।	1980-10-16	
4.	IS : 7834—75  एल्बो—90°	IS : 7834 (भाग 3)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन वाले पी० बी० सी० सॉकेट फिटिंग की विशिष्ट भाग 3 90° एल्बो की विशेष IS प्रेषणाएं	भारतीय मानक संस्था का मोनोग्राम जिसमें "ISI" शब्द होते हैं, स्तम्भ (2) में दिखाई गई शैली और अनुपात में तैयार किया गया है और जैसा डिजाइन में दिखाया गया है उस मोनोग्राम के ऊपर की ओर भारतीय मानक की संख्या और वर्ष तथा मोनोग्राम के नीचे की ओर तत्सम्बन्धी भाग संख्या दी गई।	1980-01-16	
5.	IS : 7834—75  टी 90°	IS : 7834 (भाग 4)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन वाले पी० बी० सी० सॉकेट फिटिंग की विशिष्ट भाग 4—90° टी की विशेष प्रेषणाएं	"	1981-12-16	
6.	IS : 7834—75  सॉकेट	IS : 7834 (भाग 6)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन वाले पी० बी० सी० सॉकेट फिटिंग की विशिष्ट भाग 6 सॉकेट की विशेष प्रेषणाएं	"	1980-12-16	
7.	IS : 7834—75  टोपियां	IS : 7834 (भाग 8)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन वाले पी० बी० सी० सॉकेट फिटिंग की विशिष्ट भाग 8 टोपियों की विशेष प्रेषणाएं	भारतीय मानक संस्था का मोनोग्राम जिसमें "ISI" शब्द होते हैं, स्तम्भ (2) में दिखाई गई शैली और अनुपात में तैयार किया गया है और जैसा डिजाइन में दिखाया गया है उस मोनोग्राम के ऊपर की ओर भारतीय मानक की संख्या और वर्ष तथा मोनोग्राम के नीचे की ओर तत्सम्बन्धी भाग संख्या दी गई है।	1980-12-16	
8.	IS : 9182—79  विद्युत्पत्ती प्रकार के तार रस्सों के रेजोयार कोर के लिए स्नेहक	IS : 9182 (भाग 1)—1979 तार रस्सों और रेजोयार कोर के स्नेहकों की विशिष्ट भाग 1 तार रस्सों की रेजा कोर के लिए स्नेहक	"	1981-03-01	
9.	IS : 9182—79  विद्युत्पत्ती प्रकार के तार रस्सों के रेजोयार कोर के लिए स्नेहक	IS : 9182 (भाग 2)—1979 तार रस्सों और रेजोयार कोर के लिए स्नेहकों की विशिष्ट भाग 2 तार रस्सों के लिए स्नेहक	"	1981-03-01	






## INDIAN STANDARDS INSTITUTION





New Delhi, 1981-05-14

S. O. 1638.—In pursuance of sub-rule (1) of rule 4 of the Indian Standards Institution (Certification Marks) Rules, 1955 the Indian Standards Institution, hereby, notifies that the Standard Mark(s), design(s) of which together with the verbal description of the design(s) and the title(s) of the relevant Indian Standard(s) are given in the Schedule hereto annexed, have been specified.

These Standard Mark(s) for the purpose of the Indian Standards Institution (Certification Marks) Act, 1952 and the Rules and Regulations framed thereunder, shall come into force with effect from the dates shown against each :

## SCHEDULE

Sl. No.	Design of the Standard Mark	Product/Class of Product	No. and Title of the Relevant Indian Standard	Verbal description of the Design of the Standard Mark	Date of Effect
1	2	3	4	5	6
1.		Branch pipe, universal for fire fighting purposes	IS : 2871—1964 Specification for branch pipe, universal, for fire fighting purposes	The monogram of the Indian Standards Institution, consisting of letters 'ISI', drawn in the exact style and relative proportions as indicated in Col. (2) ; the number of the Indian Standard, alongwith its year, being superscribed on the top side of the monogram as indicated in the design.	1980-10-16
2.		Wood particle boards (medium density)	IS : 3087—1965 Specification for wood practical boards (medium density) for general purposes	-do-	1980-04-16
3.		Landing valves (internal hydrant)	(internal IS : 5290—1977 Specification for landing valves (internal hydrant) (first revision)	The monogram of the Indian Standards Institution, consisting of letters 'ISI', drawn in the exact style and relative proportions as indicated in Col. (2) ; the number of the Indian Standard, alongwith its year, being superscribed on the top side of the monogram as indicated in the design.	1980-10-16
4.		Elbows 90°	IS : 7834 (Part III)—1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies : Part III Specific requirements for 90° elbows	The monogram of the Indian Standards Institution, consisting of letters 'ISI', drawn in the exact style and relative proportions as indicated in Col. (2) ; the number of the Indian Standard, alongwith its year, being superscribed on the top side and the relevant part number being subscribed under the bottom side of the monogram as indicated in the design.	1981-01-16
5.		Tees 90°	IS : 7834 (Part IV)—1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies : Part IV Specific requirements for 90° tees.	-do-	1981-12-16

1	2	3	4	5	6
6.	 IS: 7834-78 PART VI	Socket	IS : 7834 (Part VI) —1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies. Part VI Specific requirements for socket	The monogram of the Indian Standards Institution, consisting of letters 'ISI', drawn in the exact style and relative proportions as indicated in Col. (2) ; the number of the Indian Standard, alongwith its year, being super-scribed on the top side and the relevant part number being subscribed under the bottom side of the monogram as indicated in the design.	1980-12-16
7.	 IS: 7834-78 PART VIII	Caps	IS : 7834 (Part VIII)—1975 Specifications for injection moulded PVC socket fittings with solvent cement joints for water supplies. Part VIII Specific requirements for caps	-do-	1980-12-16
8.	 IS: 9182-79 PART I	Lubricants for fibre core of wire ropes bituminous type	IS : 9182 (Part I)—1979 Specification for lubricants for wire ropes and fibre cores : Part I Lubricants for fibre core of wire ropes	-do-	1981-03-01
9.	 IS: 9182-79 PART II	Lubricants for wire strands and ropes, bituminous type	IS : 9182 (Part II)—1979 Specification for lubricants for wire ropes and fibre cores : Part II Lubricants for wire strands and ropes.	-do-	1981-03-01

[No. CMD/13 : 9]

क्र० आ० 1659.—भारत के राजपत्र भाग II, खण्ड 3, उपखण्ड (ii) दिनांक 1974-08-21 में प्रकाशित तत्कालीन औद्योगिक विकास, विज्ञान एवं प्रौद्योगिकी मंत्रालय (भारतीय मानक संस्था) अधिसूचना संख्या एम० ओ० 2436 दिनांक 1974-08-30 का प्रांशिक रूप में संशोधन करते हुए भारतीय मानक संस्था द्वारा अधिसूचित किया जाता है कि फास्फामिडोन की प्रति इकाई मुहर लगाने की फीस में कुछ संशोधन किया गया है। मुहर लगाने की ये संशोधित दरें 1980-12-01 से लागू होंगी :

## अनुसूची

क्रम सं०	उत्पाद/उत्पाद की श्रेणी	सम्बन्धी भारतीय मानक की पर संख्या और शीर्षक	इकाई	प्रति इकाई मुहर लगाने का शुल्क
1.	फास्फामिडोन जल घुलनशील सान्द्र	IS: 6177—1971 फास्फामिडोन जल घुलनशील सान्द्र की विधिष्टि	100 लीटर	1. रु० 10.00 प्रति इकाई पहली 100 के लिए 2. रु० 5.00 प्रति इकाई 101 वीं से 500 इकाइयों के लिए, और 3. रु० 3.00 प्रति इकाई 501 वीं और इससे ऊपर की इकाइयों के लिए

[संख्या सी० एम० ओ०/13 10]

S.O. 1659—In partial modification of the then Ministry of Industrial Development, Science and Technology (Indian Standards Institution) notification number S.O. 2436 dated 1974-08-30, published in the Gazette of India, Part-II, Section-3, Sub-section (ii) dated 1973-09-21, the Indian Standards Institution, hereby, notifies that the marking fee per unit for phosphamidon has been revised. The revised rate of marking fee, details of which are given in the following Schedule, shall come into force with effect from 1980-12-01 :

## SCHEDULE

Sl. No.	Product/Class of Product	No. and Title of Relevant Indian Standard	Unit	Marking Fee per unit
1.	Phosphamidon water soluble concentrates	IS : 6177—1971 Specification for phosphamidon water soluble concentrates	100 Litres	(i) Rs. 10.00 per unit for the first 100 units ; (ii) Rs. 5.00 per unit for the 101st to 500 units; and (iii) Rs. 3.00 per unit for the 501st unit and above.

[No. CMD/13 : 10]

क्र० आ० 1660.—भारतीय मानक संस्था (प्रमाणन बिज्जु) विनियम 1955 के विनियम 7 के उपविनियम (3) के अनुसार भारतीय मानक संस्था द्वारा अधिसूचित किया जाता है कि विभिन्न उत्पादों की प्रति इकाई मुहर लगाने की फीस नीचे अनुसूची में दिए गए धीरों के अनुसार निर्धारित की गई हैं और ये फीस उनके मामले 'बिनाई गई तिथियों से लागू होंगी'।

## अनुसूची

क्रम सं०	उत्पाद/उत्पाद की श्रेणी	तत्सम्बन्धी भारतीय मानक की वष संख्या और शीर्षक	इकाई	प्रति इकाई मुहर लगाने का शुल्क	लागू होने की तिथि
(1)	(2)	(3)	(4)	(5)	(6)
1.	घाा बुझाने के लिए यूनिकर्सल ब्रांच पाइप	IS : 2871—1964 घाा बुझाने के लिए यूनिकर्सल ब्रांच	एक ब्रांच पाइप	रु० 4.00	1980-10-16
2.	लकड़ी के पार्टीकिल बोर्ड (मध्यम घनत्व)	IS : 3087—1965 सामान्य कायों के लिए लकड़ी के पार्टीकिल बोर्ड (मध्यम घनत्व) की विशिष्टि	10 मी <sup>2</sup>	1. 15 पैसे प्रति इकाई पहली 40000 इकाइयों के लिए ; 2. 10 पैसे प्रति इकाई 40001 की से 80000 तक की इकाइयों के लिए, और 3. 5 पैसे प्रति इकाई 80001 की और इससे ऊपर की इकाइयों के लिए	1980-04-16
3.	सैडिंग बाल्व (पानी के भीतरी नल के लिए)	IS : 5290—1977 सैडिंग बाल्व (पानी के भीतरी नल के लिए) की विशिष्टि (पहला पुनरीक्षण)	एक प्रयत्न/नल	रु० 4.00	1980-10-16
4.	एलबी-80 <sup>0</sup>	IS : 7834 (भाग 3)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले डले इंजेक्शन पी०बी०सी० सॉकेट फिटिंग की विशिष्टि भाग 3 90 <sup>0</sup> एलबी की विशेष प्रपेक्षाएं	100 प्रयत्न	रु० 3.00	1981-01-16
5.	टी 90 <sup>0</sup>	IS : 7834 (भाग 4)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन डले पी०बी०सी० सॉकेट फिटिंग की विशिष्टि भाग 4 90 <sup>0</sup> टी की विशेष प्रपेक्षाएं	100 प्रयत्न	रु० 3.00	1980-12-16
6.	सॉकेट	IS : 7834 (भाग 6)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन डले पी०बी०सी० सॉकेट फिटिंग की विशिष्टि भाग 6 सॉकेट की विशेष प्रपेक्षाएं	100 प्रयत्न	रु० 3.00	1980-12-16
7.	टोपियां	IS : 7834 (भाग 8)—1975 जल वितरण के लिए धोलक सीमेंट जोड़ वाले इंजेक्शन डले पी०बी०सी० सॉकेट फिटिंग की विशिष्टि भाग 8 टोपियों की विशेष प्रपेक्षाएं	100 प्रयत्न	रु० 3.00	1980-12-16
8.	बिडयूममी प्रकार के तार रस्सों के रेडोबार कोर के स्नेहक	IS : 9182 (भाग 1)—1979 तार रस्सों और रेडोबार कोर के स्नेहकों की विशिष्टि भाग 1 तार रस्सों की रेसा कोर के लिए स्नेहक	एक कि०ग्रा०	1. 2 पैसे प्रति इकाई पहली 100000 इकाइयों के लिए, 2. एक पैसे प्रति इकाई 100001 की से 300000 तक की इकाइयों के लिए और 3. 1/2 पैसे प्रति इकाई 300001 की और इससे ऊपर की इकाइयों के लिए।	1981-03-01
9.	बिडयूममी प्रकार के लकड़दार तारों और रस्सों के लिए स्नेहक	IS : 9182 (भाग 2)—1979 तार रस्सों और रेडोबार कोर के लिए स्नेहकों की विशिष्टि भाग 2 लकड़दार तारों और रस्सों के लिए स्नेहक	एक कि० ग्रा०	1. 2 पैसे प्रति इकाई पहली 100000 इकाइयों के लिए, 2. एक पैसे प्रति इकाई 100001 की से 300000 तक की इकाइयों के लिए, और 3. 1/2 पैसे प्रति इकाई 300001 की और इससे ऊपर की इकाइयों के लिए	1981-03-01



**S.O.1660.**—In pursuance of sub-regulation (3) of regulation 7 of the Indian Standards Institution (Certification Marks) Regulations, 1955, the Indian Standards Institution, hereby, notifies that the marking fee(s) per unit for various products details of which are given in the Schedule hereto annexed, have been determined and the fee(s) shall come into force with effect from the dates shown against each :

## SCHEDULE

Sl. No.	Product/Class of Product	No. and Title of Relevant Indian Standard	Unit	Marking Fee per Unit	Date of Effect
1	2	3	4	5	6
1.	Branch pipe, universal, for fire fighting purposes	IS : 2871—1964 Specification for branch pipe, universal, for fire fighting purposes	One Branch pipe	Rs. 4.00	1980-10-16
2.	Wood particle boards (medium density)	IS : 3087—1965 Specification for wood particle boards (medium density) for general purposes	10m <sup>2</sup>	(i) 15 Paise per unit for the first 40000 units ; (ii) 10 Paise per unit for the 40001st to 80000 units; and (iii) 5 Paise per unit for the 800001st unit and above	1980-04-16
3.	Landing valves (internal hydrant)	IS : 5290—1977 Specification for landing valves (internal valve hydrant ) (first revision)	One Landing valve	Rs. 4.00	1980-10-16
4.	Elbows 90°	IS : 7834 (Part III)—1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies : Part III Specific requirements for 90° elbows	100 Numbers	Rs. 3.00	1981-01-16
5.	Tees 90°	IS : 7834 (Part IV)—1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies : Part IV Specific requirements for 90° tees	100 Numbers	Rs. 3.00	1980-12-16
6.	Socket	IS : 7834 (Part VI)—1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies : Part VI Specific requirements for socket	100 Numbers	Rs. 3.00	1980-12-16
7.	Caps	IS : 7834 (Part VIII)—1975 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies : Part VIII Specific requirements for caps	100 Numbers	Rs. 3.00	1980-12-16
8.	Lubricants for fibre core of wire ropes, bituminous type	IS : 9182 (Part I)—1979 Specification for lubricants for wire ropes and fibre cores : Part I Lubricants for fibre core of wire ropes	One kg	(i) 2 Paise per unit for the first 100000 units ; (ii) One Paise per unit for the 100001st to 300000 units and (iii) ½ Paise per unit for the 300001st unit and above	1981-03-01
9.	Lubricants for wire strands and ropes, bituminous type	IS : 9182 (Part II)—1979 Specification for lubricants for wire ropes and fibre cores : Part II Lubricants for wire strands and ropes	One kg	(i) 2 Paise per unit for the first 100000 unit (ii) One Paise per unit for the 100001st to 300000 units and (iii) ½ Paise per unit for the 300001st unit and above	1981-03-01

श्री० आ० 1661—समय-समय पर संशोधित भारतीय मानक संस्था (प्रमाणन बिज्ञान) विनियम, 1955 के विनियम 8 के उपविनियम (1) के अनुसार भारतीय मानक संस्था द्वारा अधिसूचित किया जाता है कि जिन प्रयुक्त लाइसेंसों के छोटे नीचे अनुसूची में दिए गए हैं, लाइसेंसधारियों को मानक चिह्न लगाने का अधिकार देने हुए फरवरी 1978 मास में स्वीकृत किए गए हैं :—

## अनुसूची

क्रम संख्या	लाइसेंस संख्या सी० एम०/एल०	बंधना की श्रद्धा से	तक	लाइसेंसधारी का नाम और पता	लाइसेंस के अधीन वस्तु/प्रक्रिया और तत्सम्बन्धी भारतीय मानक पञ्चनाम
(1)	(2)	(3)	(4)	(5)	(6)
1	सी एम/एल-6735 1978-02-02	78-02-16	79-02-15	राष्ट्रीय इंजीनियरी वर्क्स (पंजी) जी० टी० रोड, बटाला पंजाब	मी० घाई० पल्लव की टंकियो टाइप/साइज - लंबाई पर लगने वाली घटी गुमा, 12.5 सीटर समार्ई वाली IS: 774-1971
2	सी एम/एल-6736 1978-02-02	78-03-16	79-02-15	हैदराबाद केमिकल सांसादन प्रा० लि०, ए०-24/25 एमिस्टेड प्रा० इंडस्ट्रियल इस्टेट, बाला नगर, हैदराबाद-500037	आयमेयोएट वायसनीय साइ 30% IS 3903--1975
3	सी एम/एल०-6737 1978-02-06	78-02-01	79-01-31	इंडो एशियम ट्रेडर्स (प्रा०) लि०, नकोवर रोड, जालंधर शहर	एल० घाई० सी० कार्टूस म्यूज लिंक टाइप/ग्रेड/साइज : इयूटी का वर्ग ए सी० 3 (300 ग्राम्पी तक) IS: 2208-1962
4	सी० एम०/एल०-6738 1978-02-06	78-02-16	79-02-15	केवलसन, 1/421, जी० टी० रोड, गान्धारा, दिल्ली-110032	आयमेयोएट बचाव के बमड़े के घीर सूती इस्ताने IS: 6994 (भाग 1)—1973
5	सी० एम०/एल-6739 1978-02-06	78-02-16	79-02-15	मोदी स्टील्स, जी० टी० रोड, मोदी नगर, (उ०प्र०) जिला गाजियाबाद	मेटल घाई० कोर तार के लिए म्यू इस्तानत : 1. गर्म मोल्लिन तार छई—एल०-12 मि०मी० 2. इस्तानत छई की कोर तार 2 से 6.3 मि०मी० IS: 2879-1975
6	सी एम/एल-6740 1978-02-06	78-02-16	79-02-15	बंगाल रोड एण्ड एलाइड प्राइवेट प्रा० लि०, 188, ममजेक तल्ला मेन रोड, कलकत्ता (इनका कार्यालय : 16 बिपलाबी राय बिहारी घोस रोड, कलकत्ता-700001 में है)	पटसन करघों पर चीड़े और छोड़े लकड़ों के लिए दूरी वाले तार के रोड IS: 1552-1968
7	सी एम/एल-6741 1978-02-07	78-02-16	79-02-15	नागपाल इलेक्ट्रिक रेडियो कम्पनी, सी-108, नारायणा इंडोस्ट्रियल इस्टेट, फेज-1, नई दिल्ली-110028।	बिजली के स्टोव, 1000 वाट IS: 2994-1965
8	सी एम/एल-6742 1978-02-07	78-02-16	79-02-15	"	घस्वचालित बिजली के स्त्री 600 वाट IS: 366-1965
9	सी एम/एल-6743 1978-02-07	78-02-16	79-02-15	मोदी स्टील्स, जी० टी० रोड, मोदी नगर (उ०प्र०)	कंजीट प्रबलन के लिए ठंडी मरोड़ी विकृत इस्तान की छई— IS: 1736-1966
10	सी एम/एल-6744 1978-02-07	78-02-16	79-02-15	राठी एलायज एण्ड स्टील लि०, 204, मन्स्य इंडोस्ट्रियल एरिया, अलवर (राजस्थान)	संरचना इस्तान (मानक किस्म) के रूप में पुनः बेलन के लिए कार्बन इस्तान के बिसेट, बलम और सिलिसिया IS 2830-1975
11	सी एम/एल-6745 1978-02-07	78-02-16	79-02-15	दि कर्नाटक स्टेट कोआपरेटिव फाईरेशन लि०, सं० 20, नेयूलेटेड मार्केटघाई, यशवंतपुर, बंगलौर 560022 (इनका कार्यालय : 8 कर्नापिठम रोड, बंगलौर-560052 में है)	बी०एल०सी० जल परिक्षेपी चूर्ण— IS: 562-1972

(1)	(2)	(3)	(4)	(5)	(6)
12 सी एम/एल-6746 1978-02-07	78-02-16	79-02-15	श्री बजरंग शायरन इंडस्ट्रीज, 45, प्रौर 36/37 राम लोचन शायर लेन, बेलूर-हाबड़ा	संरचना इस्पात (साधारण किस्म) IS 1977-1975	
13 सी एम/एल-6747 1978-02-07	78-02-16	79-02-15	यूनियन एटरप्राइजेज, 16 प्रौर 17ए-बूसरा फेज इंडस्ट्रियल एरिया, भादित्यपुर जमशेद- पुर	संरचना इस्पात (मानक किस्म) IS. 226-1975	
14 सी एम/एल-6748 1978-02-07	78-02-16	79-02-15	"	संरचना इस्पात (साधारण किस्म) IS 1977-1975	
15. सी एम/एल-6749 1978-02-07	78-02-16	79-02-15	श्री बजरंग शायरन इंडस्ट्रीज, 45 प्रौर 36/37 राम लोचन शायर लेन, बेलूर-हाबड़ा	संरचना इस्पात (साधारण किस्म) IS 266-1975	
16 सी एम/एल-6750 1978-02-08	78-02-16	79-02-15	पालीवाल स्टील्स (प्रा०लि०), 4वीं मील, मसूरी-मेरठ रोड, मुजफ्फरनगर (उ०प्र०)	संरचना इस्पात (मानक किस्म) के रूप में पुन वेल्डन के लिए कार्बन इस्पात के डलवां बिलेट इंगट IS 6914-1973	
17 सी एम/एल-6751 1978-02-08	78-02-16	79-02-15	न्यू ऐज हाउस मयू० कम्पनी अम्बावाडी इंडस्ट्रियल इस्टेट, सुरेश्वर नगर, (गुजरात)	अग्नि शामक होज (रबड़ के अक्षर लगे बुनाई जकेट वाले) टाइप 1 IS 636-1982	
18 सी एम/एल-6752 1978-02-08	78-02-16	79-02-15	उपाध्याय बालस मयू० प्राइवेट लिमिटेड, पी-280, बनारस रोड, हावड़ा-5	स्विगचेक नुमा रिफ्लेक्स (न लौटने वाले) बाल्स/टाइप/इकहरे कपाट के नमूने बाला, 300 मिमी प्रौर उतने साहजिक IS 5312-(भाग 1)-1969	
19 सी एम/एल-6753 1978-02-09	78-02-16	79-02-15	पारोख एटरप्राइजेज प्रा०लि०, प्लाट सं० 442, जी०आई०डी सी० इंडस्ट्रियल इस्टेट, वाटर टैंक के पास, बल्लभ नगर के पीछे, अहमदाबाद-382410	ताम्र आक्सीकोराइड जल परिक्षेपी साधन IS 1507-1977	
20 सी एम/एल-6754 1978-02-09	78-02-16	79-02-15	पालीवाल स्टील्स (प्रा०) लि०, 4वीं, मील- मसूरी-मेरठ रोड, मुजफ्फर नगर (उ०प्र०)	संरचना इस्पात (साधारण किस्म) के रूप में पुन वेल्डन के लिए कार्बन इस्पात के डलवां बिलेट इंगट— IS 6915-1973	
21 सी एम/एल-6755 1978-02-09	78-02-16	79-02-15	बगलौर पेस्टीसाइड्स लि०, 16 कि०मी० सुम्कूर रोड, बगलौर-562139 (इनका कार्यालय 33, एवशाट सेप्राउट, सकले रोड कास, बंगलौर)	एडोसलेक्स पायसनीय साधन— IS 4323-1967	
22 सी एम/एल-6756 1978-02-09	78-02-16	79-02-15	मशीनरी एण्ड इक्विपमेंट मयू० प्रा० लि०, अजिल मिल्स के सामने, रबियल रोड, अहमदाबाद	एल०पी०जी० सहित बिना फिलर उपयोग के लिए घरेलू कूकिंग रेंज टाइप/ ग्रेड/साइज 80-40-80 एल आई टी/ एच आर गैस बनेर कुल्हे 105, एल आई टी/एच आर IS 4760-1968	
23. सी एम/एल-6757 1978-02-09	78-02-16	79-02-15	अमलगमेटेड एण्ड सिमेंटिक मोल्डर्स प्रा० लि० वैश बंधू नगर, बागुयटी, कलकत्ता-700059	गैस मेन, जल मेन प्रौर मल निकास के लिए रबड़ सील अथवा करने के रिंग टाइप 1 ए, 1बी प्रौर 1 सी IS 5382-1969	
24. सी एम/एल-6758 1978-02-09	78-02-16	79-02-15	राठी एलायज एण्ड स्टील्स लि०, 204, मरस्य इंडस्ट्रियल एरिया, घलवर (राजस्थान) (इनका कार्यालय 3ए/अधना-II, टालस्टाय मार्ग, नई दिल्ली-110001 में है)	संरचना इस्पात (साधारण किस्म) के रूप में पुन वेल्डन के लिए कार्बन इस्पात के बिलेट, ब्लूम प्रौर सिलिया IS 2831-1975	
25. सी एम/एल-6759 1978-02-09	78-02-16	79-02-15	आर्य प्रवेश डेयरी डिवसपमेंट कारपोरेशन लि०, लाहपेट, हैदराबाद-500089	हुग्घ पावडर टाइप-स्पेरेटज IS 1165-1975	

(1)	(2)	(3)	(4)	(5)	(6)
26. सी एम/एल-6760 1978-02-14	78-02-16	79-02-15	मूरज स्टील लि० टी-1, इंडस्ट्रियल एरिया, सोनीपत, हरियाणा	संरचना इस्पात (साधारण किस्म) के रूप में पुनः बेस्लन के लिए कार्बन इस्पात के डबल बा बिलेट, इंगट IS : 6915-1973	
27. सी एम/एल-6761 1978-02-14	78-02-16	79-02-15	बैकफील्ड इंजीनियरिंग कम्पनी, 205, भवन-लाशी रोड, पीयू मेडू, कोयम्बतूर-641004	तीन फेजी प्रेरण मोटरे टाइप/ग्रेड/साइज श्रेणी ए रीघन मोटरे IS : 6915-1973	
28. सी एम/एल-6762 1978-02-14	78-02-16	79-02-15	एपोलो ड्यूल्स लि०, प्लॉट सं० 5, निपकांट, इंडस्ट्रियल एरियर, रातीपेट-632403 उत्तर प्रकांट जिला (तमिलनाडु)	संरचना कार्यों के लिए इस्पात नलियां, टाइप/ग्रेड/साइज 'ई' 'आर' 'डब्ल्यू' ट्यूब 50 मिमी तक मध्यम, हल्की और भारी सीरीज 25 येस्ट ग्रेड— IS : 1161-1965	
29. सी एम/एल-6763 1978-02-14	78-02-16	79-02-15	वि कर्नाटक स्टेट कोऑपरेटिव मार्केटिंग फेडरेशन लि०, 20, रेगुलेटिड मार्केट याडें, यशवंतपुर-बंगलौर-560022 (इतका कार्यालय : 8 कनिगगहम रोड, बंगलौर 560022 में है)	मालाधियोन पायसनीय साइज IS : 2567-1973	
30. सी एम/एल-6764 1978-02-14	78-02-16	79-02-15	शाइनिंग इंजीनियरिंग वर्क्स, 22/41, लंगड़े की चौकी, भागरा-282004	खेती कार्यों के उपयोग के साफ, ठंडे ठंडे और स्वच्छ पानी की सप्लाई के लिए क्षतिजनुमा, अपकेंद्रीय पम्प साइज : 100×100 मिमी० और 80×65 मि०मी IS : 6595-1972	
31. सी एम/एल-6765 1978-02-17	78-02-16	79-02-15	सिगल पेस्टीसाइड्स, 9/122, मोती बाग यमुनापार, भागरा-6	स्मिरीकृत मेधांक्सीइथाइल पारा क्लोराइड साइज IS : 2558-1963	
32. सी एम/एल-6766 1978-02-17	78-03-01	79-02-28	स्वास्तिक केमिकल इंडस्ट्रीज, थ्रम लक्ष्मी उद्योग भवन, पहली मंजिल, गली नम्बर 14, रामचन्द्र लेन एकसटेशन, कच्छपाड़ा, मनाड, बम्बई-400064	कोलतार से बनी खाद्य रंग की निमित्तियां IS : 5348-1975	
33. सी एम/एल-6767 1978-02-17	78-03-01	79-02-28	प्रशांति बेस्सायल प्रा० लि०, गांव मणीकपुर डाकघर राजपुर, 24 परगना (इतका कार्यालय : ए/12, रामगढ़, डाकघर नकतल्ला, कलकत्ता-47 में है)।	ट्रांसफार्मर तेल— IS : 335-1972	
34. सी एम/एल-6768 1978-02-17	78-03-01	79-02-28	बी एस के० इंडस्ट्रीज, गोला रोड, बानापुर छावनी पटना	खेती कार्यों के उपयोग के लिए ठंडे साफ और स्वच्छ जल की सप्लाई के लिए क्षतिजनुमा अपकेंद्रीय पम्प साइज 75×65 मिमी० IS : 6595; 1972	
35. सी एम/एल-6769 1978-02-17	78-03-01	79-02-28	प्रकाश इंजीनियरिंग कम्पनी, ए-2, लार्ज इंडस्ट्रियल इस्टेट बेला, भार० के० आश्रम, मुजफ्फरपुर (बिहार)	ए ए सी और ए सी एन भार चालक सभी प्रकार के : IS : 398 (भाग 1, 2)-1976	
36. सी एम/एल-6770 1978-02-17	78-03-01	79-02-28	मूरज स्टील लि०, टी-1, इंडस्ट्रियल एरिया, सोनीपत (हरियाणा)	संरचना इस्पात (मानक किस्म) के रूप में बेस्लन के लिए कार्बन इस्पात के डबल बा बिलेट, इंगट IS : 6914-1973	
37. सी एम/एल-6771 1979-02-17	78-03-01	79-02-28	जय केमिकल्स, 14/1, मथुरा रोड, करीबाबाव (हरियाणा)	मालाधियोन धूलन पाउडर IS : 2568-1973	

(1)	(2)	(3)	(4)	(5)	(6)
38. सी एम/एल-6772 1978-02-17	78-03-01	79-02-28	अजंता द्युन वि. जैन इंडस्ट्रियल इस्टेट, 36 कि०मी० दिल्ली-हापुड़ रोड, गाजियाबाद (उ०प्र०) (इनका कार्यालय 30-20 कनाट प्लेस, नई दिल्ली-110001 में है)	संरचना कार्यों के लिए मुबु इस्पात नलियां, मध्यम और हल्की सभी साइज अस्तीकन और काली ग्रेट 22 ग्रेड IS: 1161-1968	
39. सी एम/एल-6773 1978-02-17	78-03-01	79-02-28	जय केमिकल्स, 14/1 मयूरा रोड, फरीदाबाद (हरियाणा)	एल्युम पायसनीय सान्द्र— IS: 1307-1973	
40. सी एम/एल-6774 1978-02-17	78-03-01	79-02-28	"	कार्बोराइल जल परिक्षेपी चूर्ण IS: 7121-1973	
41. सी एम/एल-6775 1978-02-27	78-03-01	79-02-28	वि टुडियालूर कॉम्पारेटिव एपीकलचरल सर्विस लि०, मेट्टूपालायम रोड, टुडियालूर, कोयम्बतूर-641034	टांक्साफीन पायसनीय सान्द्र— IS: 7946-1976	
42. सी एम/एल-6776 1978-02-27	78-03-01	79-02-28	एफ० हरले एण्ड कम्पनी, 5, रामेश्वर शाह रोड, कलकत्ता-700014	अग्नि प्रतिरोधी बैट्रिस कपड़ा— IS: 4455-1967	
43. सी एम/एल-6777 1978-02-27	78-03-01	79-02-28	वि इंडियन रेयन कारपोरेशन लि०, इकाई : जय श्री टेक्सटाइल एण्ड इंडस्ट्रीज, रिचरा, जिला हुगली (प० बंगाल)	भाग बुनाने के लिए नियंत्रित पकौलिटिंग होज— IS: 8423-1977	
44. सी एम/एल-6778 1978-02-27	78-03-01	79-02-28	स्वास्तिक माइनिंग इंडस्ट्रीज धोवातंद धनबाद इनका कार्यालय : लाल बाजार मरिया, धनबाद	अग्नि प्रतिरोधी बैट्रिस कपड़ा IS: 4355-1977	
45. सी एम/एल-6779 1978-02-27	78-03-01	79-02-28	एच० मुमताज एण्ड कम्पनी, 15, स्वाइनहोय लेन कलकत्ता-700042	पैराफीन मोम टाइप-3 IS: 4654-1974	
46. सी एम/एल-6780 1978-02-27	78-03-01	79-02-28	वि वेलिमलाय रबड़ कम्पनी लि०, धूकाले कन्या कुमारी जिला, (तमिलनाडु)	अमोनिया परिरक्षित तेज प्राकृतिक रबड़ लैटेक्स टाइप/ग्रेड/साइज एचए— IS: 5430-1969	
47. सी एम/एल-6781 1978-02-27	78-03-01	79-02-28	पावीनजारीकारा एजेन्सीज लि०, कोटायम लैटेक्स फैक्टरी, कोडिमाथा कोटायम-1 (केरल राज्य)	अमोनिया परिरक्षित तेज प्राकृतिक रबड़, लैटेक्स टाइप/ग्रेड/साइज एचए— IS: 5430-1969	
48. सी एम/एल-6782 1978-02-27	78-03-01	79-02-28	पावीनजारीकारा एजेन्सीज लि०, विजूकी-क्याडे कन्जिरापाट्टी कोटायम जिला, (इनका कार्यालय : कोडिमाथाकोटायम-1, में है)	अमोनिया परिरक्षित तेज रबड़ लैटेक्स IS: 5430-1969	
49. सी एम/एल-6783 1978-02-27	78-03-01	79-02-28	वि पालानी ग्राम्बावर मिस्स लि०, 121, धासी रोड, उधामलपेट-642126	होजरी के लिए घूसर धागा टाइप/ग्रेड/साइज 40 एस० संतरी 40 एस० बैलेंस कंधेमुमा— IS: 834-1975	
50. सी एम/एल-6784 1978-02-27	78-03-01	79-02-28	रोटेक्स मिडिंग मिस्स, 88 एफ० (15) 1, कामराजरोड तिरुपुर-638604	सादी बुनाई वाली सूती बनियाने टाइप/साइज गोल गले और गोल गले बाह वाली 70 से 90 सेमी जीजी 26 IS: 4964 (भाग 2)--1975	
51. सी एम/एल-6785 1978-02-27	78-03-01	79-02-28	दीपक होजरी मिस्स 94 सी, लक्ष्मी नगर मेन रोड, तिरुपुर-638602	सादी बुनाई वाली सूती बनियाने टाइप/साइज गोल गले और गोल गले बाह वाली 75 से 90 सेमी जीजी 24 IS: 4964 (भाग 2)--1975	
52. सी एम/एल-6786 1978-02-27	78-03-01	79-02-28	असम लेमीनेटिंग वर्क्स, गवर्नमेंट इंडस्ट्रियल इस्टेट, तिनमुखिया, बाकथर जिला डिब्रुगढ़ (असम)	उत्तर्क भराई के लिए चमकदार पटसन बोरे— IS: 7406--1974	

(1)	(2)	(3)	(4)	(5)	(6)
53. सीएम/एल-6787 1978-02-27	78-03-01	79-02-28	उद्योगिक इलेक्ट्रिक मोटर लि०, मोगरटा आनंद जिला कैरा, (गुजरात)	बस्त्र उद्योग के लिए मोटरे टाइप/ग्रेड/ साइज करपा मोटरे 2.2 कि० श्रेणी ई रोहित मोर 1.5 कि० वा० श्रेणी ई रोहित IS : 2972 (भाग 1)—1964	
54. सीएम/एल-6788 1978-02-27	78-03-01	79-02-28	मसबमोजेर आरमेडिक (इंडिया) प्रा० लि०, ग्रांड अर्बन ट्रंक रोड, मन्नास- 600044	मस्क-केटॉन IS : 3228—1965	
55. सीएम/एल-6789 1978-02-27	78-03-01	79-02-28	अशोक एलॉय स्टील्स प्रा० लि०, सावो पुर डाकघर काकरु अम्बाला शहर (हरियाणा),	स्वचल गाड़ियों के मिलम्बन के लिए चमकदार स्प्रिंगों के लिए इस्पात के क्वैट—केवल ग्रेड-3 IS : 3431—1975	
56. सीएम/एल-6790 1978-02-27	78-03-01	79-02-28	बी० आई० एंटरप्राइजेज, हाउसिंग बोर्ड कालानी, आई० टी० आई० अम्बाला शहर के समीप, इनका कार्यालय: हाउस सं० 3998/3, राधा चौक पटेल रोड अम्बाला शहर ।	रंजक से बनी फाउटेन पेन की स्थायी टाइप/ग्रेड/साइज : रायल ब्लू रंग— IS : 1221—1971	
57. सीएम/एल-6791 1978-02-27	78-03-01	79-02-28	यूनिवर्सल स्टील एण्ड एलॉयज लि०, गुल्कुल इन्डस्ट्रियल इस्टेट 12/6 मोलम्टोन मधुरा रोड, डाकघर अमरनगर करीबाबाव (हरियाणा)	संरचना इस्पात (मानक किस्म) के रूप में पुनः बेल्सन के लिए कार्बन इस्पात के उसकी बिलेट, इंगट— IS : 6914—1973	
58. सीएम/एल-6792 1978-02-27	78-03-01	79-02-28	"	संरचना इस्पात (साधारण किस्म) के रूप में पुनः बेल्सन के लिए कार्बन इस्पात के उसकी बिलेट, इंगट— IS : 6915—1973	
59. सीएम/एल-6793 1978-02-27	78-03-01	79-02-28	हरियाणा केमिकल्स एण्ड पैस्टीसाइजस, टी-6, इंडस्ट्रियल एरिया, बहापुर गढ़, जिला रोहतक	मालाधियोन पायसनीय सांद्र— IS : 2567—1973	
60. सीएम/एल-6794 1978-02-27	78-03-01	79-02-28	असिम प्रॉडक्ट्स गेड नं० 8 प्लाट सं० 215 जी० आई० डी० सी० पञ्जेसारा सूरत (गुजरात)	ठारड़ाजीन, खाद्य ग्रेड— IS : 1694—1974	
61. सीएम/एल-6795 1978-02-27	78-03-01	79-02-28	असिम प्रॉडक्ट्स गेड नं० 8 प्लाट सं० 215 जी० आई० डी० सी० पञ्जेसारा सूरत (गुजरात)	सूर्यास्त पीला एक० सी० एक० खाद्य ग्रेड— IS : 1695—1974	
62. सीएम/एल-6796 1978-02-27	78-03-01	79-02-28	"	प्रसंय खाद्य ग्रेड— IS : 1696—1974	
63. सीएम/एल-6797 1978-02-27	78-03-01	79-02-28	"	पॉल्को 4 भार खाद्य ग्रेड— IS : 2558—1974	
64. सीएम/एल-6798 1978-02-27	78-03-01	79-02-28	"	पक्का रेड ई, खाद्य ग्रेड— IS : 2924—1974	
65. सीएम/एल-6799 1978-02-27	78-03-01	79-02-28	"	कारोमाइसीन, खाद्य ग्रेड— IS : 2923—1974	
66. सीएम/एल-6800 1978-02-27	78-03-01	79-02-28	साबरकंठा जिला कोषापरेंटिव मिलक प्रोड्यूसर्स युनियन लि०, साबर डेयरी, हिम्मत नगर, जिला साबर कंठा गुजरात	शिशुओं का कुछ आहार टाइप/ग्रेड/ साइज : युज्क— IS : 1547—1968	
67. सीएम/एल-6801 1978-02-27	78-03-01	79-02-28	भारत पम्पस एण्ड कम्प्रेस्सर्स लि०, नैनी, इलाहाबाद	धुलनपील एमेटोसीन गैस सिलेंडरों के लिए वेल्डकृत अल्प कार्बन इस्पात टाइप/ग्रेड/साइज : 41 (जस सगाई बाले) IS : 7321—1974	

(1)	(2)	(3)	(4)	(5)	(6)
68	सीएम/एल-6802 1978-02-28	78-03-16	79-03-15	मोटर एण्ड मशीनरी मैनु० लि०, 10, जयपुर रोड, कलकत्ता-700074	खेली कार्यों अपकेन्द्रीय पम्पों में उपयोग के लिए तीन फेजी स्विचरिल केजनुजा प्रेरण मोटरें-टाइप/ग्रेड/साइज : 7.5 किवा०/10 हा० पा० 1430 चक्कर प्रति मिनट टाइप टी० ई० एफ० सी० IS : 7538--1975
69.	सीएम/एल-6803 1978-02-28	78-03-16	79-03-15	नेशनल कास्टिंग कम्पनी, प्रो० : बगाल जूट मिल कम्पनी लि०, 103, कोटशोर रोड, हावड़ा। उनका कार्यालय : 8 बी० बी० बी० बाग पूर्व, कलकत्ता-700001 में है)	जल, गैस और मलनिकास के लिए प्रयुक्त बाव पाइप के लंबाई लोहे के फिटिंग टाइप : 300 मिमी० सांकेतिक व्यास तक के सभी प्रकार के IS : 1538 (भाग 1 से 23)--1976
70	सीएम/एल-6804 1978-02-28	78-03-16	79-03-16	हिन्दू री-रोलिंग इंडस्ट्रीज बी-87, 88, 89 और सी-58 एसैसैट प्रा० इंडस्ट्रियल इस्टेट, सनत नगर-हैदराबाद 500018	संरचना इस्पात (साधारण किस्म)-- IS : 1977--1975
71.	सीएम/एल-6805 1978-02-28	78-03-16	79-03-15	"	संरचना इस्पात (मानक किस्म)-- IS : 226--1975
72.	सीएम/एल-6806 1978-02-28	78-03-16	79-03-15	मोनोकेम इंडस्ट्रीज, ठूठरी मजिल, मोहता भवन, हायन्स रोड, बाली, बम्बई-18	कटाई पाउडर, टाइप 2 IS : 6047--1970
73	सीएम/एल-6807 1978-02-28	78-03-16	79-03-15	एलुमिनियम कंडक्टर ग्रॉफ राजनंदागांव, इंडस्ट्रियल इस्टेट, राजनंद गांव (म०प्र०)	शिरीपरि पावर प्रेषण कार्यों के लिए एलुमिनियम तालक : टाइप/ग्रेड/साइज : ए०ए०सी/ए०सी०एस०प्रार० IS : 398 (भाग 1-2)--1976
74.	सीएम/एल-6808 1978-02-28	78-03-16	79-03-15	यूनिटी कंडक्टर एण्ड वायर क० 3 सी, इंडस्ट्रियल इस्टेट, राजपुर (मध्य प्रदेश)	शिरीपरि पावर प्रेषण कार्यों के लिए एलुमिनियम तालक : साइज : केवल 7 लक्षों वाले टाइप : एएससी-- IS : 398 (भाग 1)--1976
75	सीएम/एल-6809 1978-02-28	78-03-01	79-02-28	हरियाणा टयूब मैनु० क० प्रा० लि०, दिल्ली रोड, हिसार-हरियाणा	जस्तीकृत और काली हल्की एवं मध्यम सभी साइज ई०प्रार०इन्व्यू-- IS : 1239--1973
76	सीएम/एल-6810 1978 02 28	78-03-16	79-03-15	ग्रिमि प्राइवेट्स, शेड नं० 8, प्लाट नं० 215, जी० धाई० डी० सी० पंचेसारा सूरत (गुजरात)	इंडीयो कारमाहन, खाद्य ग्रेड-- IS : 1698--1974
77.	सीएम/एल-6811 1978-02-28	78-03-16	79-03-15	ग्रामोफोन इंजीनियरिंग एण्ड काउंटर्री वर्क्स, 15, एबीसी उद्योग नगर राजकोट-360002	बीजल इंजन--टाइप/ग्रेड/साइज : 5.88 किवा०/8 हा०पा०, 850 चक्कर प्रति मिनट उर्ध्व जल शीतित इंजन IS : 1601--1960
78.	सीएम/एल-6812 1978-02-28	78-03-16	79-03-15	सुहास इंडस्ट्रीज शेड सं० बुनावाला 6, बुनावाला इस्टेट, गीता मंदिर के पीछे, प्रताप नगर, बड़ौदा-390004 उनका कार्यालय : 27 बी, कृष्णपुरी, मंजजलपुर--बड़ौदा	लॉक स्टायर-- IS : 1223 (भाग 1)--1970
79.	सीएम/एल-6813 1978-02-28	78-03 01	78-02-28	गुप्ता बैकलाइट कैबटरी (रजि०) 220, गली बगेश्वर नाथ, (रॉनिथ सिनेमा के पास) मऊजी मंडी--दिल्ली-7	सीलिंग रोज टाइप/ग्रेड/साइज : 5 धम्पी : 250 बोल्ट IS : 371--1966
80.	सीएम/एल-6814 1978-01-28	78-03-16	79-03-15	शार्पएज लि०, 34-36, घोखला इंडस्ट्रियल इस्टेट, नई दिल्ली-110020	रेजर, सेफ्टी टाइप--धसल के लिए जा नकले वाले और असमोजोध्य IS : 7370--1974

(1)	(2)	(3)	(4)	(5)	(6)
81. सीएम/एल-6815 1978-02-28	78-03-16	79-03-15	हरियाणा केमिकल्स एण्ड पेस्टीसाइड्स टी 6, इंडस्ट्रियल एरिया, बहादुर गढ़, जिला रोहतक (हरियाणा)	डी० डी० टी० पायमनीय मांझ— IS : 633--1975	
82. सीएम/एल-6816 1978-02-28	78-03-16	79-03-15	अर्जन्ता प्रायर्सन एण्ड स्टील कम्पनी, 1439-40 नोली रोड, दिल्ली-110032	कंक्रीट प्रबलन के लिए ठंडी मरोड़ी बिठुन इस्पात की मरिया, सभी माइज— IS : 1786--1966	
83. सीएम/एल-6817 1978-02-28	78-03-16	79-03-15	भारत स्टील प्रा० लि०, कन्या महा- विद्यालय के मामले, टांडा रोड, जलंधर शहर	एएस/एसीएमआर चालक IS : 398--1976	
84. सीएम/एल-6818 1978-02-28	78-03-16	79-03-15	वि डलहौजी जूट कम्पनी लि०, जम्पादाने डाकघर बैरावाली, जिला हुगली (प० बंगाल) (इका कार्यालय : चार्टर्ड बैंक बिल्डिंग, कलकत्ता-700001 में है)	कांच के रेशे के आधार वाले सील मार विज और थिटपूमेंती नमदे टाइप/ग्रेड : टाइप--2 ग्रेड-1 IS : 7193--1974	
85. सीएम/एल-6819 1978-02-81	78-03-16	79-05-15	इलेक्ट्रिक कंस्ट्रक्शन इक्विपमेंट कम्पनी लि०, केन्द्र, काली प्रसन्ना सिंह रोड, कलकत्ता-2	तीन फेजी प्रेरण मोटरें, टाइप ग्रेड/ माइज. 2.2 किवा० से 7.5 किवा० ग्राइडपुट श्रेणी 'ए' रोधन वाली IS : 325--1970	
86. सीएम/एल-6820 1978-02-28	78-03-16	79-03-15	क्राम्पटन ग्रीकम लि०, डा० एनी बघत रोड, प्रभादेवी बम्बई-400025	मोती इनाक ग्रप केन्द्रीय पल्प, टाइप/ ग्रेड/माइज : टाइप एमबीएन 3 माइज : 63×50 मिमी० 2.2 किवा० 1410 घक्कर प्रति मिनट— IS : 325--1970 और IS : 1520--1972	
87. सीएम/एल-6821 1978-02-28	78-03-16	79-03-15	भारत कलर्स एण्ड केमिकल्स, इकाई सं० 69, पुनजानी इंडस्ट्रियल इस्टेट, पोखरण रोड, सं० 1 खोपेट, ठाणे (महाराष्ट्र)	हराथोसाइन, खाद्य ग्रेड IS : 7697--1974	
88. सीएम/एल-6822 1978-02-28	78-03-16	79-03-15	रैलिस इंडिया लि०, 431/4, पञ्चवखारे गाँव, बालराजेश्वर रोड, बागले इंड- स्ट्रियल इस्टेट, ठाणे-400604	हेप्टाक्लोर घूलत पाउडर IS : 6429--1972	

[सं० सीएमडी/13:11]

**S.O. 1661.**—In pursuance of sub-regulation (1) of Regulation 8 of the Indian Standards Institution (Certification Marks) Regulation, 1955, as amended from time to time, the Indian Standards Institution, hereby, notifies that eighty eight licences, particulars of which are given in the following Schedule, have been granted during the month of February, 1978 authorizing the licensees to use the Standard Marks:—

## SCHEDULE

Sl. No.	Licence No. (CM/L)	Period of Validity From To	Name and Address of the Licensee	Article/Process Covered by the Licences and the Relevant IS : Designation
(1)	(2)	(3)	(4)	(5)
1.	CM/L-6735 1978-02-02	78-02-16 79-02-15	Rashtriya Engg Works (Regd), G.T. Road, Batala (Pb.)	C.I. flushing cistern Type/Grade/Size : high level bell type 12.5 litre capacity IS : 774--1971
2.	CM/L-6736 1978-02-02	78-02-16 79-02-15	Hyderabad Chemical Supplies (P) Ltd., A-24/25 Assisted Pvt. Industrial Estate, Balanagar, Hyderabad-300037	Dimethoate EC 30%— IS : 3903--1975
3.	CM/L-6737 1978-02-06	78-02-01 79-01-31	Indo Asian Traders (P) Ltd., Nakodar Road, Jullundur City	HRC cartridge fuse links Type/Grade/Size : category of duty AC3 (upto 300 Ampr)— IS : 2208--1962



(1)	(2)	(3)	(4)	(5)	(6)
4.	CM/L-6738 1978-02-06	78-02-16	79-02-15	Kewalson, 1/421, G.T. Road, Shahdara, Delhi-110032	Industrial safety leather and cotton gloves— IS : 6994 (Pt-I)—1973
5.	CM/L-6739 1978-02-06	78-02-16	79-02-15	Modi Steels, G.T. Road, Modinagar (U.P.) Distt. Ghaziabad	Mild steel for metal arc core-wire— (i) Hot rolled wire rods—5.12 mm (ii) Steel rods core wires 2 to 6.3 mm— IS : 2879—1975
6.	CM/L-6740 1978-02-06	78-02-16	79-02-15	Bengal Reed & Allied Products (P) Ltd., 188 Manjickolla Main Road, Calcutta (Off : 16 Biplabi Rash Behari Bose Road, Calcutta-700001	Pitch bound wire reeds for jute looms both for narrow looms and broad looms IS : 1552—1968
7.	CM/L-6741 1978-02-07	78-02-16	79-02-15	Nagpal Electric & Radio Co., C-108, Naraina Industrial Estate, Phase I, New Delhi-110028	Electric stoves, 1000 W— IS : 2994—1965
8.	CM/L-6742 1978-02-07	78-02-16	79-02-15	-do-	Non-auto electric irons of 600 watts— IS : 366—1965
9.	CM/L-6743 1978-02-07	78-02-16	79-02-15	Modi Steels, G.T. Road, Modinagar (U.P.)	Cold twisted deformed steel bars for con- crete reinforcement— IS : 1786—1966
10.	CM/L-6744 1978-02-07	78-20-16	79-02-15	Rathi Alloys & Steel Ltd., 204, Matsya In- dustrial Area, Alwar (Rajasthan)	Carbon Steel billet bloom & slabs for re- rolling into structural steel standard quality— IS : 2830—1975
11.	CM/L-6745 1978-02-07	78-20-16	79-02-15	The Karnataka State Co-operative Federa- tion Ltd., No. 20, Regulated Market Yard, Yeshwanthpur, Bangalore-560022 (Off : 8, Cunningham Rd., Bangalore- 560052)	BHC WDP— IS : 562—1972
12.	CM/L-6746 1978-02-07	78-02-16	79-02-15	Shri Bajrang Iron Industries, 45 & 36/37 Ram Lochan Shair Lane, Belur, Howrah	Structural steel (ordinary quality)— IS : 1977—1975
13.	CM/L-6747 1978-02-07	78-02-16	79-02-15	Union Enterprises, 16 & 17 A, IInd Phase, Industrial Area, Adityapur, Jamshedpur	Structural steel (standard quality)— IS : 226—1975
14.	CM/L-6748 1978-02-07	78-02-16	79-02-15	Union Enterprises, 16 & 17A, IInd Phase, Industrial Area, Adityapur, Jamshedpur	Structural steel (ordinary quality)— IS : 1977—1975
15.	CM/L-6749 1978-02-07	78-02-16	79-02-15	Shri Bajrang Iron Industries, 45 & 36/37 Ram Lochan Shair Lane, Belur, Howrah	Structural steel (ordinary quality) IS : 266—1975
16.	CM/L-6750 1978-02-08	78-02-16	79-02-15	Paliwal Steels (P) Ltd., 4th Milestone on Mussoorie-Meerut Road, Muzaffarnagar (U.P.)	Carbon steel cast billets ingots for rolling into structural steel (standard quality)— IS : 6914—1973
17.	CM/L-6751 1978-02-08	78-02-16	79-02-15	Newage House Manufacturing Co., Amba- wadi, Industrial Estate, Surendranagar, (Gujarat)	Fire fighting hose (rubber lined woven jacketed) Type 1— IS : 636—1962
18.	CM/L-6752 1978-02-08	78-02-16	79-02-15	Upadhyaya Valves Manufacturers Pvt. Ltd., P-280, Benaras Road, Howrah-5	Swing check type reflux (non-return) valves Type : single door pattern, upto and including 300 mm size— IS : 5312 (Pt-I)—1969
19.	CM/L-6753 1978-02-09	78-02-16	79-02-15	Paikhi Enterprises Pvt. Ltd., Plot No. 442, C.I.D.C Industrial Estate, Near Water Tank Behind Vallabhnagar, Ahmedabad- 382410	Copper oxychloride water dispersible pow- der concentrates— IS : 1507—1977
20.	CM/L-6754 1978-02-09	78-02-16	79-02-15	Paliwal Steels (P) Ltd., 4th Milestone on Mussoorie Meerut Road, Muzaffarnagar (U.P.)	Carbon steel cast billet ingots for rolling into structural steel (ordinary quality)— IS : 6915—1973
21.	CM/L-6755 1978-02-09	78-02-16	79-02-15	Bangalore Pesticides Ltd., 16 K.M. Tumkur Road, Bangalore-562139 (Off : 33 Abshot Layout, Sankey Road Cross, Bangalore)	Endosulfan EC— IS : 4323—1967

(1)	(2)	(3)	(4)	(5)	(6)
22. CM/L-6756 1978-02-09	78-02-16	79-02-15	Machinery & Equipment Mfrs Pvt. Ltd Opp. Ajit Mills, Rukhial Road, Ahmeda- bad	Domestic cooking ranges for use with LPG without grillers Type/Grade/Size : (80-40-60 LIT/HR gas burner oven bur- ner 105 LIT/HR— IS : 4760—1968	
23. CM/L-6757 1978-02-09	78-02-16	79-02-15	Amalgamated & Synthetic Moulders Pvt. Ltd., Dosh Bandh Nagar, Bhubaneswar Calcutta-700059.	Rubber sealing rings for gas mains water mains & sewerage-Type : 1-A, 1-B and 1 D— IS : 5382—1969	
24. CM/L-6758 1978-02-09	78-02-16	79-02-15	Rathi Alloys & Steel Ltd., 204, Matsya In- dustrial Area, Alwar (Rajasthan) (Off : 3-A, Vandhna, 11 Tolstoy Marg, New Delhi-110001)	Carbon steel billets, blooms and slabs for re-rolling into structural steel (ordinary quality)— IS : 2831—1975	
25. CM/L-6759 1978-02-09	78-02-16	79-02-15	Andhra Pradesh Dairy Development Corpn. Ltd., Lalapet, Hyderabad-500789	Milk powder Type : Skim— IS : 1165—1975	
26. CM/L-6760 1978- 2-14	78-02-16	79-02-15	Sonraj Steel Ltd., T-1, Industrial Area, Sonapat (Haryana)	Carbon steel cast billet ingots for rolling into structural steel (ordinary quality) - IS : 6915—1973	
27. CM/L-6761 1978-02-14	78-02-16	79-02-15	Wakefield Engg. Co., 205, Avanashi Road, Peelamedu, Coimbatore-641004	Three-phase induction motors Type/ Grade/Size : Class A insulation motor— IS : 325—1970	
28. CM/L-6762 1978-02-14	78-02-16	79-02-15	Appollo Tubes Ltd., Plot No. 5, SIPCOT Industrial Complex, Ranipet-632403 (North Arcot Dist.) (Tamil Nadu)	Steel tubes for structural purposes Type/ Grade/Size : ERW tube upto 50 mm for light medium and heavy series of grade Yst 25— IS : 1161—1968	
29. CM/L-6763 1978-02-14	78-02-16	79-02-15	The Karnataka State Co-operative Market- ing Federation Ltd., 20, Regulated Mar- ket Yard, Yeswanthpur, Bangalore- 560022 (Off : 8, Cunningham Road, Bangalore-560052)	Malthion EC— IS : 2567—1973	
30. CM/L-6764 1978-02-14	78-02-16	79-02-15	Shining Engg. Works, 22/41, Langre Ki Chowki, Agra-282004	Horizontal centrifugal pumps for clear, cold fresh water for agricultural purposes size : 100 x 100 mm and 80 x 65mm— IS : 6595—1972	
31. CM/L-6765 1978-02-17	78-02-16	79-02-15	Singhal Pesticides, 9/122, Moti Bagh, Jamuna Par, Agra-6	Stabilized Methoxy ethyl mercury chloride concentrates— IS : 2358—1963	
32. CM/L-6766 1978-02-17	78-03-01	79-02-28	Swastik Chemical Industries, Shram Laxmi Udyog Bhavan, 1st Floor, Gala No. 14, Ramchandri Lane Extension, Kachpada, Malad, Bombay-400064.	Coal tar food colour preparations— IS : 5346—1975	
33. CM/L-6767 1978-02-17	78-03-01	79-02-28	Prasanthi Waxes Pvt. Ltd., Vill—Manik- pur, P. O. Rajpur, 24 Parganas (Off : A/12 Ramgarh, P. O. Naktala, Calcutta- 47)	Transformer oil— IS : 335—1972	
34. CM/L-6768 1978-02-17	78-03-01	79-02-28	Shree S. K. Industries, Gola Road, Dinapore Cantt. Patna	Horizontal centrifugal pump for clear cold fresh water for agricultural purpo- ses—size 75 x 65 mm— IS : 6595—1972	
35. CM/L-6769 1978-02-17	78-03-01	79-02-28	Prakash Engineering Co., A-2, Large In- dustrial Estate, Bela R. K. Ashram, Muzaffarpur (Bihar).	AAC & ACSR conductors all types— IS : 398 (Pt-I & II)—1976	
36. CM/L-6770 1978-02-17	78-03-01	79-02-28	Sooraj Steel Ltd., T-1, Industrial Area, Sonapat (Haryana).	Carbon steel cast billet ingots for rolling into structural steel (standard quality) IS : 6914—1973	
37. CM/L-6771 1978-02-17	78-03-01	79-02-28	Jai Chemicals, 14/1, Mathura Road, Faridabad (Haryana)	Malathion DP— IS : 2568—1973	

(1)	(2)	(3)	(4)	(5)	(6)
38. CM/L-6772 1978-7-02-17	78-03-01	79-02-28	Ajanta Tubes Ltd., Jain Industrial Estate, 36 K. M. Delhi Hapur Road, Ghaziabad U.P.) (Offl : D-20, Connaught Place, New Delhi-110001	Mild steel tubes for structural purposes 'medium and light' all sizes, galvanized and black Yst 22 Grade— IS : 1161—1968	
39. CM/L-6773 1978-02-17	78-03-01	79-02-28	Jai Chemicals, 14/1, Mathura Road, Faridabad (Haryana).	Aldrin EC— IS: 1307—1973	
40. CM/L-6774 1978-02-17	78-03-01	79-02-28	-do-	Carbaryl WDP— IS : 7121—1973	
41. CM/L-6775 1978-02-27	78-03-01	79-02-28	The Tudiyalur Co-operative Agricultural Service Ltd., Mettupalayam Road, Tudiyalur, Coimbatore-641034.	Toxaphene EC— IS : 7946—1976	
42. CM/6776 1978-02-27	78-03-01	79-02-28	F. Hanley & Co., 5, Ramchswarshaw Road, Calcutta-700014.	Fire resistant brattice cloth— IS : 4355—1967 }	
43. CM/L-6777 1978-02-27	78-03-01	79-02-28	The Indian Rayon Corpn. Ltd., Unit Jayashree Textile & Industries, Rishra, Distt. Hooghly, (W. Bengal).	Controlled percolating hose for fire fighting— IS : 8423—1977	
44. CM/L-6778 1978-02-27	78-03-01	79-02-28	Swastik Mining Industries, Dhowat and, Dhanbad (Off : Lal Bazar, Jharia, Dhanbad).	Fire resistant brattice cloth— IS : 6355—1977	
45. CM/L-6779 1978-02-27	78-03-01	79-02-28	H. Mumtaz & Co., 15, Swinhoe Lane, Calcutta-700042	Paraffin wax Type 3— IS : 4654-1974	
46. CM/L-6780 1978-02-27	78-03-01	79-02-28	The Velimalai Rubber Co. Ltd., Thuckalay, Kanyakumari Distt., Tamil Nadu.	Ammonia preserved concentrated rubber latex Type/Grade/Size HA— IS : 5430—1969	
47. CM/L-6781 1978-02-27	78-03-01	79-02-28	Padinjarekara Agencies Ltd., Kottayam Latex Factory, Kodimatha, Kottayam-1 (Kerala State)	Ammonia preserved concentrated natural rubber latex Type/Grade/Size HA— IS : 5430—1969	
48. CM/L-6782 1978-02-27	78-03-01	79-02-28	Padinjarekara Agencies Ltd., Vizhukkithode, Kanjirapally, Kottayam Distt., (Offl : Kodimatha, Kottayam-1)	Ammonia preserved concentrated rubber latex— IS : 5430—1969	
49. CM/L-6783 1978-02-27	78-03-01	79-02-28	The Palani Andavar Mills Ltd., 121, Dhally Road, Udamalpet-642126	Grey yarn for hosiery Type/Grade/Size 40s, orange, 40s challenge—combed— IS : 834—1975	
50. CM/L-6784 1978-02-27	78-03-01	79-02-28	Rotex Knitting Mills 88 F (15)1, Kamaraj Road, Tirupur-638604	Plain knitted cotton vests Type/size : RN & RNS 70 to 90 cm gg 26— IS : 4964 (Pt-II)—1975	
51. CM/L-6785 1978-02-27	78-03-01	79-02-28	Deepak Hosiery Mills 94 C, Lakshminagar Main Road, Tirupur-638602	Plain knitted cotton vest Type/Size : RN & RNS 75 to 90 cm gg 24— IS : 4964 (Pt-II)—1975	
52. CM/L-6786 1978-02-27	78-03-01	79-02-28	Assam Laminating Works, Govt. Industrial Estate, Tinsukia, P.O. (Tinsukia Distt. Dibrugarh (Assam).	Laminated jute bags for packed fertilizers IS : 7406—1974	
53. CM/L-6787 1978-02-27	78-03-01	79-02-28	Jyoti Electric Motors Ltd., Mogar, Ta : Anand Distt Kaira (Gujarat).	Textile Motors Type/Grade/Size : loom motors 2.2 KW class E insulated and 1.5 KW class insulated— IS : 2972 (Pt-I)—1964	
54. CM/L-6788 1978-02-27	78-03-01	79-02-28	Maschmotjer Aromatics (India) Ltd., Grand Southern Trunk Road, Madras-600044	Musk ketone— IS : 3228—1965	
55. CM/L-6789 1978-02-27	78-03-01	79-02-28	Ashoka Alloy Steels Pvt. Ltd., Sadopur, P.O. Kakru, Anala City (Haryana).	Steel flats for laminated springs for automotive suspension—Type/Grade/Size Grade 3 only— IS : 3431—1975	
56. CM/L-6790 1978-02-27	78-03-01	79-02-28	V.I. Enterprises, Housing Board Colony, Near I.T.I. Ambala City, (Offl : House No. 3998/3, Radha Chowk Patel Road, Ambala City).	Dye based fountain pen ink Type/Grade/Size : Royal Blue colour— IS : 1221—1971	

(1)	(2)	(3)	(4)	(5)	(6)
57. CM/L-6791 1978-02-27		78-03-01	79-02-28	Universal Steel & Alloys Ltd., Gurukul Indraprastha Industrial Estate, 12/6, Milestone, Mathura Road, P.O. Amar Nagar, Faridabad (Haryana).	Carbon steel cast billet ingots for re-rolling into structural steel (standard quality)— IS : 6914—1973
58. CM/L-6792 1978-02-27		78-03-01	79-02-28	-do-	Carbon steel cast billet ingots for re- rolling into structural steel (ordinary quality)— IS : 6915—1973
59. CM/L-6793 1978-02-27		78-03-01	79-02-28	Haryana Chemicals and Pesticides, T/6, Industrial Area, Bahadurgarh Distt., Rohtak.	Malathion EC— IS : 2567—1973
60. CM/L-6794 1978-02-27		78-03-01	79-0-228	Asim Products, Shed No. 8, Plot No. 215, G.I.D.C. Pandasra Surat, (Gujarat).	Tartrazine, food grade— IS : 1694—1974
61. CM/L-6795 1978-02-27		78-03-01	79-02-28	-do-	Sunset yellow FCF food grade— IS : 1695—1974
62. CM/L-6796 1978-02-27		78-03-01	79-02-28	-do-	Amarnath, food grade— IS : 1696—1974
63. CM/L-6797 1978-02-27		78-03-01	79-02-28	-do-	Ponceau 4 R, food grade— IS : 2558—1974
64. CM/L-6798 1978-02-27		78-03-01	79-02-28	-do-	Fast red E, food grade— IS : 2923—1974
65. CM/L-6799 1978-02-27		78-03-01	79-02-28	-do-	Carmoisine, food grade— IS : 2924—1974
66. CM/L-6800 1978-02-27		78-03-01	79-02-28	Sabarkantha Distt. Co-operative Milk Pro- ducers Union Ltd., Sabar Dairy, Himat- nagar, Distt. Sabarakantha (Gujarat)	Infant milk food Type/Grade/Size/Spray Dried— IS : 1547—1968
67. CM/L-6801 1978-02-27		78-03-01	79-02-28	Bharat Pumps & Compressors Ltd., Naini, Allahabad.	Welded low carbon steel dissolved acety- lene gas cylinders cylinders Type/Grade/ Size : 41— Lit—water capacity IS : 7321—1974
68. CM/L-6802 1978-02-28		78-03-15	79-03-15	Motor & Machinery Mfrs. Ltd., 10, Jawpur Road, Calcutta-700074.	Three phase squirrel cage induction motors for centrifugal pumps for agricultural application Type/Grade/Size : 7.5 KW/ 10 HP 1430 rpm Type TEFC— IS : 7538—1975
69. CM/L-6803 1978-02-28		78-03-16	79-03-15	National Casting Co., Prop : Bengal Jute Mill Co. Ltd., 103, Foreshore Road, Howrah (Off : 8 BBD Bag East, Calcutta- 700001)	Cast iron fittings for pressure pipes water gas & sewage Type : All types and including 300 mm nominal dia— IS : 1538 (Pt-I) to XXIII—1976
70. CM/L-6804 1978-02-28		78-03-16	79-03-15	Hind Re-rolling Industries, B-87, 88, 89 & C-38 Asstt. Pvt. Industrial Estate, Sanatnagar, Hyderabad-500018.	Structural steel (ordinary quality)— IS : 1977—1975
71. CM/L-6805 1978-02-28		78-03-16	79-03-15	-do-	Structural steel (standard quality) IS : 226—1975
72. CM/L-6806 1978-02-28		78-03-16	79-03-15	Monochem Industries, 2nd Floor, Mohatta Bhawan, Hainse Road, Worli, Bombay-18	Scouring powders, Type II— IS : 6047—1970
73. CM/L-6807 1978-02-28		78-03-16	79-03-15	Aluminium Conductor of Rajnandgaon, Industrial Estate, Rajnandgaon (M.P.)	Aluminium conductors for overhead transmission purposes : Type/Grade/ Size : AAC/ACSR— IS : 398(Pt-I & II)—1976
74. CM/L-6808 1978-03-28		79-03-16	79-03-15	Unity Conductors & Wire Co., 3 C, Indus- trial Estate, Raipur (M.P.)	Aluminium conductors for overhead transmission purpose Size : 7 strands only Type : AAC— IS : 398 (Pt-I)—1976
75. CM/L-6809 1978-02-28		78-03-01	79-02-28	Haryana Tube Mfg. Co. Pvt. Ltd., Delhi Road, Hissar (Haryana).	Galvanized & black 'light & medium' all sizes ERW— IS : 1239 (Pt-I)—1973

(1)	(2)	(3)	(4)	(5)	(6)
76. CM/L-6810 1978-02-28		78-03-16	79-03-15	Asin products, Shed No. 8, Plot No. 215, G.I.D.C. Pandesara, Surat (Gujarat)	Indigo carmins, food grade— IS : 1698—1974
77. CM/L-6811 1978-02-28		78-03-16	79-03-15	Ashok Engineering & Foundry Works, 13, ABC Udyognagar, Rajkot-350002.	Diesel engines—Type/Grade/Size : 5.88 KW/ 8 HP, 850 RPM vertical water cooled engine— IS : 1601—1960
78. CM/L-6812 1978-02-28		78-03-16	79-03-15	Suhas Industries, Shed No. 6, Chunawala Estate, Behind Gita Mandir, Pratapnagar, Baroda-390004 (Off : 27B, Krishnapuri, Manjalpur, Baroda).	Lock stoppers— IS : 1223 (Pt-I) -1970
79. CM/L-6813 1978-02-28		78-03-01	79-02-28	Gupta Bakelite Factory (Regd.), 220, Gali Bashesher Nath, (Near Robin Cinema) Subzimandi, Delhi-7.	Ceiling roses Type/Grade/Size : 5 Amp. 250 volts— IS : 371—1966
80. CM/L-6814 1978-01-28		78-03-16	79-05-15	Sharpedge Ltd., 34—36, Okhla Industrial Estate, New Delhi-110020.	Razors, safety Type Non-separable non-adjustable— IS : 7370—1974
81. CM/L-6815 1978-02-28		78-03-16	19-03-15	Haryana Chemicals & Pesticides, T-6, Industrial Area, Bahadurgarh, Distt Rohtak, (Haryana).	LDT I C— IS : 633—1975
82. CM/L-6816 1978-02-28		78-03-16	79-03-15	Ajanta Iron & Steel Co., 1439-40, Loni Road, Delhi-32	Cold twisted deformed steelbars for concrete reinforcement, all sizes— IS : 1786—1966
83. CM/L-6817 1978-02-28		78-03-16	79-03-15	Appeljay Steels Pvt. Ltd., Opposite Kannya Maha Vidhyala, Tanda Road, Jullundur City.	AAC/ACSR conductors— IS : 398—1976
84. CM/L-6818 1978-02-28		78-03-16	79-03-15	The Dalhousie Jute Co. Ltd., Champdany, P. O. Baidya Bati, Distt. Hooghly (West Bengal) (Off : Chartered Bank Bldg., Calcutta-700001).	Glass fibre base seal tar pitch and bitumen felts Type/Grade : Type-2, Grade 1— IS : 7193—1974
85. CM/L-6819 1978-02-28		78-03-16	79-03-15	Electric Construction & Equipment Co. Ltd., 9 Kali Prasana Singhee Road, Calcutta	Three phase induction motors Type/Grade/Size : 2.2 KW to 7.5 KW output, Class A insulation— IS : 325—1970
86. CM/L-6820 1978-02-28		78-03-16	79-03-15	Crompton Greaves Ltd., Dr. Annie Besant Road, Prabhadevi, Bombay-400025.	Mono block centrifugal pumps type/Grade/Size : Type MBN 3 size : 63 x 50 mm. 2.2 KW 1410 rpm— IS : 325—1970 and IS : 1520—1972
87. CM/L-6821 1978-02-28		78-03-16	79-03-15	Amerind Colours & Chemicals, Unit No. 69, Punjab Indl Estate, Pokhran Road, No. 1 Khopat, Thane (Maharashtra).	Erythrosine, food grade— IS : 1697—1974
88. CM/L-6822 1978-02-28		78-03-16	79-03-15	Rallis India Ltd., 431/4 Panchpakhade Vill., Balrajeshwar Road, Wagle Indl. Estate, Thane-400504.	Heptachlor DP— IS : 6429—1972

[No. CMD/13 : 11]

नई दिल्ली, 1981-05-15

क्रमांक 1662.—भारत के राजपत्र भाग II, खण्ड 3, उप-खण्ड (ii) दिनांक 1971-08-14 में प्रकाशित तत्कालीन औद्योगिक विकास मंत्रालय (भारतीय मानक संस्था) अधिसूचना संख्या एस०प्रो० 3021 दिनांक 1971-07-15 का अतिरिक्तण करते हुए भारतीय मानक संस्था द्वारा अधिसूचित किया जाता है कि ठंडी मरोड़ी इस्पात की छड़ों के मानक चिह्न में कुछ संशोधन किया गया है। इस मानक चिह्न का संशोधित डिजाइन और मस्यबन्धी भारतीय मानक का शीर्षक तथा शाब्दिक विवरण नीचे अधिसूची में दिया गया है।

भारतीय मानक संस्था (प्रमाणन चिह्न) अधिनियम 1952 और उसके अधीन बने नियमों तथा विनियमों के कार्यों के लिए, ये मानक चिह्न 1980-12-01 से लागू होंगे :

## अनुसूची

क्रम सं०	मानक चिह्न का डिजाइन	उत्पाद/उत्पाद की श्रेणी	सम्बन्धी भारतीय मानक की पद संख्या और शीर्षक	मानक चिह्न के डिजाइन का शाब्दिक विवरण
----------	----------------------	-------------------------	---	---------------------------------------

1. IS 1786-79

कंक्रीट प्रबलन के लिए उच्च सामर्थ्य  
ठंडी मरोड़ी विकृत इस्पात की सरिया

IS : 1786—1979 कंक्रीट प्रबलन के  
लिए उच्च सामर्थ्य ठंडी मरोड़ी विकृत  
इस्पात की सरियों की विनिर्दिष्ट

भारतीय मानक संस्था का मोनोग्राम  
जिसमें "ISI" शब्द होने है, सम्म  
(2) में दिखाई देने और भारत  
में तैयार किया गया है और तैयार  
डिजाइन में दिखाया गया है उस  
मोनोग्राम के ऊपर की ओर भारतीय  
मानक की संख्या और वर्ष दिया  
गया है ।




[संख्या सीएमडी/13 : 9]

New Delhi, the 1981-05-15

S.O. 1662.—In supersession of the then Ministry of Industrial Development (Indian Standards Institution) notification number S.O. 3071 dated 1971-07-15 published in the Gazette of India, Part-II, Section -3, Sub-section (ii) dated 1971-08-14 the Indian Standards Institution, hereby notifies that the Standard Marks for cold-twisted steel bars have been revised. The revised design of the Standard Mark together with the title of the relevant Indian Standard and verbal description of the design is given in the Schedule hereto annexed.

This Standard Mark for the purposes of the Indian Standards Institution (Certification Marks) Act, 1952 and Rules and Regulations, framed thereunder, shall come into force with effect from 1980-12-01 :

## SCHEDULE

Sl. Design of the Standard No. Mark	Product/Class of Product	No. and Title of the Relevant Indian Standard	Verbal Description of the Design of the Standard Mark
1. IS : 1786—79 	Cold-worked steel high strength deformed bars for concrete reinforcement	IS : 1786—1979 Specification for cold-worked steel high strength deformed bars for concrete reinforcement	The monogram of the Indian Standards Institution, consisting of letters 'ISI', drawn in the exact style and relative proportions as indicated in Col. (2) ; the number of the Indian Standard, alongwith its year, being superscribed on the top side of the monogram as indicated in the design.

[No. CMD/13 : 9]

क्रा०आ० 1663.—भारत के राजपत्र भाग II, खण्ड 3, उप-खण्ड (ii) दिनांक 1968-03-16 में प्रकाशित तत्कालीन औद्योगिक विकास एवं कम्पनी मामलों के मंत्रालय (औद्योगिक विकास विभाग) अधिसूचना संख्या एस०आ० 952 दिनांक 1968-03-05 का आशिक रूप से संशोधन करते हुए, भारतीय मानक संस्था द्वारा अधिसूचित किया जाता है कि नीचे दी गई अनुसूची के सम्म (5) में मद (क) के सामने अंकित डाक्टरी धर्मामिटों की प्रति इकाई मुहर लगाने की फीस की दरों में संशोधन किया गया है । मुहर लगाने की संशोधित फीस की दरें जिनके धारे नीचे अनुसूची में दिए गए हैं, 1980-11-01 से लागू होंगे :

## अनुसूची

क्रम सं०	उत्पाद/उत्पाद की श्रेणी	सम्बन्धी भारतीय मानक की पद संख्या और शीर्षक	इकाई	प्रति इकाई मुहर लगाने का शुल्क
1	2	3	4	5
1.	ठोस नली वाले डाक्टरी धर्मामिटरी	IS : 3055 (भाग 1)—1977 डाक्टरी धर्मामिटरी की विनिर्दिष्ट भाग 1 ठोस नली वाले (पहला पुनरीक्षण)	एक धर्मामिटरी	1. पहली 5000 इकाइयों के लिए शुल्क ; 2. 20 पैसे प्रति इकाई 5001 से 10000 तक की इकाइयों के लिए, और 3. 10 पैसे प्रति इकाई 10001 की और इससे ऊपर की इकाइयों के लिए ।

[संख्या सीएमडी/13 : 10]

**S.O. 1663.**—In partial modification of the then Ministry of Industrial Development and Company Affairs (Department of Industrial Development) notification number S.O. 952 dated 1968-03-05, published in the Gazette of India, Part II, Section-3, Sub-section (ii) dated 1968-03-16, the Indian Standards Institution, hereby, notifies that the rate of marking fee per unit for clinical thermometers, referred to under column (5) against item (a) of the Schedule thereof, has been revised. The revised rate of marking fee, details of which are mentioned in the Schedule given hereafter, shall come into force with effect from 1980-11-01.

## SCHEDULE

Sl. No.	Product/Class of Product	No. and Title of Relevant Indian Standard	Unit	Marking fee per unit
(1)	(2)	(3)	(4)	(5)
1.	Clinical thermometers solid-stem type	IS : 3055 (Part I)—1977 Specification for clinical thermometers : Part I Solid-stem type. (first revision).	One Thermometer	(i) First 5000 units NTL ; (ii) 20 paise per unit for the 5001st to 10,000 units and (iii) 10 Paise per unit for the 10 001st unit and above.

[No. CMD/13:10]

क्रा० आ० 1664—समय-समय पर संशोधित भारतीय मानक संस्था (प्रमाणन चिह्न) विनियम, 1955 के विनियम 8 के उपविनियम (1) के अनुसार भारतीय मानक संस्था द्वारा अधिसूचित किया जाता है कि 143 लाइसेंस जिनके व्योरे नीचे अनुसूची में दिए हैं लाइसेंसधारियों को मानक सम्बन्धी मुहर लगाने का अधिकार देने हुए माह मार्च 1978 से स्वीकृत किए गए हैं :

## अनुसूची

क्रम सं०	लाइसेंस संख्या सीएम/एल-सं०	वैधता की अवधि		लाइसेंसधारी का नाम और पता	लाइसेंस के अधीन/वस्तु/प्रक्रिया और तत्सम्बन्धी भारतीय मानक पदनाम
		से	तक		
1	2	3	4	5	6
1.	सीएम/एल-6823 1978-03-02	78-03-01	79-02-28	हरियाणा ट्यूब मैनु० कं० प्रा० लि० दिल्ली रोड, हिमाल (हरियाणा)	संरचना कार्यों के लिए मृदु इस्पात की नलियाँ "हल्की" और "मध्यम" टाइप/ग्रेड/साइज : काली और जस्तीकृत 15 मि०मी० से 150 मि०मी० ग्रेड येस्ट 22 ई० आर० डबल्यू० IS : 1161—1968
2.	सीएम/एल-6824 1978-03-02	78-03-01	79-02-28	रबीन्द्र ट्यूब लि० 10वा मील, दिल्ली रोड, हिमाल (हरियाणा)	संरचना कार्यों के लिए मृदु इस्पात की नलियाँ टाइप/ग्रेड/साइज : सभी वर्ग, काली और जस्तीकृत ग्रेड येस्ट 22 साइज, 15 मिमी/150 मिमी तक IS : 1161—1968
3.	सीएम/एल-6825] 1978-03-02	78-03-16	79-03-15	बी० के० इलेक्ट्रिकल्स, 15, 16, 17 इंडस्ट्रियल एरिया जबलपुर (मध्य- प्रदेश) कार्यालय : 994, राइट टाऊन, जबलपुर (मध्य प्रदेश)	एसी और एसीएमआर चालक साइज : सात लड़काले, एसीसी और एसीएम-आर चालक IS : 398 भाग 1 और (2)—IS : 1976
4.	सीएम/एल-6826] 1978-03-03	78-03-16	79-03-15	कैपिटल माइंटिफिक इंडस्ट्रीज ग्रूम डेरी रोड, ग्रानंद (जिला कैरा)	अयुटरोमीटर टाइप/ग्रेड/साइज : 10 प्रतिशत स्कोप IS : 1223 (भाग 1)—1970
5.	सीएम/एल-6827 1978-03-03	78-03-16	79-03-15	जनरल मशीन टूल्स एण्ड इंजीनियरिंग वर्क्स, सी 14/1, वजीरपुर इंडस्ट्रियल एरिया, दिल्ली-110052	गोल बाल्व (बोनिनुमा प्लंजर आकार) उच्च दाब टाइप/ग्रेड/साइज : केवल 15 मिमी साइज IS : 1703—1968
6.	सीएम/एल-6828 1978-03-03	78-03-16	79-03-15	जयश्री प्लास्टिक्स, 22 चंडी मरवा रोड, कलकत्ता-700063 (कार्यालय : 23ए-नेमाजी गुहाष रोड कलकत्ता-700001)	अल्पघनत्व पोलिइथाईलीन पाइप साइज ग्रेड/साइज सभी साइज/सभी दाब अंशकाले IS : 3076—1968

1	2	3	4	5	6
7	सीएम/एल-6829 1978-03-03	78-03-16	79-03-15	जे० के० स्टील एण्ड इंडस्ट्रिज लि० रिफरा वक्स, मुख्यतः-7 काउन्सिल शउम स्ट्रीट, कलकत्ता-1	जस्ताकृत लकड़ा टेब IS 2141-1968
8	सीएम/एल-6830 1978-03-03	78-03-16	79-03-15	बजाज कैपिटल एंडर प्रा० लि० ई-41, एम० आई० डीसी इंडस्ट्रियल एरिया विशाल थाना, श्रीरगाबाद	पावर प्रणाली के गेट केपिटल एंडर टाइप/ ग्रेड/साइज 1 सेड केबीएमआर और 410 बी और 415 बोस्ट IS 2834-1964
9	सीएम/एल-6831 1978-03-03	78-03-16	79-03-15	स्टैण्डर्ड ड्रम एण्ड बैरल मैनु० क० गवन पावर, कारीडोर रोड पैम्बर-बम्बई- 400074	विट्यूमेनी ड्रम टाइप ग्रेड "बी" IS 3575-1977
10	सीएम/एल-6832 1978-03-03	78-03-16	79-03-15	अपर इंडिया स्टील मैनु० एण्ड इजी० क० लि०, भंडारी इंडस्ट्रियल कोकल प्लाइट, मुधियाना	ब्लाई के लिए कार्बन इस्पात की सरिया ग्रेड/वर्ग/साइज : 30, 1 और 5— IS 1875-1971
11	सीएम/एल-6833 1978-03-06	78-03-16	79-03-15	बी० डी० खेतान एण्ड कम्पनी, आशुनि रोड, मायानगर पुलिस स्टेशन महेश तन्ला, 21, परगना (प० बंगाल) (कार्यालय 2 भाग, नेता जी मुभाय रोड, कलकत्ता) से है।	बी० एच० सी० जल परिक्षणा पूर्ण IS 562-1972
12	सीएम/एल-6834 1978-03-06	78-03-16	79-03-15	अग्रम मेदर वक्स मारगाबाद, बजबज बज बज ट्रक रोड पर 11वा मील, पिन कोड-743319 (प० बंगाल)	सामान्य कार्यों के लिए टखने तक के बूट ग्रेड/साइज : ग्रेड 2 बाउलिंग साइज ग्रेड 2 IS 583-1969
13	सीएम/एल-6835 1978-03-07	78-03-16	79-03-15	पावर एण्ड कंट्रोल ट्रांसफार्मर इंडस्ट्रीज प्रा० लि० प्लाट संख्या 189-191, जवाहर कोआपरेटिव इंडस्ट्रियल इस्टेट, कमोय, जिला कोलाबा	तीन फेजी प्रेषण मोटरें, 212 कि०वा० वाली मोटरें श्रेणी "ई" IS: 325-1970
14	सी एम/एल-6838 1978-03-10	78-03-16	79-03-15	छुडू एंटरप्राइजेज, न्यू मार्केट, जलगांव जिला जलपाईगुरी (प० बंगाल)	चाय की पेटियों प्लाई पेटियों IS. 10 (भाग 3)—1974
15	सी एम/एल-6837 1978-03-10	78-03-16	79-03-15	केमटन केबल्स (इंडिया) 33, डी०एल० एफ० इंडस्ट्रियल एरिया, नजफगढ़ रोड, नई दिल्ली-110015	पी० बी० सी० सपिन और पी० बी० सी खोलदार केबल, एलुमिनियम चालक 250/440 बोस्ट— IS 694 (भाग 2)—1964
16	सी एम/एल-6838 1978-03-10	78-03-16	79-03-15	कार्या प्लास्टिक प्रा० लि० इकाई सं० 8, 9 और 10, बिशन उद्योग प्रेमिसेस को आपरेटिव सोसायटी लि०, मुलंद (पश्चिम) बम्बई-400080	अग्नेयी टट्टियों के लिए प्लास्टिक की सीट ठकन टाइप "ए"— IS 2548-1967
17	सी एम/एल-6839 1978-03-10	78-03-16	78-03-16	फाइवो रिहलफॉर्मिड प्लास्टिक इंडस्ट्रीज सं० 30, मारगोसा रोड, मालेश्वरम बंगलोर-560003	600 मिमी साइज तक स्कूटर और मोटर साइकिल चायकों के लिए बचाव हेल्मेट (टाइप)— IS 4151-1976
18	सी एम/एल-6840 1978-03-10	78-03-16	79-03-35	निशान स्प्रिंग प्रा० लि० 7, 8, और 9 इंड- स्ट्रियल एरिया, अधरातल (रिचाहाय) जबलपुर कार्यालय : 1700 नेणियर टाऊन जबलपुर- 482001	स्वचल गाड़ियों के नियन्त्रण के लिए पत्तीदार स्प्रिंग-निजी स्प्रिंग पत्तियां IS: 1135-1973
19	सी एम/एल-6841 1978-03-10	78-03-16	79-03-15	मोहता इंडस्ट्रियल लि०, सी-58, कोकल बाईट धनधारी कला, (मुधियाना)	संरचना इस्पात (वाधारण किस्म) रूप में पुनः बेस्वन के लिए डलबी बिंसे के ग्रेड IS: 6915-1973



1	2	3	4	5	6
20. सी एम/एल-6842 1978-03-10	78-02-15	79-02-15	शक्ति मेटल वर्क्स, एस-254, इंडस्ट्रियल एरिया, जलंधर (744004)	जी एम गेट और गलीब वाल्व माइज 15 से 50 मिमी० केजल श्रेणी 1 IS. 778-1971	
21. सी एम/एल-6843 1978-03-13	78-03-16	79-03-15	फूड स्पेशल टीन लि० लुधियाना-फिरोजपुर रोड, किंगवाह नहर के पास जिला फरीदकोट, भोगा (पंजाब) कार्यालय : एम-5ए-कनाट सर्कस, नई दिल्ली-110001	स्ट्रे शुष्क वृक्ष का पाउडर टाइप/ग्रेड/माइज केवल जल मिश्रित पूर्ण IS : 1165-1975	
22. सी एम/एल-6844 1978-03-13	78-01-01	78-12-31	फूड स्पेशल टीन लि० लुधियाना-फिरोजपुर रोड, किंगवाह नहर के पास जिला फरीदकोट, भोगा (पंजाब) कार्यालय : एम-5ए-कनाट सर्कस, नई दिल्ली-110001	शिशुओं का कुण्ड घाटार IS : 1547-1968	
23. सी एम/एल-6845 1978-03-13	78-01-01	78-12-31	„	जुननशील काफी पूर्ण IS. 2791-1972	
24. सी एम/एल-6846 1978-03-13	78-03-16	79-03-15	ट्रान्स्फोरकेमिक्ल एण्ड पै० कं० लि०, गोनूर शाखा कार्यालय : रमन नगर, मेहूर बाध सलेम जिला	विस्कोटकों और पवारोनकनीकी मिश्रणों के लिए बेरियम नाइट्रेट IS : 4396-1967	
25. सी एम/एल-6847 1978-03-13	78-03-16	79-03-15	किसान पेस्टीसाइड बागपत रोड, मेरठ (उ०प्र०)	बी० एच० सी० धूलन पूर्ण IS : 561-1972	
26. सी एम/एल-6848 1978-03-13	78-03-16	79-03-15	जनरल मशीन टूल्स एण्ड इंजी, बक्स, जी० 14/1, इंडस्ट्रियल एरिया, बजींगपुर नई दिल्ली-52	पानी की सप्लाई के लिए बाबू हली पीतल की पंच वाली बिब टोटिया और स्टाप टोटिया केवल माइज 15 मि० सी० IS. 781-1967	
27. सी एम/एल-6849 1978-03-13	78-03-16	79-03-15	जनक स्टील ट्यूब्स (प्रा०) लि०, 9वीं, किनोमीटर दिल्ली रोड, हिंसा 500 (हरियाणा)	मृदु दन्तात की नलियों टाइप/ग्रेड/माइज हल्की श्रेणी, काली सभी साइजें— IS : 1239 (भाग 1)—1973	
28. सी एम/एल-6850 19-03-14	78-03-16	79-03-15	टेकनीको (इंडिया) 57-ए-बैरकपुर टंक-रोड, कानपुर-700002 (कार्यालय 3 विपीन बिहारी गांगोली स्ट्रीट, कलकत्ता-700002 में है)	शुष्क पूर्ण वाले गवाह्य अग्निशालक टाइप माइज : सभी माइज वाले IS : 2171-1972	
29. सी एम/एल-6851 1978-03-14	78-03-16	79-03-15	स्कोडा (इंडिया) प्रा० लि० इंडस्ट्रियल इस्टेट, अरकोनम-631002, एन० ए० डी० टी० (तमिलनाडु)	लगातार हाथ से चलने वाले स्प्रैयर टाइप/ग्रेड/माइज पिस्टन 16 मिटर सफाई वाले IS : 3906 (भाग 1)—1974	
30. सी एम/एल-6852 1978-03-14	78-03-16	79-03-15	हीनसे इंडिया 19/1, पहली स्ट्रीट वन बसलम कालोनी, बड़ापालामी ग्राम-600026	कोटाणशशी काला नरल पदार्थ ग्रेड-3 श्रेणी ए— IS : 1061-1975	
31. सी एम/एल-6853 1978-03-15	78-03-16	79-03-15	बिहार रिफाइनरी एण्ड मैनु, कम्पनी खपान जिना छपान पूर्व, उत्तर बिहार	वैगफिन, मोम टाइप 3 IS : 4654-1974	
32. सी एम/एल-6854 1978-03-15	78-03-16	79-03-15	बुलशैन एण्ड कम्पनी 52-ए-बी० नदन स्ट्रीट कलकत्ता-700025	बुण, रंग लगाने के चपटे टाइप/ग्रेड/साइज 12 मिमी, 25 मिमी, 50 मिमी IS : 384-1971	
33. सी एम/एल-6855 1978-03-15	78-03-16	78-03-15	कृषि रसायन (बिहार) लार्ज इंडस्ट्रियल इस्टेट आर० के० ग्राम, मुजफ्फरपुर (बिहार)	एलिडन धूतन पूर्ण IS : 1308-1974	
34. सी एम/एल-6856 1978-03-15	78-03-16	79-03-15	„	एलिडन पायमनीय पूर्ण IS : 1307 : 1973	

(1)	(2)	(3)	(4)	(5)	(6)
35. सी एम/एल-6857 1978-03-16	78-04-01	79-03-31	एमबेम्न सेकरी एलायन्स प्रा० लि०, रामचन्द्र पुर, डाकघर नरेशपुर, जिला 24, परगना (पं० बंगाल) कार्यालय: 175-ए मोतीलाल नेहरू रोड, कलकत्ता में है।	अग्नि प्रतिरोधी ब्रिटिश कपड़ा IS: 4355-1972	
36. सी एम/एल-6858 1978-03-16	78-04-01	79-03-31	दि इंडियन केबल कं० लि०, डाकघर गोलमुरी जमशेदपुर, वरिष्ठ पूर्वी रेलवे इसका कार्यालय: 9 हरे स्ट्रीट, कलकत्ता-700001 में है।	इन्तर्गत गोल गार्ड के तार टाइप ग्रेड/साइज: सभी साइज और ग्रेड के असीम भाग 4,5, और 9 IS: 4800 (भाग 4,5 और 9) 1971	
37. सी एम/एल-6859 1978-03-16	78-04-01	79-03-31	बिहार हंक कम्पनी, भिकू पहाड़ी पटना-4 (बिहार)	टाइपराइटर के रिबन IS: 4174 - 1969	
38. सी एम/एल-6860 1978-03-17	78-04-01	79-03-31	चतुर्वेदी स्टील लि०, डाकघर विजोशी, शांति	संरचना इस्पात (मानक किस्म) IS: 226-1975	
39. सी एम/एल-6861 1978-03-17	78-04-01	79-03-01	जय इंसेक्टिमाइडस शाखापुर, कुंवर रोड, लखनऊ—कानपुर हाईवे उन्नाव (उत्तर प्रदेश) कार्यालय: 36/42 हाटाराम मोहन कानपुर-208001 में है।	बी० एच० सी० धूलन चूर्ण IS: 561-1972	
40. सी एम/एल-6862 1978-03-17	78-04-01	79-03-31	भारत आयर्न एण्ड स्टील, 12 गोपाल घोष लेन सीलिया, हावड़ा (इसका कार्यालय: 34/ए, पुलिन दास स्ट्रीट, कलकत्ता-9 में है।)	मल विकास और संवर्धन कार्यों में प्रयुक्त बाल बने लोहे के सॉकेट कूने तथा स्पीगॉट पाइप और फिटिंग—टाइप/ग्रेड/साइज 100 मिमी सीप्रे पाइप ब्रिचिन दाब रेटिंग 0—4 कि० सेमी० <sup>2</sup> IS: 1729-1964	
41. सी एम/एल-6863 1978-03-17	78-04-01	79-03-31	वि कोयम्बतूर कोघापरेटिव स्पिनिंग मिल्स लि०, पोस्ट बाक्स सं० 8, धारा पुरम-638656 (कोयम्बतूर जिला)	धूमर सूती धागा— IS: 171-1973	
42. सी एम/एल-6864 1978-03-17	78-04-01	79-03-31	ट्रिफलाइट प्लास्टिक्स लि०, अयनासी रोड, पीलूसेडा—कोयम्बतूर-4	बरसाती जाली ताम-अभिलेखी टाइप/ग्रेड/साइज 200 सेमी० 2 और 100 सेमी० <sup>2</sup> IS: 5225-1969	
43. सी एम/एल-6865 1978-03-17	78-04-01	79-03-31	स्टार मेटल इंडस्ट्रीज, पटेल मार्ग, गाजियाबाद (उत्तर प्रदेश)	डीजल इंजन, एक मिल्लर उपर्य प्रकार के जल शीतल 5.88 कि० वा० (8 हा० प्रा) 850 चक्कर प्रति मिनट IS: 1601-1960	
44. सी एम/एल-6866 1978-03-17	78-04-01	79-03-31	युनिवर्सल स्टील एण्ड एलायज लि०, गुरुकुल इंद्रप्रस्थ इंडस्ट्रियल इस्टेट, 12/6 मील, मथुरा रोड, फरीदाबाद	स्वच्छ यांत्रियों के निलम्बन के लिए शॉखर और कुण्डलीदार तथा चमकदार स्प्रिंगों के लिए इस्पात इंगल टाइप/ग्रेड: केवल इंगट ग्रेड 2, 3 और 4 IS: 8051-1976	
45. सी एम/एल-6867 1978-03-20	78-04-01	79-03-31	मेटालाइट इंडस्ट्रीज 6 इजीनियर्स, काम्पेक्स नालिकादार रायबरेली (उत्तर प्रदेश)	टाइपर काबले टाइप/साइज: टाइप 5 सेमी साइजों में IS: 204-1966	
46. सी एम/ एल 6868 1978-03-20	78-04-01	79-03-31	„	वरवाजों के दस्ते—टाइप/ग्रेड/साइज: टाइप 4 सभी साइज IS: 208-1972	

(1)	(2)	(3)	(4)	(5)	(6)
47. सी एम/एल-6869 1978-03-20	78-04-01	79-03-31	बी० एन० भास्कर एण्ड संस, 204, कि० सी० मयूरा रोड, डाकघर अमर नगर फरीदाबाद-3 (हरियाणा)	(1) प्रतिबलित कंक्रीट, हल्की ड्यूटी पाइप श्रेणी एनवी साइज 150 मि०मी० से 800 मि०मी० और (2) प्रतिबलित कंक्रीट, भारी ड्यूटी, अबाइ पाइप, श्रेणी एन पी० <sup>१</sup> साइज 400 मि०मी० से 600 मि०मी०— IS : 458—1971	
48. सी एम/एल-6870 1978-03-20	78-04-01	79-03-31	नरोत्तम कोआपरेटिव इंडस्ट्रीज देवमाली जिला अठ्ठाबल प्रदेश, बरास्ता नाहर कला (असम)	चाय की पेटियों के लिए प्लाईवुड की पट्टियाँ— IS : 10 (भाग 2)—1976	
49. सी एम/एल-6871 1978-03-20	78-04-01	79-03-31	सेप्टी सेल्स एण्ड सर्जिसेज, 3 बंसतल्ला घाट रोड रामकृष्णपुर हावड़ा-1 (प० बंगाल)	पी०बी०सी० रोधित केबल, ताबें और एलुमिनियम के चालकों वाले साइज 650/1100 वोल्ड और 250/440 वा०— IS : 694 (भाग 1, 2)—1964	
50. सी एम/एल-6872 1978-03-20	78-04-01	79-03-31	मेथालय मेटल्स एण्ड मिनिरल्स (प्रा०) लि०, मेथालय इंडस्ट्रियल इस्टेट, शिलांग-1 (कार्यालय : लज्यूमिराम) शिलांग-1 में है)	गिरोपरि पावर प्रेषण कार्यों के लिए एलुमिनियम वायक—टाइप/ग्रेड साइज : ए ए सी/एभी एसी ए और सभी साइज— IS : 398 (भाग 1, 2) —1976	
51. सी एम/एल-6873 1978-03-20	78-04-01	79-03-31	इम्फा इंजीनियरिंग एंटरप्राइजेज, 140, पटेल रोड, कोयम्बतूर-641009	तंत फेज प्रेरण मोटर IS : 325—1970	
52. सी एम/एल-6874 1978-03-20	78-04-01	79-03-31	जी० आर० इंडस्ट्रीज, एम-21, इंडस्ट्रियल एरिया जालंधर (पंजाब)	जी० एम० गेट वाल्व श्रेणी-1 टाइप/ग्रेड/साइज : 15 से 20 मि०मी० तक IS : 778—1971	
53. सी एम/एल-6875 1978-03-20	78-01-01	78-12-31	फूड स्वेगलटीज लि०, लुधियाना-फिरोजपुर रोड किंगवाह कैनाल के पास, भागा-जिला फरीशकोट (पंजाब), (कार्यालय : एम 3 ए, कनाट सर्कस, नई दिल्ली-110001 में है)	संश्लिष्ट इंधन, शुष्क क्रोम— IS : 1166—1973	
54. सी एम/एल-6876 1978-03-21	78-04-01	79-03-31	नार्थ बंगाल प्लाईवुड इंडस्ट्रीज तीसरी मन सेथोक रोड, डाकघर इक्षित्या-माल मिसीगुडी, जिला जलपाई गुड़ी	चाय की पेटियों के लिए प्लाईवुड तबले साइज : सभी साइज— IS : 10 (भाग 2)—1974	
55. सी एम/एल-6877 1978-03-23	78-04-01	79-03-31	के०एम० एसोसिएट्स प्रा० लि०, 84, चेन्नै रोड, कलकत्ता-27 (इसका कार्यालय : 105/16, पार्क स्ट्रीट, कलकत्ता-16 में है)	भीतरी बचाव के लिए एक अंटी वाले ज्वालामुखी खोल टाइप/ग्रेड/साइज : कोलमैन टी एस बी "मार्किया"— IS : 2148—1968	
56. सी एम/एल-6878 1978-03-23	78-04-01	79-03-31	फायर इक्विपमेंट कारपोरेशन ब्लाक नम्बर 6, इंटरलोक इंडस्ट्रियल इस्टेट-केव रोड, जोगेयवरी, पूर्व बम्बई-60 (इसका कार्यालय : खडेवास भवन 166, डा० डी० एन रोड, पोस्ट बाक्स नम्बर 520, बम्बई-400001 में है)	भाग बुझाने के हौग (रखड़ के अक्षर वाले जैकेट बुनाई वाले टाइप 1)— IS : 636—1962	
57. सी एम/एल-6879 1978-03-23	78-04-01	79-03-31	बंगलौर पेस्ट्रीसाइड्स लि० 16वा कि०मी० टुम्कूर रोड, बंगलौर-562139 इसका कार्यालय : 33 अन्नगौट लेघाउट मनके रोड काम, बंगलौर-560052	डाइकोपोल पायसनीय तेज चुर्ण— IS : 5279—1969	
58. सी एम/एल-6880 1978-03-23	78-04-01	79-03-31	सन कास्टिंग एण्ड इंजीनियरिंग कम्पनी प्रा० लि०, 77/5 बनारस रोड, हावड़ा (इसका कार्यालय : 20 सनिक स्ट्रीट कलकत्ता-700001 में है)	जलकल कार्यों के लिए स्क्रू वाल्व टाइप/साइज : 50 से 300 मिमी साइज श्रेणी 1 और 2— IS : 780—1969	

(1)	(2)	(3)	(4)	(5)	(6)
59. सी एम/एल-6881 1978-03-27	78-04-01	79-03-31	ए०एम०पी० प्रा० लि०, सुभाष नगर, सुभाष रोड, जोगेश्वरी (पूर्व) बम्बई- 400060	जलकठोरेवोल पायमनीय तेज पूर्ण— IS : 5277—1969	
60. सी एम/एल-6882 1978-03-27	78-04-01	79-03-31	वि मैत्र लैम्प वर्क्स लि०, प्रोल्ड तूमूर रोड, मेरलापूरम पश्चिम डाकघर, बंगलौर-560055	सामान्य उपयोग के लिए टंगस्टन फिला- मेंट वाले बिजली के लैम्प-टाइप/ ग्रेड/साइज : 300 वाट तक— IS : 418—1963	
61. सी एम/एल-6883 1978-03-27	78-04-01	79-03-31	ए०एम० रहमानी, पंचपट्टी, कासपुर ग्रहमबाबाद-380001	कागज वाले बेचक, टाइप-बी— IS : 2257—1970	
62. सी एम/एल-6884 1978-03-27	78-04-01	79-03-31	कोलरो फार्म, धामाराकुलानगाडा रोड, त्रिपुनियूरा-682301 पोस्ट बाक्स नं० 6	एन्डोसल्फेन पायमनीय तेज पूर्ण— IS : 4323—1967	
63. सी एम/एल-6885 1978-03-27	78-04-01	79-03-31	„	डी०डी०टी० पायमनीय तेज साम्प्र— IS : 633—1975	
64. सी एम/एल-6886 1978-03-27	78-04-01	79-03-31	स्कोडा (इंडिया) प्रा० लि०, इंडस्ट्रियल इस्टेट, भरकोनाम-631002 एन एन जिला (तमिलनाडु)	कीटाणु निर्यंत्रक यंत्र के लिए प्रव निर्यंत्रित स्त्रो रो शंक तथा परोपमा— IS : 7417 (भाग 1)—1974	
65. सी एम/एल-6887 1978-03-27	78-04-01	79-03-31	ग्रान्ध प्रदेश स्टील्स लि०, पालोनगाह- 507115, कोषागुडम, खम्माम (जिला) (ग्रान्ध प्रदेश)	गढ़ाई के लिए कार्बन इस्पात के बिलेट, ब्लूम, सिलियॉ और छड़ें— IS : 1875—1971	
66. सी एम/एल-6888 1978-03-27	78-04-01	79-03-31	„	संरचना इस्पात (मानक किस्म) के रूप में पुन बेलन के लिए कार्बन इस्पात के बिलेट— IS : 2830—1975	
67. सी एम/एल-6889 1978-03-27	78-04-01	79-03-31	ग्रान्ध प्रदेश स्टील्स लि०, पालोनगाह- 507115 कोषागुडम, खम्माम जिला (ग्रान्ध प्रदेश)	गढ़ाई के लिए कार्बन इस्पात के बिलेट, ब्लूम, सिलियॉ और छड़ें— IS : 1875—1971	
68. सी एम/एल-6890 1978-03-27	78-04-01	79-03-31	आहुजा जंतरल इंडस्ट्रीज, 17-डी, इंडस्ट्रियल एरिया, फरीदाबाद-न्यू इंडस्ट्रियल टाउनशिप	घरेलू उपकरणों के लिए विजर्वा के निर्यंत्रक टाइप, ग्रेड/साइज : हस्त आलित स्विच 5 एम्पी० से 25 एम्पी० तक— IS : 7153—1975	
69. सी एम/एल-6891 1978-03-27	78-04-01	79-03-31	फाइन इंजी० वर्क्स 199 खैर नगर, मेरठ शहर (उ०प्र०)	डीजल इंजन, एक मिनेटर उच्च जन्- शीतिन, 3.67 कि०वा० (5बी हा प्रा०) 1500 चक्कर प्रति मिनट— IS : 1601—1960	
70. सी एम/एल-6892 1978-03-27	78-04-01	79-03-31	इंडिया इंक कारपोरेशन 11/7 मयूरा रोड, फरीदाबाद (हरियाणा)	कागज बिपकाने की तरल गोंद और कार्यालय में प्रयुक्त पेस्टनुमा टाइप की कार्यालय पेस्ट स्टार्ब के आधार वाली— IS : 2257—1970	
71. सी एम/एल-6893 1978-03-27	78-04-01	79-03-31	मिटकी इंडस्ट्रीज 174/25 बी नेताजी सुभाष चन्द्र बोस रोड, डाकघर रीजेंट पार्क, कलकत्ता-700040	चाय की पेटियों के लिए धातु के फिटिंग— IS : 10 (भाग 4)—1976	
72. सी एम/एल-6894 1978-03-27	78-04-01	79-03-31	फाइन इन्फ्रिक्लस एण्ड इंजी० कम्पनी, उल्हू 7, एस आई डी सी इंडस्ट्रियल इस्टेट, शिरोली-मूना-बंगलौर रोड, कोल्हापुर। (इनका कार्यालय : आई० पी० पावर नगर ब्लॉक नम्बर 19 में है)	तीन केसी प्रेरण मोटरें टाइप/ग्रेड/साइज : 2 और 3.7 कि०वा० श्रेणी “ई”— IS : 325—1970	

(1)	(2)	(3)	(4)	(5)	(6)
73. सी एम/एल-6895 1978-03-27	78-04-01	79-03-31	फिनोवेक्स, केडम्स लि०, 26/27, बम्बई- पूना रोड, पिम्परी, पूना-411013	मारी इप्टी पी बी सी रोलिंग और जोन- दार करव चंद करल : पाइप टाइप ग्रेड/साइज : 1.1 किग्रा— IS : 1554 (भाग 1)—1976	
74. सी एम/एल-6896 1978-03-27	78-04-01	79-03-31	घाटं लेबर लि० भोर, बरास्ता पूना, इनका कार्यालय : सर निठलदाम चैम्बर्स, बम्बई, समाचार मार्ग, फोर्ट बम्बई-23 में है।	सूती करघों में प्रयुक्त सूती हील्ड— IS : 1729—1968	
75. सी एम/एल-6897 1978-03-27	78-04-01	79-03-31	शारदा इंजिनीयर्स एण्ड इंजीनियरिंग वर्क्स प्रा० लि०, कम्पटी रोड, नागपुर-400017	संरचना इस्पात (मानक किस्म) — IS : 226—1975	
76. सी एम/एल-6898 1978-03-27	78-04-01	79-03-31	स्कोदा (इंडिया) प्रा० लि०, इंडस्ट्रियल इस्टेट अरकोनाम-631002 (तमिल- नाडु)	हस्त चालित स्प्रेयर के लिए कर्ग-ग्राफ संसाधन— IS : 7515—1974	
77. सी एम/एल-6899 1978-03-27	78-04-01	79-03-31	पि वायकुवम रबड़ कं० लि० वायकुवम बगली कंपाण्ड, मार्यनवम, कन्याकुमरी जिला	अमोनिया परिरक्षित तेज रबड़ सैटेक्स टाइप/ग्रेड/साइज : एच०ए०— IS : 5430—1969	
78. सी एम/एल-6900 1978-03-27	78-04-01	79-03-31	भोबी स्टील वायर मैनु कम्पनी, प्लाट सं० 15, इंडस्ट्रियल इस्टेट, अम्बापुर, मद्रास- 600056 इनका कार्यालय—10बी, कस्तूरी रंगा अयंगर रोड, अलबरोट, मद्रास-600010 में है।	सिरोपरि वायर प्रेरण कार्यों के लिए जस्तीकृत इस्पात प्रतिबलित एलुमिनियम चालों वाली कोर के लिए इस्पात के तार— IS : 398 (भाग 2)—1976	
79. सी एम/एल-6901 1978-03-27	78-04-01	79-03-31	किल्सा ब्रवर्स, मनाली रोड, एनवियूर डाकघर एनौर, मद्रास-600057	कंसीट प्रतियोजन के लिए ठंडी मरोड़ी बिहृत इस्पात की सरिया— IS : 1706—1966	
80. सी एम/एल-6902 1978-03-28	78-04-01	79-03-31	मेट्रो पेंट इंजिनीयर्स, बी-91, 92, फेज-1 मायापुरी, नई दिल्ली। (इनका कार्यालय 260, कमला मार्किट, नई दिल्ली-110001 में है)।	सामान्य कार्यों के लिए भीतरी फिनिश देने के लिए तैयार मिश्रित रंग रोगन— IS : 3537—1966	
81. सी एम/एल-6903 1978-03-29	78-04-01	79-03-31	मुजफ्फरनगर स्टील्स लि०, मेरठ रोड, मुजफ्फरनगर (उ० प्र०)।	संरचना इस्पात (मानक किस्म) रूप में बेलन के लिए उच्चतां बिजेट इंगट— IS : 6914—1973	
82. सी एम/एल-6904 1978-03-29	78-04-01	79-03-31	"	संरचना इस्पात (माधारज किस्म) के रूप में बेलन के लिए उच्चतां बिजेट इंगट— IS : 6915—1973	
83. सी एम/एल-6905 1978-03-29	78-04-01	79-03-31	यूनिवर्सल स्टील एण्ड एनाएल लि०, 12/6, मोल, मयूरा रोड, डाकघर अमरनगर, फरीदाबाद (हरियाणा)।	गंध और कुण्डलीदार स्प्रिंगों के निर्माण के लिए इस्पात के हाट और स्पीगॉट (रेल के डिब्बों के लिए) ग्रेड-3 और 4— IS : 8052—1976	
84. सी एम/एल-6906 1978-03-29	78-04-01	79-03-31	"	ठंडी हीटिंग प्रक्रिया द्वारा मशीनी वेब तैयार करने में प्रयुक्त तार की सरिया के लिए इस्पात के इंगट और बिजेट— IS : 8057—1976	
85. सी एम/एल-6907 1978-03-29	78-04-01	79-03-31	भारत स्टील रोलिंग मिल्स, गुरुकुल इन्ड- प्रसव इंडस्ट्रियल इस्टेट, 12/6, मिन- स्टन मयूरा रोड, डाकघर अमरनगर, फरीदाबाद (हरियाणा)	मोटर गाड़ियों के निष्पन्न के लिए गंध दार, कुण्डली दार अमरनगर स्प्रिंगों के निर्माण—टाइप/ग्रेड/साइज गंध बर्चिन बपडे सेकमन ग्रेड 2, 3 और 1— IS : 3431—1975	

(1)	(2)	(3)	(4)	(5)	(6)
86. सी एम/एल-6908 1978-03-29	78-05-01	79-04-30	नेशनल कार्बन कम्पनी (यूनियन कार्बाइड) प्राफ इंडिया लि० का एक इकाई 5 रुस्तम जी पारसी रोड, कासीपुर, कलकत्ता-2	पलश लाइट के लिए शुष्क बैटरियों टाइप ग्रेड/साइज : आर 14, आर 20, 2 आर 10 और 3 आर 12 टाइप सं० 935, 950, 712, 703 की सैयारी के लिए मानक पद— IS : 203—1972	
87. सी एम/एल-6909 1978-03-29	78-05-01	79-04-30	नेशनल कार्बन कम्पनी, यूनियन कार्बाइड प्राफ इंडिया लि०, का एक इकाई 1, तारतस्ता रोड, कलकत्ता-53। इका का कार्यालय : 1 मिडिलटन स्ट्रीट, कलकत्ता-700071 में है।	शलाक्यों के लिए शुष्क बैटरियों टाइप/ग्रेड/साइज : आर० 20 मस्यु टाइप : 950 IS : 203—1972	
88. सी एम/एल-6910 1978-03-29	78-07-01	79-06-30	नेशनल कार्बन कम्पनी, (यूनियन कार्बाइड प्राफ इंडिया लि०) का एक इकाई, 5, रुस्तमजी पाससी रोड, कासीपुर कलकत्ता-2 (इका का कार्यालय : 1 मिडिलटन स्ट्रीट, कलकत्ता-700071 में है)	ट्रांजिस्टर रेडियो रिसावरों के लिए शुष्क बैटरियां टाइप/ग्रेड/साइज आर 14, आर० 20, 6 एफ 100 और 6 एफ-100-2 मस्यु० के अनुरूप मानक के पद टाइप संख्या 1036, 1055, 2769, 286— IS : 2576—1975	
89. सी एम/एल-6911 1978-03-29	78-07-01	79-06-30		बहुधर्मी शुष्क बैटरियां टाइप/ग्रेड/साइज आर 6 आर 14, आर 20, क्रमशः मस्यु के अनुरूप पद टाइप संख्या 925, 945 और 955— IS : 8144—1976	
90. सी एम/एल-6912 1978-03-29	78-04-01	79-03-31	इलेक्ट्रिकल मस्यु० कम्पनी लि०, 136 जैसोर रोड, कलकत्ता-55	अग्नि शासक होज डिशीवरी कपलिन साइज : 63X 63 से० मी०— IS : 903—1975	
91. सी एम/एल-6913 1978-03-29	78-04-01	79-03-31	स्टील इंगट प्रा० लि०, बम्बई बागरा रोड, वैशस (म० प्र०) (कार्यालय : त्रिवेदी चैम्बर 2, महारानी रोड, इन्वीर-452001 में है)	संरचना इस्पात (मानक किस्म) के रूप में पुनः बैलन के लिए ठलवां विलेट इंगट— IS : 6914—1973	
92. सी एम/एल-6914 1978-03-29	78-04-01	79-03-31	"	संरचना इस्पात (साधारण किस्म) के रूप में पुनः बैलन के लिए ठलवां विलेट इंगट— IS : 6915—1973	
93. सी एम/एल-6915 1978-03-29	78-04-01	79-03-31	नेशनल मेटल इंडस्ट्रीज 314, भगीरथपुरा इंदौर।	बंक्रीट प्रबलन के लिए ठंडी मरोड़ी बिकृत इस्पात की सरिमा— IS : 1786—1966	
94. सी एम/एल-6916 1978-03-29	78-04-01	79-03-31	खोदाय डिस्ट्रीसीरीज प्रा० लि०, 54, कन्याखाना अग्रहारा, अनेकल तालुक बंगलौर जिला, बंगलौर-560061।	जिन— IS : 4100—1967	
95. सी एम/एल-6917 1978-03-29	78-04-01	79-03-31	कौनारा स्टील लि०, बायफेम्पाड़ी, दक्षिण कौनारा, जिला कमटिक।,	सामान्य इन्जिनियरी कार्यों के लिए कार्यन-स्टील की कार्स्टिंग टाइप/ग्रेड/साइज : 23—45 IS : 1030—1964	
96. सी एम/एल-6918 1978-03-29	78-04-01	79-03-31	स्टीलिंग स्टील्स एण्ड वायर्स लि०, गाथ जेहल होशियारपुर (पंजाब) इका का कार्यालय शिवमूर्ति हाउस, यू एन ए रोड, होशियारपुर-146001 (पंजाब)	उठे खिचे पी सी तार और बलरहित खिचे टाइप/ग्रेड/साइज : 41 मि०मी० साइज— IS : 1785 (भाग 2)—1966	
97. सी एम/एल-7919 1978-03-29	78-04-01	79-03-31	भारत पुल्वराइजिंग मिल्स लि०, 1074 भिक्कीपूर हाई रोड, मद्रास-600019	फ्ल्टाक्लोर पायसनीय सांद्र— IS : 6439—1972	

(1)	(2)	(3)	(4)	(5)	(6)
98 सी एम/एल-6920 1978-03-29	78-04-01	79-03-31	महालक्ष्मी स्टील्स एण्ड धातु, 0/1 मि० इंडस्ट्रियल एरिया, पानीपत (हरियाणा)	सामान्य इंजीनियरी कार्यों के लिए मृदु हस्तात कर्तार कच्चे, जस्ती कृत, हल्के और मध्यम, परत चढ़े, सभी ग्रेड IS : 280—1972	
99. सी एम/एल-6921 1978-03-30	78-04-01	79-03-31	दिल्ली स्नान पाइप, 12/1, मंगरा रोड, (हरियाणा)	प्रतिबलित सीमेंट कंक्रीट के पाइप, भारी ड्यूटी प्रभाव पाइप श्रेणी सं० 3 साइज केवल 350 मिमी० से 600 मिमी० तक IS : 458—1971	
100. सी एम/एल-6922 1978-03-30	78-04-16	79-04-15	स्टेलाइट केबल्स लि०, 7, किरोल विद्याविहार (परिषद) घाटकोपर, बम्बई-400036	1100 बोल्ड तक कार्याकारी बोल्डता घालों के लिए (भारी ड्यूटी) चढ़े और बिना कचरे चढ़े बिजली के पी वी सी रोहित तार IS : 1554 (भाग 1)—1976	
101. सी एम/एल-6923 1978-03-30	78-04-16	79-04-15	एग्रो इण्डस प्रा० लि०, कुमारपथम कबेलेश्वर गांव, रामबेनूर तालुक, जिला धारवाड़, हरद्वार रेलवे स्टेशन के समीप, कर्नाटक। (इनका कार्यालय : 87, तीसरी मेन रोड, आई आरएफएट बंगलौर-560002 पोस्ट बाक्स सं०-6809)	डी० डी० टी० जल परिक्षेपी बूलन पूर्ण IS : 565—1975	
102. सी एम/एल-6924 1978-03-30	78-04-16	79-04-15	श्री विजय बुर्गी पुलवारहजिग मिस्स, अधम्माबानो, सिस्सगुप्पा रोड, बैलेरा, 583101 (कर्नाटक राज्य)	डी० डी० टी० परिवेक्षी पूर्ण IS : 564—1964	
103. सी एम/एल-6925 1978-03-30	78-04-16	79-04-15	फॉन्गून इलेक्ट्रिकल (इंडिया) प्रा० लि०, 1, माराना हासी, 5 वीं ब्लॉक जय- नगर, बनेशकरी डाकघर बंगलौर- 560041 (इनका कार्यालय : 173 राष्ट्रीय विद्या- लय रोड, विश्वेश्वरय्यापुरम बंगलौर- 560004 में है)	बिजली की हॉट प्लेट टाइप/ग्रेड/साइज : 1250 वाट IS : 365—1963	
104. सी एम/एल-6926 1978-03-30	78-04-16	79-04-15	अथन इंजीनियरिंग इंडस्ट्रीज प्रा० लि०, शास्त्रि नगर कोम्पारेटिव इंडस्ट्रियल इस्टेट, अकोना, सांताक्रूज, बम्बई-400056	तीन फेजी मेरज मोटरें टाइप/साइज : 0.37 किवा० श्रेणी "ई" इंसुलेशन बाली— IS : 325—1970	
105. सी एम/एल-6927 1978-03-31	78-04-16	79-04-15	बंगाल पोटरीज लि०, बापर हाउस, 8वीं मंजिल, 25 ब्रेडोन रोड, कलकत्ता-1 कारखाना : फेक्टरी सं० 2, 3 पगलावगा रोड, कलकत्ता-10	पॉर्सलिन पिन इंसुलेटर टाइप/ग्रेड/साइज : 3 ग्रेड टाइप 11 किवा० ग्रेड IS : 731—1971	
106. सी एम/एल-6928 1978-03-31	78-04-16	79-04-15	मशीन्स एण्ड इक्विपमेंट्स 324, मॉडल टाउन अम्बाला शहर-134003	वाद्ययंत्रों के लिए बिजली के घरेलू (तरलक, मिश्रक और चक्की) टाइप/ग्रेड/साइज : 0.75 लीटर, 1 लीटर और 1.5 लीटर वाले— IS : 4250—1967	
107. सी एम/एल-6929 1978-03-31	78-04-16	79-04-15	जय भारत आयरन एण्ड स्टील, रोसिंग मिस्स, अम्बोह रोड, मंडी गोबिंदगढ़ (पंजाब)	संरचना हस्तात मानक किस्म समूह 2 IS : 226—1975	
108. सी एम/एल-6930 1978-03-31	78-04-16	79-04-15		संरचना हस्तात (साधारण किस्म) दोनों ग्रेड समूह 2 IS : 1977—1975	

(1)	(2)	(3)	(4)	(5)	(6)
109. सी एम/एल-6931 1978-03-31	78-04-16	79-04-15	सलवार टिक्सर्स, खजुरा रोड, धनुषा नगर- 135001	भभी साइज की, चाय की पेठियों— IS : 10 (भाग 3)—1974	
110. सी एम/एल-6932 1978-03-31	78-04-01	79-03-31	मेडिको फार्मास्यूटिकल प्रोसेसर्स, 51 रानी का बाग, समूहसर	कारों रोल (बुलवशील रिप्रिंट) IS : 4467—1967	
111. सी एम/एल-6933 1978-03-31	78-04-16	79-04-15	खुशाल मेटल एंड पैटन इंडस्ट्रीज, ए-78 श्रीलाला इंडस्ट्रियल एरिया फेज-2, नई दिल्ली-20	डिस्टेंसिंग गुणक, वांछित रंग का— IS : 427—1965	
112. सी एम/एल-6934 1978-03-31	78-04-16	79-04-15	सिम्मावली इंडस्ट्रीज प्रा० लि०, सिम्मा- वली, (जिला गाजियाबाद)	व्हिस्किया— IS : 4449—1976	
113. सी एम/एल-6935 1978-03-31	78-04-16	79-04-15	यू० पी० केयल कं० प्रा० लि०, 4 डी० एल० एफ० इंडस्ट्रियल एरिया, मजफगढ़ रोड, नई दिल्ली-110015	एलुमिनियम के लड़खार बालक और एलुमिनियम बालक, जस्तांकृत इस्पात प्रतिबलित— IS :	
114. सी एम/एल-6936 1978-03-31	78-04-16	79-04-15	शक्ति केबल्स, 902/290 बार्लीमार डाकघर हैबरपुर दिल्ली-110042	एलुमिनियम के लड़खार बालक और एलुमिनियम बालक—जस्तांकृत इस्पात प्रतिबलित— IS : 398—1976	
115. सी एम/एल-6937 1978-03-31	78-04-16	79-04-15	सुरेका एंटरप्राइसिस, 12-ए इन्द्रप्रस्थ इंडस्ट्रियल एरिया, कोटा (इनका कार्यालय : 11वीं बल्लभ नगर, कोटा-324007 में है)	एलुमिनियम के लड़खार बालक और एलुमिनियम बालक जस्तांकृत इस्पात प्रतिबलित— IS : 398 (भाग 1, 2)—1976	
116. सी एम/एल-6938 1978-03-31	78-04-16	79-04-15	स्वास्तिन पाइप्स प्रा० लि०, 41 किलो मीटर दिल्ली—रोहतक रोड, असौका, जिला रोहतक (हरियाणा) (कार्यालय : 2853, सिरकी बालांग होज- काजी, दिल्ली-6)	मृदु इस्पात की नलियाँ, केवल काली सभी श्रेणी— IS : 1239 (भाग 1)—1973	
117. सी एम/एल-6939 1978-03-31	78-04-16	79-04-15	भारत स्टील ट्यूब्स लि०, गन्नौर, जिला सोनीपत हरियाणा (इनका कार्यालय : 17 संयद मार्ग, नई दिल्ली-1 में है)	संरचना कार्यों के लिए इस्पात की नलियाँ, हल्की, मध्यम और भारी ई० आर० डब्ल्यू० चेण्ट ग्रेड, टाइप/ ग्रेड/साइज : काली 15 मिमी० से 150 मिमी० IS : 1161—1968	
118. सी एम/एल-6940 1978-03-31	78-04-16	79-04-15	प्रताप स्टील रोलिंग मिल्स प्रा० लि०, 21/3 मधुरा रोड, बल्लभगढ़ (हरियाणा)	मशीनी पेंच तैयार करने के लिए मृदु इस्पात की तार की छड़े (टंडी हैडिंग प्रक्रिया द्वारा तैयार) साइज : 4 मिमी० से 14 मिमी० IS : 2253—1977	
119. सी एम/एल-6941 1978-03-31	78-04-16	79-04-15	राजधानी फ्लोर मिल्स, सी-45/4 लारेंस रोड, नई दिल्ली	बेसन IS : 2400—1976	
120. सी एम/एल-6942 1978-03-31	78-04-16	79-04-15	जिंदन स्ट्रिप्स लि०, दिल्ली रोड, हिमाल (हरियाणा)	संरचना इस्पात (साधारण किस्म) समूह-I पुन-बेल्लन IS : 1977—1975	
121. सी एम/एल-6943 1978-03-31	78-04-16	79-04-15	"	संरचना इस्पात (मानक किस्म) समूह-1 पुन-बेल्लन IS : 226—1975	
122. सी एम/एल-6944 1978-03-31	78-04-16	79-04-15	"	संरचना इस्पात (मानक किस्म) के रूप में पुन-बेल्लन के लिए कार्बन इस्पात के बिलेट, ब्लूम और सिलिलियाँ, टाइप/ग्रेड/साइज : सभी ग्रेड के ब्लूम और सिलिलियाँ IS : 2830—1975	



(1)	(2)	(3)	(4)	(5)	(6)
123	सी एम/एल-6945 1978-03-31	78-04-16	79-04-15	जिन्दल स्टील्स लि०, (दिल्ली रोड, हिसार) (हरियाणा)	संरचना इस्पात (साधारण किस्म) के रूप में पुनः बेलने के लिए कार्बन इस्पात के बिलेट, बलूम और मिलिया सभी 2 ग्रेड के ब्लूम और मिलिया IS 2831—1975
124	सी एम/एल-6946 1978-03-31	78-04-16	79-04-15	मल्मेन मशीन्स प्रा० लि०, 270, जी आई ई सी इस्टेट, मकरपुरा रोड, बड़ौदा-390019	3 फेजी प्रेरण मोटरे, टाइप/ग्रेड/माइज . 0.37 किवा० 'ई' श्रेणी के रोशन सभी 3 तीन फेजी— IS 325—1970
125	सी एम/एल-6947 1978-03-31	78-04-16	79-04-15	यगमैन इलेक्ट्रिकल्स जैन कालेज रोड, अम्बाला शहर	वाद्य मिश्रकों के बिजली के घरेलू (तरलक, मिश्रक और चक्की) साइज केवल 0.75 मीटर, 1 मीटर और 1.5 मीटर IS 4250—1967
126	सी एम/एल-6948 1978-03-31	78-04-16	79-04-15	सुदर्शन प्लाईवुड इंडस्ट्रीज ए० टी० रोड, मारघरिया, असम	लकड़ी के समतल कपाट (मध्य टोम भाग वाले)— IS 2202 (भाग 1)—1973
127	सी एम/एल-6949 1978-03-31	78-04-16	79-04-15	सूर इन्डियन एण्ड स्टीपिंग वर्क्स लि०, 24, डा० एल० एम० महापात्र्य जी० रोड, कलकत्ता-14	मुद्राहम अतिरिक्त शासक गुणक पाउडर टाइप सभी साइज 1 कि० ग्रा० के अलावा— IS 2117—1972
128	सी एम/एल-6950 1978-03-31	78-04-16	79-04-15	हिन्दू वायर इंडस्ट्रीज लि०, 225-डी, आचार्य जगदीश बोस रोड, कलकत्ता-20	पूर्व प्रचलित कंटीट के लिए खासवार तार— IS 6003—1970
129	सी एम/एल-6951 1978-03-31	78-04-16	79-04-15	भारत वेरल एण्ड ड्रम मैनु० कम्पनी, 6 फाली प्रसन्न सिंह जी रोड, कलकत्ता-700002	बिंदुयुमेनी ड्रम, टाइप "बी" IS 3575—1977
130	सी एम/एल-6952 1978-03-31	78-04-16	79-04-15	खानपाल चौधरी एण्ड कम्पनी पी-14, नटवार पाल रोड, उत्तरी बानरा, शाहदा-5 इनका कार्यालय 23/ए नेता जी सुभाष रोड, कमरा नं० 11, तीसरी मंजिल, कलकत्ता-700001 में है	जल, गैस और निकाम कार्यों के लिए बलवा 1 सोले के एक्सेलटम सोमेट वायु पाइप IS 5531 (भाग 1 में 3)—1977
131	सी एम/एल-6953 1978-03-31	78-04-16	79-04-15	मेयो इंडस्ट्रियल वर्क्स, गांधी नगर, हरिद्वार (कर्नाटक)	बलवा लोहे के मेनहोल के हक्कन और फेम टाइप/ग्रेड/माइज . श्रेणी बी IS 780—1969
132	सी एम/एल-6954 1978-03-31	78-04-16	79-04-15	अनिता मशीन इंडस्ट्रीज, मन्न नगर, गोकुल रोड, बलौली	जल कल कार्यों के लिए स्लस वाल्व टाइप/ग्रेड/माइज . श्रेणी 2 IS 780—1969
133	सी एम/एल-6955 1978-03-31	78-04-16	79-04-15	ज्योति स्टील वर्क्स, भारत टाकीज के पीछे कर्नाटक है ब्रिज के सामने बंगलौर (कार्यालय 19 मुहली टैंक रोड बंगलौर में है)	धानु रोलिंग शटर पुन पुन टाइप 1 ए IS 6248—1971
134	सी एम/एल-6956 1978-03-31	78-04-16	79-04-15	श्री हनुमान आयरन फाउंडरी सं० 1, इंडस्ट्रियल टाउन, राजा जी नगर बंगलौर-560044	बलवा लोहे के मेनहोल के हक्कन और फेम टाइप/ग्रेड/माइज केवल मध्यम ड्यूटी गोलाकार टाइप— IS 1726—1974
135	सी एम/एल-6957 1978-03-31	78-04-16	79-04-15	कर्नाटक अक्सीजन लि०, व्हेटफील्ड रोड, महादेवपुरा रोड, डाकघर बंगलौर-560048 (कर्नाटक)	एच पी मिलेजर वाल्व टाइप/ग्रेड/माइज अक्सीजन, नाइट्रोजन अतिरिक्त और वायु IS 3224—1971

(1)	(2)	(3)	(4)	(5)	(6)
136. सी एम/एल-6958 1978-03-31	78-04-18	79-04-15	ऐग्रो इंडस्ट्रियल वर्क्स, गांधी नगर, हरिद्वार	डलवां लोहे के मेनहोल की सीढ़ियां टाइप/ग्रेड/साइज : पैट्रन-1 IS : 5455--1969	
137. सी एम/एल-6959 1978-03-31	78-04-16	79-04-15	एस० एम० पी० प्रा० लि०, सुभाष नगर, सुभाष रोड, जोगेश्वरी (पूर्व) बम्बई-60	फ्लोइडकियोन पायसलीम साइड-- IS : 5281--1967	
138. सी एम/एल-6960 1978-03-31	78-04-16	79-04-15	सी० पी० फाउंडरी वर्क्स, पीली नाहे के समीप कैम्परी रोड, नागपुर (महाराष्ट्र)	मल निकास कार्यों में प्रयुक्त डलवां लोहे के मेनहोल के ठक्कन और फ्रेम IS : 1726- (भाग 1 से 3)--1974	
139. सी एम/एल-6961 1978-03-31	78-04-16	79-04-15	मप्रवाल स्टील इंडस्ट्रीज, मरोलमसेवीसेड, मरोल, भंडेरी (पूर्व) बम्बई-400059 कार्यालय : कंसारा स्ट्रीट वास खाना बम्बई	गढ़ाई के लिए कार्बन इस्पात के बिलेट ब्लूम सिलिलियां और सरिया श्रेणी-3 IS : 1875--1971	
140. सी एम/एल-6962 1978-03-31	78-04-16	79-04-15	इंटर नेशनल कैटल इंडस्ट्रीज ठक्कर इंडस्ट्रियल इस्टेट (पूर्व) रोड "ए" फाला 1 और 2, भीयनवार रेलवे स्टेशन के समीप डाकघर मैयूयनजर जिला (छाणे) कार्यालय : 128 कंसारा थौल कालबा- देवी रोड, बम्बई-400002	पिटवां एलुमिनियम के वर्तन टाइप/ग्रेड/ साइज : 19000 मध्यम IS : 1660 (भाग 1)--1967	
141. सी एम/एल-6963 1978-03-31	78-04-16	79-04-15	ग्रंथीर इंडस्ट्रीज, 185, बम्बई टाकीज प्रहाता, मलाड (पश्चिम) बम्बई-400064	स्विच संकेत ब्राउटलेट (मान-इन्टर लाकिंग टाइप) टाइप/ग्रेड/साइज : 15 अम्पी IS : 4615--1968	
142. सी एम/एल-6964 1978-03-31	78-04-16	79-04-15	बोल्टाज लिमिटेड, दूसरी पोखरन रोड, डाकघर वाक्स सं० 72 छाणे-400606 (कार्यालय 19 आहम रोड, विलेड स्टेट बम्बई-400038)	पावर प्रणालियों के लिए ग्रांट कैपिसिटर टाइप/ग्रेड/साइज : 1:10 के० वी० ए० आर० 415/440 वोल्ट IS : 2834--1964	
143. सी एम/एल-6965 1978-03-31	78-04-16	79-04-15	जेन द्यूब कं० लि० 21 कि०मि० मेरठ रोड, गजियाबाद (उ० प्र०)	संरचना कार्यों के लिए भारी श्रेणी काली जस्तोक्त मुटु इस्पात की नालियां, टाइप/ग्रेड/साइज : ६० भार० डब्ल्यू० वेस्ट 22, साइज 15 मिमी० से 150 मिमी० तक IS : 1161--1968	

[सं० सी०एम०एल०-13 : 11]

ए०पी० बतर्जी, अपर महा निवेशक

**S.O 1664.**—In pursuance of sub-regulation (1) of Regulation 8 of the Indian Standards Institution (Certification Marks) Regulation, 1955 as amended from time to time, the Indian Standards Institution, hereby notifies that one hundred and forty three licences, particulars of which are given in the following Schedule, have been granted during the month of March, 1978 authorizing the licensees to use the Standard Marks :

## SCHEDULE

Sl. No.	Licence No.	Period of Validity		Name and Address of the Licensee	Article/Process covered by the Licences and the Relevant IS : Designation
	No. (CM/L-.....)	From	To		
(1)	(2)	(3)	(4)	(5)	(6)
1.	CM/L-6823 1978-03-02	78-03-01	79-02-28	Haryana Tube Mfg Co. Pvt. Ltd., Delhi Road, Hissar (Haryana).	Mild steel tubes for structural purposes 'Light' & 'Medium' Type/Grade/Size : Black and galvanized 15 mm to 50 mm, Grade Yst 22 ERW IS : 1161—1968

(1)	(2)	(3)	(4)	(5)	(6)
2.	CM/L-6824 1978-03-02	78-03-01	79-02-28	Ravindra Tubes Ltd., 10th KM Stone, Delhi Road, Hissar (Haryana).	Mild steel tubes for structural purposes Type/Grade/Size : All classes, black and galvanized Grade : ERW Yst 22, Sizes 15 mm to 150 mm— IS : 1161—1968
3.	CM/L-6825 1978-03-02	78-03-16	79-03-15	Veekay Electricals, 15, 16, 17, Industrial Area, Jabalpur (M.P.) Off : 994, Wright Town, Jabalpur (M.P.)	AAC & ACSR conductors Size : all sizes of ACC ACSR conductors with seven strands IS : 398 (Pt-I & II)—1976
4.	CM/L-6826 1978-03-03	78-03-16	79-03-15	Capital Scientific Industries, Amul Dairy Road, Anand (Distt. Kaira).	Butyrometers Type/Grade/Size : 10 % scale— IS : 1223 (Pt-I)—1970
5.	CM/L-6827 1978-03-03	78-03-16	79-03-15	General Machine Tools & Engg. Works, C 14/1, Wazirpur Industrial Area, Delhi-52	Ball valves (horizontal plunger Type) high pressure Type/Grade/Size : 15 mm size only— IS : 1703—1968
6.	CM/L-6828 1978-03-03	78-03-16	79-03-15	Jayshree Plastics, 22 Chanditolla Road, Calcutta-700033 (Off : 23A, Netaji Subhash Road, Calcutta-700001)	Low density polyethylene pipe Type/Grade/Size : All sizes, all pressure rating— IS : 3076—1968
7.	CM/L-6829 1978-03-03	78-03-16	79-03-15	J. K. Steel & Industries Ltd., Rishra Works, Head Office 7, Council House Street, Calcutta-1.	Galvanized stay strand— IS : 2141—1968
8.	CM/L-6830 1978-03-03	78-03-16	79-03-15	Ajanta Capacitors Pvt. Ltd., E 41, MIDC Industrial Area, Chikalthana, Aurangabad	Shunt capacitor for power systems Type/Grade/Size : 1 & 5 KVAR x 440 V and 415 V— IS : 2824—1964
9.	CM/L-6831 1978-03-03	78-03-16	79-03-15	Standard Drum & Barrel Mfg. Co., Gavan Pada, Corridor Road, Chambur, Bombay-400074	Bitumen drums Type/Grade 'B'— IS : 3575—1977—
10.	CM/L-6832 1978-03-03	78-03-16	79-03-15	Upper India Steel Mfg. & Engg. Co Ltd, Bhandari Industrial Focal Point, Ludhiana	Carbon steel bars for forging Grade Class/Size : 3A, 4 & 5— IS : 1875—1971
11.	CM/L-6833 1978-03-06	78-03-16	79-03-15	B.D. Khaitan & Co., Ashuti Road, Mayanagar, P. 4, Ashesh Tolls, 24 Paragana (W.B.) (Off : 23-A, Netaji Subhash Road, Calcutta).	BHC W.D. P— IS : 562-1972
12.	CM/L-6834 1978-03-06	78-03-16	79-03-15	Angus Leather Works, Sarangabad, Budge Budge (on Budge Budge Trunk Road at a 11 Miles Stone Pin 743 319 (W.B.)	Ankle boots for general purposes Grade/Size : Grade II Sizes as required Grade 2— IS : 583—1969
13.	CM/L-6835 1978-03-07	78-03-16	79-03-15	Power & Control Transformer Industries Pvt. Ltd., Plot N. 189—191, Jawahar Co-operative Industrial Estate, Kamothe, Distt Kolaba.	Three phase induction motors, 2.2 KW motors class 'E'— IS : 325—1970
14.	CM/L-6836 1978-03-10	78-03-16	79-03-15	Chhundu Enterprises, New Market, Jalgaon, Distt. Jalpaiguri (W.B.)	Tea-chest battens— IS : 10 (Part-III)—1974
15.	CM/L-6837 1978-03-10	78-03-16	79-03-15	Froxtan Cables (India), 13, D.L.F. Industrial Area, Nazafergarh Road, New Delhi-110015.	PVC insulated & PVC sheathed cables, aluminium conductors, 250/440 volts— IS : 694 (Pt-II)—1964
16.	CM/L-6838 1978-03-10	78-03-16	79-03-15	Kaypee Plastics Pvt. Ltd., Unit No. 8, 9 & 10, Bishen Udyog Premises Co-op. Society Ltd., Mulund (West), Bombay-400080	Plastic water closets seats & covers Type 'A' : IS : 2548—1967
17.	CM/L-6839 1978-03-10	78-03-16	79-03-15	Fibro Reinforced Plastic Industries No. 30, Margosa Road, Malleswaram, Bangalore-560003.	Protective helmets for scooters & motor cycle riders for sizes upto and including 600 mm— IS : 4151—1976
18.	CM/L-6840 1978-03-10	78-03-16	79-03-15	Nissan Spring Pvt. Ltd., 7, 8 & 9 Industrial Area, Adhartal (Ricchhai), Jabalpur (Off : 1700, Napier Town, Jabalpur-482001)	Leaf springs or automobile suspension individual spring leaves— IS : 1135—1973

(1)	(2)	(3)	(4)	(5)	(6)
19. CM/L-6841 1978-03-10		78-03-16	79-03-15	Mohta Industries Ltd., C-58, Focal Point, Dhandari Kalan, Ludhiana.	Cast billet ingots for rolling into structural steel (ordinary quality)— IS : 6915—1973
20. CM/L-6842 1978-03-10		78-02-15	79-02-15	Shakti Metal Works, S-254, Industrial Area, Jullundur-144004.	G.M. gate & globe valves size 15 to 50 mm class I only— IS : 778—1971
21. CM/L-6843 1978-03-13		78-03-16	79-03-15	Food Specialities Ltd., Ludhiana-Ferozpur Road, Near Kingwah Canal, Distt. Farid- kot, Moga (Punjab) (Off : M-5 A, Con- naught Circus, New Delhi-110001.)	Spray dried milk powder Type/Grade/ Size WMP only— IS : 1165—1975
22. CM/L-6844 1978-03-13		78-01-01	78-12-31	-do-	Infant milk food— IS : 1547—1968
23. CM/L-6845 1978-03-13		78-01-01	78-12-31	-do-	Soluble coffee powder— IS : 2791—1972
24. CM/L-6846 1978-03-13		78-03-16	79-03-15	Travaconre Chemical & Mfg. Co. Ltd. Gonur, B.O. Raman Nagar Metturdam, Salem Distt.	Barium nitrate for explosives and pyro- technic compositions— IS : 4396—1967
25. CM/L-6847 1978-03-13		78-03-16	79-03-15	Kisan Pesticides, Bhagpat Road, Baraut (Meerut) U.P.	BHC DP— IS : 561—1972
26. CM/L-6848 1978-03-13		78-03-16	79-03-15	General Machine Tools & Engg. Works, C 14/1, Wazirpur Industrial Area, New Delhi-52.	Sand cast brass screw down bib-taps and stop taps for water services Size : 15 mm size only IS : 781—1967
27. CM/L-6849 1978-03-13		78-03-16	79-03-15	Janak Steel Tubes (P) Ltd., 9th K.M. Delhi Road, Hissar (Haryana)—125001	Mild steel tubes Type/Grade/Size : light class, black all sizes— IS : 1239(Pt-I)—1973
28. CM/L-6850 1978-03-14		78-03-16	79-03-15	Technico (India), 57 A, Barrackpore Trunk Road, Calcutta 700002 Off. 3, Bpin Behary Ganguly Street, Calcutta - 700 002)	Portable fire extinguishers dry powder type size all sizes. IS : 2171—1972
29. CM/L-6851 1978-03-14		78-03-16	79-03-15	Skoda (India) Pvt. Ltd., Industrial Estate, Arkonam-631002 N.A.D.T. Tamilnadu.	Hand operated continuous knap-sack sprayer type/Grade/Size : Piston Type 16 L Capacity— IS : 3906 (Part-I)—1974
30. CM/L-6852 1978-03-14		78-03-16	79-03-15	Healers India, 19/1, 1st Street, Baktavat- salam Colony, Vadapalani, Madras- 600 026	Black disinfectant fluid Grade : III, Class A IS : 1061—1975
31. CM/L-6853 1978-03-15		78-03-16	79-03-15	Bihar Refinery & Mfg. Co., Raxaul Distt. Champaran East, North Bihar.	Paraffin wax Type 3 — IS : 4654—1974
32. CM/L-6854 1978-03-15		78-03-16	79-03-15	Brushwell & Co., 52 A, Beninandan Street Calcutta-700 025	Brushes, paints flat Type/Grade/Size: 12 mm, 25 mm, 50mm— IS : 384—1971
33. CM/L-6855 1978-03-15		78-03-16	79-03-15	Krishi Rasayan (Bihar), Large Industrial Es- tate, R.K. Ashram Muzaffarpur (Bihar).	Aldrin DP— IS : 1308—1974
34. CM/L-6856 1978-03-15		78-03-16	79-03-15	-do-	Aldrin EC— IS : 1307—1973
35. CM/L-6857 1978-03-16		78-04-01	79-03-31	Emblem Safety Appliances Pvt Ltd., Raman drapur, P.O. Narendrapur, Distt. 24 Paraganas (W.B.) (Off: 175 A, Moti Lal Nehru Road, Calcutta).	Fire resistant brattice cloth— IS : 4355—1972
36. CM/L-6858 1978-03-16		78-04-01	79-03-31	The Indian Cable Co. Ltd. P.O. Golmuri, Jamshedpur, S.E., Rly. (Off.: 9, Hare Street Calcutta-700 001)	Enamelled round copper wire Type/Grade/ Size : For all sizes and grades of covering under Part IV, V, & IX of the specification— IS : 4800 (Pt. IV, V & IX)—1971

(1)	(2)	(3)	(4)	(5)	(6)
37. CM/L-6859 1978-03-16		78-04-01	79-03-31	Bihar Ink Company, Bhikupahari, Patna-4 (Bihar).	Typewriter ribbon— IS : 4174—1969
38. CM/L-6860 1978-03-17		78-04-01	79-03-31	Chaturvedi Steel Ltd., P.O. Bijoli, Jhansi.	Structural steel (standard quality) — IS : 226—1975
39. CM/L-6861 1978-03-17		78-04-01	79-03-31	Jai Insecticides, Shakhpur, Kundan Road. Lucknow-Kanpur Highway, Unnao (U.P.) (Off : 36/42, Hata Ram Mohan, Kanpur-208 001)	BHC dusting powder— IS : 561—1972
40. CM/L-6862 1978-03-17		78-04-01	79-03-31	Bharat Iron & Steel, 12 Gopal Ghose Lane, Salkia, Howrah (Off : 34/A, Pulin Dass Street, Calcutta-9)	Sand cast iron socketted and spigot soil waste and Ventilating pipes & fittings Type/Grade/Size 100 mm straight pipe hydraulic pressure rating 0-4. kg/cm <sup>2</sup> — IS : 1729—1964
41. CM/L-6863 1978-03-17		78-04-01	79-03-31	The Coimbatore District Co-operative Spinning Mills Ltd., Post Box No. 8, Dhara-puram-638656 (Coimbatore District)	Grey cotton yarn IS : 171—1973
42. CM/L-6864 1978-03-17		78-04-01	79-03-31	Tufflite Plastics Ltd., Avanasli Road, Peela-medu, Coimbatore-4.	Rain guage, non-recording Type/Grade/Size 200 cm <sup>2</sup> and 100 cm <sup>2</sup> — IS : 5225—1969
43. CM/L-6865 1978-03-17		78-04-01	79-03-31	Star Metal Industries, Patel Marg, Ghazia-bad (U.P.)	Diesel engine, single cylinder vertical water cooled 5.88 (KW (8 HP) 850 RPM— IS : 1601—1960
44. CM/L-6866 1978-03-17		78-04-01	79-03-31	Universal Steel & Alloys Ltd., Gurukul Indra-prastha Industrial Estate, 12/6, Milestone, Mathura Road, P.O. Amar Nagar, Faridabad.	Steel ingots for the production of volute, helical and laminated springs for auto-motive suspension type/grade, ingots only grade 2, 3 & 4— IS : 8051—1976
45. CM/L-6867 1978-03-20		78-04-01	79-03-31	Metalite Industries, 6 Engineers Complex, Rae Bareli (U.P.)	Barrel tower bolts type/size : type 5, all sizes— IS : 204—1966
46. CM/L-6868 1978-03-20		78-04-01	79-03-31	-do-	Door handles type/grade/size : type 4 all sizes— IS : 208—1972
47. CM/L-6869 1978-03-20		78-04-01	79-03-31	B.N. Bhaskar & Sons, 204 kms. Mathura Road, P.O. Amar Nagar, Faridabad-III (Haryana)	(i) Reinforced concrete, light duty non-pressure pipes, class NP <sup>a</sup> sizes 150 mm to 800 mm and (ii) reinforced concrete, heavy duty, non-pressure pipes, class NP <sup>a</sup> sizes 400 mm to 600 mm— IS : 458—1971
48. CM/L-6870 1978-03-20		78-04-01	79-03-31	Narottam Co-operative Industries, Deomali Distt. Tirap, Arunachal Pradesh Via-Naharkatta (Assam)	Tea-chest plywood panels— IS : 10 (Pt-II)—1976
49. CM/L-6871 1978-03-20		78-04-01	79-03-31	Safety Sales & Services, 3, Banstolla Ghat Road, Ramkrishnapur, Howrah-1(W.B.)	PVC insulated cables with copper conductors and aluminium conductors size 650/ 1100 volts and 250/440 volts— IS : 694(Pt I & II)—1964
50. CM/L-6872 1978-03-20		78-04-01	79-03-31	Meghalaya Metals & Minerals (P) Ltd., Meghalaya Industrial Estate, Shillong-1 (Off : Lachaumiera, Shillong-1)	Aluminium conductors for over-head transmission purposes Type/grade/size : AAC/ACSR, all size— IS : 398 (Pt I & II)—1976
51. CM/L-6873 1978-03-20		78-04-01	79-03-31	Indira Engineering Enterprises, 146, Patel Road, Coimbatore-641 009.	Three-phase induction motors— IS : 325—1970
52. CM/L-6874 1978-03-20		78-04-01	79-03-31	G.R. Industries, S-21 Industrial Area, Jullundur (Punjab)	G.M. Gate valves class f type grade/sizes: 15 to 50 mm — IS : 778—1971

(1)	(2)	(3)	(4)	(5)	(6)
53. CM/L-6875 1978-03-20	78-01-01	78-12-31	Food Specialities Ltd., Ludhiana-Ferozepur Road, Near Kingwah Canal Moga, Distt. Faridkot (Punjab) (Off : M-5A, Connaught Circus, New Delhi-110001).	Condensed milk, full cream— IS : 1166-1773	
54. CM/L-6876 1978-03-21	78-04-01	79-03-31	North Bengal Plywood Industries, 3rd Main Sevoke Road, P.O. Ektiasal, Siliguri, Distt. Jalpaiguri	Plywood teacheat battens size : all sizes— IS : 10 (Pt-II) —1974	
55. CM/L-6877 1978-03-23	78-04-01	79-03-31	K.S. Associates Pvt. Ltd., 84, Chetla Road, Calcutta-27 (Off : 105/16, Park street, Calcutta-16)	FLP enclosure for intrinsically safe single bell type/grade/size - 'COALMAN' TSB Markia— IS : 2148—1968	
56. CM/L-6878 1978-03-23	78-04-01	79-03-31	Fire Equipment Corpn., Block No. 6, Interlink Industrial Estate, Caves Road, Jogeswari East, Bombay-400 060 (Off : Khandelwal Bhawan, 166, Dr. D. N. Road, P. B. No. 520, Bombay-400 001).	Fire fighting hose (rubber lined woven jacketed)—type 1— IS : 636—1962	
57. CM/L-6879 1978-03-23	78-04-01	79-03-31	Bangalore Pesticides Ltd., 16th KM Tumkur Road, Bangalore-562139 (Off : 33, Abshot Layout, Sankey Road Cross, Bangalor-560052).	Dicofol EC— IS : 5279-1969	
58. CM/L-6880 1978-03-23	78-04-01	79-03-31	Spun Casting & Engg. Co. (P) Ltd., 77/5, Benares Road, Howrah (Off: 20 Mu'lick Street, Calcutta-700001)	Sluice valves for water works purposes type size : 50 to 300 mm sizes class 1 & 2— IS : 780—1969	
59. CM/L-6881 1978-03-27	78-04-01	79-03-31	SMP Pvt. Ltd., Subhash Nagar, Subhash Road, Jogeshwri (East), Bombay-400060	Dichlorvos EC— IS : 5277-1969	
60. CM/L-6882 1978-03-27	78-04-01	79-03-31	The Mysore Lamp Works, Ltd., Old Tumkur Road, Malleswaram West P.O. Bangalore—560055	Tungsten filament general service electric lamps type/grade/size : upto 100 W— IS : 418-1963	
61. CM/L-6883 1978-03-27	78-04-01	79-03-31	A.M. Rehmani, Panchpatty, Kalupur, Ahmedabad-380001	Paper adhesives, type B— IS : 2257-1970	
62. CM/L-6884 1978-03-27	78-04-01	79-03-31	Kolro-Farm, Thamarakulangara Road, Tripunithura-682301 (P.B.No. 6)	Endosulfan EC— IS : 4323—1967	
63. CM/L-6885 1978-03-27	78-04-01	79-03-31	-do-	DDT EC— IS : 633—1975	
64. CM/L-6886 1978-03-27	78-04-01	79-03-31	Skoda (India) Pvt. Ltd., Industrial Estate, Arkonam-631002 N.A., Distt. Tamil Nadu.	Hydraulic spray nozzles for pest control equipment, cone and fan type IS : 7417 (Pt-I)—1974	
65. CM/L-6887 1978-03-27	78-04-01	79-03-31	Andhra Pradesh Steels Ltd., Palongha-507115, Kothagudem, Khammam (Distt.) Andhra Pradesh.	Carbon steel billets blooms, slabs and bars for forgings— IS : 1875-1971	
66. CM/L-6888 1978-03-27	78-04-01	79-03-31	-do-	Carbon steel billets for rolling into structural steel (Standard quality)— IS : 2830—1975	
67. CM/L-6889 1978-03-27	78-04-01	79-03-31	-do-	Steel ingots & billets for production laminated springs type/grade/size: (railway rolling stock)— IS : 8054-1976	
68. CM/L-6890 1978-03-27	78-04-01	79-03-31	Ahuja General Industries, 17-D, Industrial Area, Faridabad NIT.	Electrical controls for household appliances type/grade/size: Manually operated switches 5 Amps. to 25 Amps — IS : 7153-1975	
69. CM/L-6891 1978-03-27	78-04-01	79-03-31	Fine Engg. Works, 199, Khair Nagar, Meerut City (U.P.)	Single cylinder vertical water-cooled diesel engines 3.67 KW (5 BHP), 1500 RPM— IS : 1601—1960	
70. CM/L-6892 1978-03-27	78-04-01	79-03-31	India Ink Corpn., 11/7, Mathura Road, Faridabad (Haryana)	Paper adhesive liqued gum and office paste type : B-Office, paste-based on starch— IS : 2257-1970	
71. CM/L-6893 1978-03-27	78-04-01	79-03-31	Mitco Industries, 174/25 B, Netaaji Subash Chander Bose Road, P. O. Regent Park, Calcutta-700040	Tea chest metal fittings— IS : 10 (Part-IV) —1976	

(1)	(2)	(3)	(4)	(5)	(6)
72.	CM/L-6894 1978-03-27	78-04-01	79-03-31	Crown Electricals & Engineering Co., W-7, M.I.D.C. Industrial Estate, Shirol, Poona Bangalore Road, Kolhapur (Office : Y.P. Powernagar Block No. 19)	Three phase induction motors type/grade/size : 4.2, & 3.7 KW, Class 'E'— IS : 325-1970
73.	CM/L-6895 1978-03-27	78-04-01	79-03-31	Finolex Cables Ltd., 26/27, Bombay-Poona Road, Pimpri, Poona-411018	Heavy duty PVC insulated and sheathed armoured cables type/grade/size:1.1 KW— IS : 1554 (Part I)—1976
74.	CM/L-6896 1978-03-27	78-04-01	79-03-31	Art Leather Ltd., Bhor, Via, Poona (Off : Sir Vithaldas Chambers, 16, Bombay, Samachar Marg, Fort, Bombay-400023	Cotton healds for use in cotton looms— IS : 1739—1968
75.	CM/L-6897 1978-03-27	78-04-01	79-03-31	Sharda Industries & Engineering Works Pvt. Ltd. Kamptee Road, Nagpur-400017	Structural steel (Standard quality)— IS : 226—1975
76.	CM/L-6898 1978-03-27	78-04-01	79-03-31	Skoda (India) Pvt. Ltd., Industrial Estate, Arkonam-631002, Tamil Nadu.	Cut-off device for manually operated sprayer— IS : 7515—1974
77.	CM/L-6899 1978-03-27	78-04-01	79-03-31	The Vaikundam Rubber Co. Ltd., Vaikundam Bungalow Compound in Marthandam, Kanyakumari Distt.	Ammonia preserved concentrated rubber latex type/grade/size: HA— IS : 5430—1969
78.	CM/L-6900 1978-03-27	78-04-01	79-03-31	Modi Steel Wire Mfg., Co., Plot No. 15, Industrial Estate, Ambattur, Madras-600056 (Off:10 B, Kasturi Ranga Iyengar Road, Alwarpet, Madras—600010)	Steel wire for the core of galvanized steel-reinforced aluminum conductors for overhead transmission purposes— IS : 398 (Part II)—1976
79.	CM/L-6901 1978-03-27	79-04-01	79-03-31	Killa Brothers, Manali Road, Eranavur, P.O. Ennore, Madras-600057	Cold twisted steel bars for concrete reinforcement— IS : 1786—1966
80.	CM/L-6902 1978-03-28	78-04-01	79-03-31	Metro Paint Industries, B-91-92, Phase I, Maya Puri, New Delhi-64 (Off : 260 Kamla Market, New Delhi. 110001)	Ready mixed paint, finishing, interior for general purposes— IS : 3537—1966
81.	CM/L-6903 1978-03-29	78-04-01	79-03-31	Muzaffarnagar Steels Ltd., Meerut Road, Muzaffarnagar (U.P.)	Cast billet ingots for rolling into structural steel (standard quality)— IS : 6914—1973
82.	CM/L-6904 1978-03-29	78-04-01	79-03-31	Muzaffarnagar Steels Ltd., Meerut Road, Muzaffarnagar (U.P.)	Cast billet ingots for rolling into structural steel (ordinary quality)— IS : 6915—1973
83.	CM/L-6905 1978-03-29	78-04-01	79-03-31	Universal Steel & Alloys Ltd., 12/6, Milestone Mathura Road, P.O. Amarnagar, Faridabad (Haryana)	Steel ingots & billets for production of volute and helical springs (for railway rolling stocks) grades—3 & 4— IS : 8052—1976
84.	CM/L-6906 1978-03-29	78-04-01	79-03-31	Universal Steel & Alloys Ltd., 12/6, Milestone, Matura Road, Amarnagar, Faridabad (Haryana)	Steel ingots & billets for the production of wire rod for the manufacture of machine screws by cold heading process— IS : 8057—1976
85.	CM/L-6907 1978-03-29	78-04-01	79-03-31	Bharat Steel Rolling Mills, Gurukul, Indraprastha Industrial Estate, 12/6, Milestone Mathura Road, P.O. Amar Nagar, Faridabad (Haryana)	Steel for volute, helical laminated springs for automotive suspension Type/grade/size : Hot rolled flat section : Grades 2, 3 & 4— IS : 3441—1975
86.	CM/L-6908 1978-03-29	78-05-01	79-04-30	National Carbon Co., Division of Union Carbide India Ltd., 5 Rustumjee Parsee Road, Cossipore, Calcutta-2, (Off: 1, Middleton Street, Calcutta-700071)	Dry batteries for flash lights Type/grade/size: R 14, R 20, 2 R 10 and 3 R 12 designations as per the standard corresponding of Mfrs. Type No. 935 950, 712 & 703 respectively— IS : 203—1972
87.	CM/L-6909 1978-03-29	78-05-01	79-04-30	National Carbon Co., Division of Union Carbide India Ltd., 1, Taratola Road, Calcutta (Off: 1 Middleton Street, Calcutta-700071)	Dry batteries for flash lights type/grade/size: R 20 designation as per IS, corresponding to Mfrs. type No. 950— IS : 203—1972

(1)	(2)	(3)	(4)	(5)	(6)
88. CM/L-6910 1978-03-29	78-07-01	79-06-30	National Carbon Co., Divn. of Union Carbide India Ltd., 5, Rustonjee Parsee Road, Cossipore, Calcutta-2. (Off: 1, Middleton Street, Calcutta-700061)	Dry batteries for transistor radio receivers Type/grade/size: R14, R20, 6F100 & 6F-100-2 designation as per IS correspond to Mfrs' type Nos. 1035, 1055, 2769, 286— IS: 2576—1975	
89. CM/L-6911 1978-03-29	78-07-01	79-06-30	National Carbon Co., Divn. of Union Carbide India Ltd., 5, Rustonjee Parsee Road, Cossipore, Calcutta-2. (Off: 1, Middleton Street, Calcutta-700071).	Multi purpose dry batteries type/grade/size: R6, R14, R20 of IS: Designation corresponding to Mfr's type No. 925, 945, & 955 respectively— IS: 8144—1976	
90. CM/L-6912 1978-03-29	78-04-01	79-03-31	Electrical Mfg. Co. Ltd, 136, Jessore Road, Calcutta-55.	Fire hose delivery couplings size: 63 × 63 cm— IS: 903—1975	
91. CM/L-6913 1978-03-29	78-04-01	79-03-31	Steel Ingots Pvt. Ltd., Bombay Agra Road, Dewas (M.P.) (Off: Trivedi Chamber 2, Maharani Road, Indore-452001).	Cast billet ingots for rolling into structural steel (standard quality)— IS: 6914—1973]	
92. CM/L-6914 1978-03-29	78-04-01	79-03-31	-do-	Cast billet ingots for rolling into structural steel (ordinary quality)— IS: 6915—1973	
93. CM/L-6915 1978-03-29	78-04-01	79-03-31	National Metal Industries, 314, Bhagirathpura, Indore.	Cold twisted deformed steel bars for concrete reinforcement— IS: 1786—1966	
94. CM/L-6916 1978-03-29	78-04-01	79-03-31	Khoday Distilleries Pvt. Ltd., 54, Kannayakana Agrahara, Anekaltaluk, Bangalore Distt., Bangalore-560061.	Gin— IS: 4100—1967	
95. CM/L-6917 1978-03-29	78-04-01	79-03-31	Canara Steel Ltd., Baikampady, South Kanara, Distt. Karnataka.	Carbon steel castings for general engg. purposes type/grade/size: grade: 23-45— IS: 1030—1974	
96. CM/L-6918 1978-03-29	78-04-01	79-03-31	Sterling Steels & Wires Ltd., Village Chohal, Hoshiarpur (Punjab). (Off: Shiv Murti House UNA Road, Hoshiarpur-146001 (Punjab).	P.C. wire cold drawn & stress relieved and as drawn type/grade/size: 4 mm sizes— IS: 1785 (Part II)—1966	
97. CM/L-6919 1978-03-29	78-04-01	79-03-31	Bharat Pulverising Mills Ltd., 1074, Thiruvottur High Road, Madras-600019.	Heptachlor EC— IS: 6439—1972	
98. CM/L-6920 1978-03-30	78-04-01	79-03-31	Mahalaxmi Steels & Wires, O/IM Industrial Area, Panipat (Haryana).	Mild steel wire for general engg. purposes black galvanized, light & medium, coated all grades— IS: 280—1972	
99. CM/L-6921 1978-03-30	78-04-01	79-03-31	Delhi Spun Pipe, 12/1, Milestone, Mathura Road, Faridabad (Haryana).	Reinforced cement concrete pipes, heavy duty non-pressure pipes, class No. 3 size: 350 mm to 600 mm only— IS: 458—1971	
100. CM/L-6922 1978-03-30	78-04-16	79-04-15	Sterlite Cables Ltd., 7, Kiroi, Vidyavihar (West), Ghatkopar, Bombay-400036.	Armoured & unarmoured cables PVC insulated (heavy duty), electric for working voltage upto & including 1100 volts— IS: 1554 (Part I)-1976	
101. CM/L-6923 1978-03-30	78-04-16	79-04-15	Agro Inputs Pvt. Ltd., Kumarapatnam, Kavelettu Village, Ranibennur Taluk. Distt. Dharwar (near Harther R.S.) Karnataka. (Off: No. 87, III Main Road, New Thargupet, Bangalore-560002 (P.B. No. 6809).	DDT WDP - IS: 565—1975	
102. CM/L-6924 1978-03-30	78-04-16	79-04-15	Sri Vijayadvrga Pulverising Mills, Avvamabhabhi Sirugupparoad, Bellary-583101 (Karnataka State).	DDT DP - IS: 564—1975	



(1)	(2)	(3)	(4)	(5)	(6)
103. CM/L-6925 1978-03-30	78-04-16	79-04-15	Fortune Electrical (India) Pvt. Ltd., 1, Marenahalli, 5th Block, Jayanagar Baneshankar Post, Bangalore-560041. (Off: 173, Rashtrreeya Vidyalaya Road, Visveswarapuram, Bangalore-560004).	Electric hot plates type/grade/size : 1250 W— IS: 365—1965	
104. CM/L-6926 1978-03-30	78-04-16	79-04-15	Arun Engg. Industries Pvt. Ltd., Shanti Nagar, Co-operative Industrial Estate, Vakola, Santacruz East, Bombay-400055.	Three phase induction motors type/grade/size: 0.37 KW class 'E' insulation— IS: 325—1970	
105. CM/L-6927 1978-03-31	78-04-16	79-04-15	Bengal Potteries Ltd., Thapar House, 8th Floor, 25 Brabourne Road, Calcutta-700001. (Works: Factory No. 2, 3 Pagladanga Road, Calcutta-10).	Porcelain pin insulators, type/grade/size: 3 shed type, 11 KV grade— IS: 731—1971	
106. CM/L-6928 1978-03-31	78-04-16	79-04-15	Machines and Equipments, 324, Model Town, Ambala City-134003	Domestic electric food mixers (liquidizers, blenders and grinders)—type/grade/size: 0.75 litres, 1 litre, 1.5 litres— IS: 4250—1967	
107. CM/L-6929 1978-03-31	78-04-16	79-04-15	Jai Bharat Iron & Steel Rolling Mills, Amloh Road, Mandi Gobindgarh (Punjab).	Structural steel (standard quality),— Group-II— IS: 226—1975	
108. CM/L-6930 1978-03-31	78-04-16	79-04-15	-do-	Structural steel (ordinary quality) both grades, Group-II— IS: 1977—1975	
109. CM/L-6931 1978-03-31	78-04-16	79-04-15	Talwar Timbers, Khajuri Road, Yamuna Nagar-135001.	Tea chest battens all sizes— IS: 10 (Part-III)—1974	
110. CM/L-6932 1978-03-31	78-04-01	79-03-31	Medico Pharmaceutical Processors, 54, Rani Ka Bagh, Amritsar.	Caramel (sprit soluble)— IS: 4467—1967	
111. CM/L-6933 1978-03-31	78-04-16	79-04-15	Kushal Metal & Paint Industries, A-78, Okhla Industrial Area, Phase-III, New Delhi-110020.	Distemper, dry, colour as required— IS: 427—1965	
112. CM/L-6934 1978-03-31	78-04-16	79-04-15	Simbhaoli Industries Pvt. Ltd., Simbhaoli, (Distt. Ghaziabad)	Whiskies— IS: 4449—1976	
113. CM/L-6935 1978-03-31	78-04-16	79-04-15	U.P. Cable Co. (P) Ltd., 4, DLF Industrial Area, Najafgarh Road, New Delhi-110015.	Al. stranded conductors, and al. conductors galvanized steel reinforced— IS: 398 (Part-I & II)—1976	
114. CM/L-6936 1978-03-31	78-04-16	79-04-15	Shakti Cables, 902/290, Shalamar, P.O. Hyderpur, Delhi-110042.	Aluminium stranded conductors & aluminium conductors, galvanized steel reinforced— IS: 398—1976	
115. CM/L-6937 1978-03-31	78-04-16	79-04-15	Murarka Enterprises, 12A, Indraprastha Industrial Area, Kota. (Off: 11-B, Vallabh Nagar, Kota-324007).	Aluminium stranded conductors and aluminium conductors, galvanized steel reinforced— IS: 398 (Part-I & II)—1976	
116. CM/L-6938 1978-03-31	78-04-16	79-04-15	Swastika Pipes Pvt. Ltd., 41, KM Delhi-Rohtak Road, Asaudhah, Distt. Rohtak (Haryana). (Off: 2855-Sirikiwalan, Hauz Qazi, Delhi-6).	Mild steel tubes, Black only all classes— IS: 1239 (Part-I)—1973	
117. CM/L-6939 1978-03-31	78-04-16	79-04-15	Bharat Steel Tubes Ltd., Ganaur, Distt. Sonapat, Haryana. (Off: 17, Parliament Street, New Delhi-1).	Steel tubes for structural purposes, light, medium & heavy ERW yst. 22 grade, type/grade/size: black 15 mm to 150 mm— IS: 1161—1968	
118. CM/L-6940 1978-03-31	78-04-16	79-04-15	Partap Steel Rolling Mills Pvt. Ltd., 21/3, Mathura Road, Ballabgarh (Haryana).	Mild steel wire rod for the manufacturer of machine screws (by cold heading process) size: 4 mm to 14 mm— IS: 2255—1977	
119. CM/L-6941 1978-03-31	78-04-16	79-04-15	Rajdhani Flour Mills, C-45/4, Lawrence Road, New Delhi.	Besan— IS: 2400—1976	

(1)	(2)	(3)	(4)	(5)	(6)
120.	CM/L-6942 1978-03-31	78-04-16	79-04-15	Jindal Strips Ltd , Delhi Road, Hissar (Haryana)	Structural steel (ordinary quality) Group I re-roller— IS 1977—1975
121.	CM/L-6943 1978-03-31	78-04-16	79-04-15	-do-	Structural steel (standard quality) Group I re-roller IS 226—1975
122.	CM/L-6944 1978-03-31	78-04-16	79-04-15	-do-	Carbon steel billets, blooms & slabs for re-rolling into structural steel (standard quality) type/grade/size blooms & slabs all grades— IS 2830—1975
123	CM/L-6945 1978-03-31	78-04-16	79-04-15	-do-	Carbon steel billets, blooms & slabs for re-rolling into structural steel—(ordinary quality) blooms & slabs of all grades— IS 2831—1975
124.	CM/L-6946 1978-03-31	78-04-16	79-04-15	Elcen Machines Pvt Ltd , 270, GIDC Estate, Makarpura Road, Baroda-390010 (Off 12 GIDC Estate, Baroda-390010)	3 Phase induction motors type/grade/size 0-37 KW class E insulation 3 phase— IS 325—1970
125.	CM/L-6947 1978-03-31	78-04-16	79-04-15	Youngmen Electricals, Jain College Road, Ambala City	Domestic Electric food mixers (liquidizers, blenders & grinders) size. 0.75 litres, 1 litre & 1.5 litre only— IS 4250—1967
126.	CM/L-6948 1978-03-31	78-04-16	79-04-15	Sudershan Plywood Industries, A T Road, Margherita, Assam	Wooden flush doors shutters (solid core type)— IS 2202 (Part-I)—1973
127.	CM/L-6949 1978-03-31	78-04-16	79-04-15	Sur Enamel & Stamping Works Ltd , 24, Dr L.M. Bhattacharjee Road, Cal- cutta-14.	Portable fire extinguisher dry powder type all sizes except 1 kg— IS 2171—1972
128	CM/L-6950 1978-03-31	78-04-16	79-04-15	Hind Wire Industries Ltd , 225-D, Acharya Jagdish Bose Rd , Calcutta-20.	Indented wire for prestressed concrete— IS 6003—1970
129.	CM/L-6951 1978-03-31	78-04-16	79-04-15	Bharat Barrel & Drum Mfg Co , 5, Kali Prasanna Singhee Road, Calcutta-700002	Bitumen drum type 'B'— IS 3575—1977
130.	CM/L-6952 1978-03-31	78-04-16	79-04-15	Khan Pal Chowdhury & Co , P-14, Natbar Peul Road, North Bantia, Howrah-5 (Off 23/A Netaji Subhash Road, Room No. 11, 3rd floor, Calcutta-700001)	Cast iron specials for use with asbestos cement pressure pipes for water, gas & sewage— IS 5531 (Part-I to III)—1977
131	CM/L-6953 1978-03-31	78-04-16	79-04-15	Agro Industrial Works, Gandhi Nagar, Harihar (Karnataka).	Cast iron manhole covers and frames type/grade/size Medium duty/size 500 mm— IS 1726—1974
132.	CM/L-6954 1978-03-31	78-04-16	79-04-15	Alinda Machine Industries, Yantra Nagar, Gokul Road, Hubli.	Sluice valves for water works purposes type/grade/size: Class 2— IS 780—1969
133.	CM/L-6955 1978-03-31	78-04-16	79-04-15	Jothi Steel Works, Behind Bharat Talkies, Opp. Karnataka Weigh Bridge, Banga- lore (Off 19, Muhlhi Tank Bund Road, Banga- lore).	Metal rolling shutters Push pull type 1 A— IS 6248—1971
134.	CM/L-6956 1978-03-31	78-04-16	79-04-15	Shree Hanuman Iron Foundry No 1, Industrial Town, Rajajinagar, Banga- lore-560044.	Cast iron manhole covers & frames type/ grade/size Medium duty circular type— IS 1726—1974
135.	CM/L-6957 1978-03-31	78-04-16	79-04-15	Karnataka Oxygen Ltd , Whitefield Road, Mahadevapura Post, Bangalore-560048 Karnataka	H P cylinder valves type/grade/size oxygen, nitrogen, argon & air— IS 3224—1971
136.	CM/L-6958 1978-03-31	78-04-16	79-04-15	Agro Industrial Works, Gandhinagar Harihar	Cast iron steps for manholes type/grade/ size Pattern-1— IS 5455—1969

(1)	(2)	(3)	(4)	(5)	(6)
137. CM/L-6959 1978-03-31	78-04-16	79-04-15	SMP Pvt Ltd., Subhash Nagar, Subhash Road, Jogeshwari (East), Bombay-60	Fenitrothion EC— IS 5281—1967	
138. CM/L-6960 1978-03-31	78-04-16	79-04-15	C.P. Foundry Works, Near Pilnade, Kamptee Road, Nagpur (MS).	Cast iron manhole covers & frames intended for use in drainage works— IS 1726 (Part-I to III)—1974	
139. CM/L-6961 1978-03-31	78-04-16	79-04-15	Agarwal Steel Industries, Marolmorosi Road, Marol, Andheri (East), Bombay-400059. (Off. Kasara Street, Darukhana, Bombay)	Carbon steel billets, blooms, slabs & bars for forgings class 3— IS 1875—1971	
140. CM/L-6962 1978-03-31	78-04-16	79-04-15	International Metal Industries, Thakkar Industrial Estate (East), Shed 'A' Gala 1 & 2 Opposite Bhayandar Railway Station, P.O. Bhayandar, Distt. Thana (Off. 128, Kansara Chawl, Kalbadevi Road, Bombay-400002).	Wrought aluminium utensils type/grade/size : 19000 medium— IS 1660 (Part-I)—1967	
141. CM/L-6963 1978-03-31	78-04-16	79-04-15	Anchor Industries, 185, Bombay Talkies, Compound, Malad (West), Bombay-400064.	Switch socket outlets (non-interlocking type) type/grade/size . 15 amps— IS 4615—1968	
142. CM/L-6964 1978-03-31	78-04-16	79-04-15	Voltas Limited, 2nd Pokhran Road, P.B. No. 72, Thana-400606 (Off. 19, Graham Road, Ballard Estate, Bombay-400038).	Shunt capacitor for power systems type/grade/size 1,10 KVAR 415/440 V— IS. 2834—1964	
143. CM/L-6965 1978-03-31	78-04-16	79-04-15	Jain Tube Co. Ltd, 21 KM Meerut Road, Ghaziabad (U.P.)	Mild steel tubes for structural purposes heavy class, black, galvanized, type/grade/size . ERW yst 22, sizes 15 mm to 150 mm— IS. 1161—1968	

[No. CMD/13 : 11]

A P. BANERJI, Addl. Director General

**उद्योग मंत्रालय**  
(औद्योगिक विकास विभाग)

**आदेश**

नई दिल्ली, 19 मई, 1981

कां.आ.० 1665/आई.डी.आर.ए.०/6/4/78—विकास परिषद् (प्रक्रिया संबंधी) नियम 1952 के नियम 2 और 4 के साथ पठित उद्योग (विकास एवं कियमन) अधिनियम, 1951 (1951 का 65) की धारा 6 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार एतद्वारा कां.आ.० 1665/आई.डी.आर.ए.०/6/4/78 में निम्नलिखित संशोधन किये जायेंगे, अर्थात्—

(i) क्रम सं. 1 और उसकी प्रविष्टियों के साथ निम्नलिखित प्रविष्टियां जोड़ी जाएंगी अर्थात्—

'डा० एस० वरदराजन, उपाध्यक्ष

अध्यक्ष एवं प्रबंध निदेशक, इंडियन पेट्रो-केमिकल्स कारपोरेशन लि०, बड़ौदा (गुजरात)

(ii) क्रम सं. 7 और उसकी प्रविष्टियां मिटा दी जायेंगी।

(iii) क्रम सं. 2, 3, 4, 5 और 6 को क्रमशः क्रम सं. 3, 4, 5 और 7 के रूप में पुनः प्रकृत किया जायेगा।

[सं. 8(4)/84-सी०डी०एन०]

कमल कान्त जसवाल, उप सचिव

**MINISTRY OF INDUSTRY**

**(Department of Industrial Development)**

**ORDER**

New Delhi, the 19th May, 1981

**S O 1665/IDRA/6/4/78**—In exercise of the powers conferred by section 6 of the Industries (Development and Regulation) Act, 1951 (65 of 1951), read with rules 2 and 4 of the Development Councils (Procedural) Rules, 1952, the Central Government hereby appoints Dr. S. Vardarajan, Chairman and Managing Director, Indian Petro-Chemicals Corporation Ltd., Baroda (Gujarat), a member of the Development Council for Organic Chemical Industries, to be the Vice-Chairman of the said Development Council and directs that the following amendments shall be made in the Order of the Government of India in the Ministry of Industry (Department of Industrial Development) No. S O/IDRA/6/4/78, dated the 30th October, 1979, namely :—

(i) after Sl No 1 and the entries relating thereto the following shall be inserted, namely :—  
"2 Dr S. Vardarajan,

"Vice Chairman"

Chairman & Managing Director,

Indian Petro-Chemicals

Corporation Ltd, Baroda (Gujarat).

(ii) S No 7 and entries relating thereto shall be omitted.

(iii) S Nos 2, 3, 4, 5 and 6 shall be re-numbered as Sl. Nos. 3, 4, 5, 6 and 7 respectively.

[No. 8(3)/74-CDN]

K K. JASWAL, Dy. Secy.

**आदेश**

नई दिल्ली, 19 मई, 1981

क्र०आ० 1666/आई०डी०आर०ए/6/5.—केन्द्रीय सरकार, विकास परिषद् (प्रक्रिया) नियम, 1952 के नियम 2, 4 और 5 के साथ पठित उद्योग (विकास और विनियमन) अधिनियम, 1951 (1951 का 65) की धारा 6 द्वारा प्रवक्ष्य शक्तियों का प्रयोग करते हुए, भारत सरकार के भूतपूर्व उद्योग और नागरिक पूर्ति मंत्रालय के आदेश सं० का०आ० 313—आई०डी०आर०ए० तारीख 10 जनवरी, 1975 के अधीन नियुक्त किए गए सदस्यों के, जिनकी पदावधि, अवधि खत्म हो जाने के कारण या अन्यथा समाप्त हो गई है, स्थान पर, विनिर्माण या उत्पादन में लगे हुए अनुसूचित उद्योगों के लिए खाद्य प्रसंस्करण उद्योगों की विकास परिषद् के सदस्य होने के लिए, निम्नलिखित व्यक्तियों को राजपत्र में इस आदेश के प्रकाशन की तारीख से ही दो वर्ष की अवधि के लिए नियुक्त करती है :—

**खाद्य प्रसंस्करण उद्योग विकास परिषद्****प्रध्यक्ष :**

1. अपर सचिव,  
उद्योग मंत्रालय  
(औद्योगिक विकास विभाग)  
नई दिल्ली।

**सदस्य :**

2. औद्योगिक सलाहकार  
(खाद्य प्रसंस्करण उद्योग का भारसाधक)  
तकनीकी विकास महानिदेशालय
3. निवेशक,  
केन्द्रीय खाद्य औद्योगिकी अनुसंधान संस्थान,  
मैसूर।
4. निदेशक,  
(खाद्य और कृषि)  
भारतीय मानक संस्था,  
मानक भवन, बहादुरशाह जफर मार्ग,  
नई दिल्ली।
5. निदेशक,  
फल और वनस्पति उत्पाद  
खाद्य विभाग  
कृषि भवन,  
नई दिल्ली।
6. कृषि विपणन सलाहकार, भारत सरकार  
फरीदाबाद।
7. सचिव  
केन्द्रीय खाद्य मानक समिति  
स्वास्थ्य सेवा महानिदेशालय,  
नई दिल्ली।
8. श्री रसिक बी जैथा  
मैसर्स जी एथरटन  
21 फार एन मुखर्जी रोड,  
कलकत्ता।
9. श्री एन वण्डस रोडिट,  
मैसर्स क्वालिटी फूड प्राइवेट्स,  
मैसूर रोड,  
बंगलौर।
10. श्री टी० एस० नागराजन,  
मैसर्स बुक ब्रांड इंडिया लिमि०  
कलकत्ता।

11. श्री एफ० सी० पाहुवा  
यू-19, ग्रीन पार्क एक्सटेंशन,  
नई दिल्ली-110016।
12. श्री के०के०जी० मेनन,  
अनुसंधान केंद्र का प्रधान,  
मैसर्स हिन्दुस्तान लीबर लिमिटेड,  
बकला, घंघेरी (पूर्व) मुम्बई।
13. श्री दयानन्द,  
प्रौद्योगिक सचिव,  
प्रखिल भारतीय खाद्य परिशोधन संगम,  
नई दिल्ली।
14. श्री जे०सी० शाह,  
सोसाइटी ग्राफ इंडियन बेकर्स के तकनीकी सलाहकार,  
और प्रबंध भागीदार  
मैसर्स मोनिता बेकिंग कार्पोरेशन  
वरली, मुम्बई।

**सदस्य-सचिव :**

15. खाद्य प्रसंस्करण उद्योगों से सम्बद्ध  
संयुक्त सचिव, उद्योग मंत्रालय,  
(औद्योगिक विकास विभाग)  
नई दिल्ली।

[क्र० सं० 1/23/80-सी आई]

विनय कोहली, निदेशक

**ORDER**

New Delhi, the 19th May, 1981

S.O. 1666/IDRA/6/5.—In exercise of the powers conferred by section 6 of the Industries (Development and Regulation) Act, 1951 (65 of 1951), read with rules 2, 4 and 5 of the Development Council (Procedural) Rules, 1952, the Central Government hereby appoints, for a period of two years, on and from the date of publication of this Order in the Official Gazette, the following persons to be members of the Development Council for scheduled industries engaged in the manufacture or production of Food Processing Industries in place of members appointed under the Order of the Government of India in the erstwhile Ministry of Industry and Civil Supplies, No. S.O. 313-IDRA, dated the 10th January, 1975, whose term of office has expired by efflux of time or otherwise :—

**Development Council of Food Processing Industries****CHAIRMAN :**

1. Additional Secretary,  
Ministry of Industry,  
(Department of Industrial Development),  
New Delhi.

**MEMBERS :**

2. Industrial Adviser,  
(Incharge of Food Processing Industries),  
Directorate General of Technical Development.
3. Director,  
Central Food Technological Research Institute,  
Mysore.
4. Director,  
(Food and Agriculture),  
Indian Standards Institution,  
Manak Bhawan, Bahadur Shah Zafar Marg,  
New Delhi.
5. Director,  
Fruit and Vegetable Products,  
Department of Food,  
Krishi Bhavan,  
New Delhi.

6. The Agricultural Marketing Adviser to the Government of India, Faridabad.
7. Secretary, Central Committee for Food Standards, Directorate General of Health Services, New Delhi.
8. Shri Rasik V. Jaitha, M/s. G. Atherton and Co., 21, R. N. Mukherjee Road, Calcutta.
9. Shri N. Vajram Setty, M/s. Kwaliti Food Products, Mysore Road, Bangalore.
10. Shri T. S. Nagarajan, M/s. Brook Bond India Ltd., Calcutta.
11. Shri F. C. Pahwa, U-19, Green Park Extension, New Delhi-110016.
12. Shri K. K. G. Menon, Head of Research Centre, M/s. Hindustan Lever Ltd., Chakala, Andheri (East), Bombay.
13. Shri Daya Nand, Hony. Secretary, All India Food Preservers' Association, New Delhi.
14. Shri J. C. Shah, Technical Adviser, Society of Indian Bakers and Managing Partner, M/s. Monita Baking Corporation, Worli, Bombay.

## MEMBER-SECRETARY :

15. Joint Secretary dealing with Food Processing Industries, Ministry of Industry, (Department of Industrial Development), New Delhi.

[F. No. 1/23/80-C.I.]

VINAY KOHLI, Director

## पेट्रोलियम, रसायन और उर्वरक मंत्रालय

(पेट्रोलियम विभाग)

नई दिल्ली 20 मई, 1981

क्रा०आ० 1667.—यतः केन्द्रीय सरकार को यह प्रतीत होता है कि लोकहित में यह आवश्यक है कि उत्तर प्रदेश में मथुरा से जलम्बर (पंजाब) तक पेट्रोलियम पदार्थों के परिवहन के लिए पाइप लाइन इंडियन प्रायल कार्पोरेशन द्वारा बिछाई जानी चाहिये।

और यतः यह प्रतीत होता है कि ऐसी लाइनों को बिछाने के प्रयोजन के लिए एतद्पावद्ध अनुमोक्षी में वर्णित भूमि में उपयोग का अधिकार अर्जित करना आवश्यक है।

अतः, अत्र पेट्रोलियम और खनिज पाइप लाइन (भूमि में उपयोग के अधिकार वा अर्जन) अधिनियम 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार ने उसमें उपयोग का अधिकार अर्जित करने का अपना आशय एतद्द्वारा घोषित किया है।

बशर्ते कि उक्त भूमि में हितवद्ध कोई व्यक्ति, उस भूमि के नीचे पाइप लाइन बिछाने के लिए, आक्षेप सक्षम प्राधिकारी, इंडियन प्रायल कार्पोरेशन लिमिटेड, मथुरा जलम्बर पाइप लाइन प्रोजेक्ट, न्यू हाऊस, कुम्हपुरा मार्ग, करनाल (हरियाणा) को इस अधिसूचना की तारीख से 21 दिनों के भीतर कर सकेगा।

और ऐसा आक्षेप करने वाला हर व्यक्ति विनिश्चितः यह भी कथन करेगा कि क्या वह चाहता है कि उसकी सुनवाई व्यक्तिगत हो या किसी विधि व्यवसायी की मार्फत।

## अनुसूची

तहसील : भम्बाला	जिला : भम्बाला	राज्य : हरियाणा		
नाम ग्राम	खसरा नं०	क्षेत्रफल		
		ह०	ऐ०	वर्ग मी०
1	2	3	4	5
लण्डा	7/19 मिन	0	02	28
ह०ब० न० 223	7/20 मिन	0	03	04
	7/21 मिन	0	00	51
	7/22 मिन	0	09	61
	17/2 मिन	0	10	12
	17/9/1 मिन	0	05	82
	17/9/2 मिन	0	04	30
	17/12 मिन	0	08	60
	17/13 मिन	0	01	52
	17/18 मिन	0	08	35
	17/19 मिन	0	01	01
	17/23 मिन	0	10	12
	20/3 मिन	0	10	12
	20/7/2 मिन	0	00	51
	20/8 मिन	0	09	61
	20/13 मिन	0	02	78
	20/14 मिन	0	07	33
	20/17 मिन	0	10	12
	20/24 मिन	0	10	12
	35/4 मिन	0	09	11
	35/5 मिन	0	00	00
	35/6 मिन	0	05	58
	35/7 मिन	0	04	55
	35/15 मिन	0	10	12
	35/16 मिन	0	10	12
	35/25 मिन	0	06	07
	122 मिन	0	00	76
	81 मिन	0	01	01
मोहडा	10/2 मिन	0	02	28
ह०न० 188	10/9 मिन	0	10	12
	10/12 मिन	0	08	60
	10/13 मिन	0	01	52
	10/18 मिन	0	06	58
	10/19 मिन	0	03	54
	10/22 मिन	0	00	25
	10/23 मिन	0	09	86
	16/3/1 मिन	0	00	25
	16/3/2 मिन	0	09	86
	16/8/1 मिन	0	10	12
	16/13 मिन	0	10	12
	16/18 मिन	0	10	12
	16/23 मिन	0	10	12
	23/3 मिन	0	08	60
	23/4 मिन	0	01	52
	23/7 मिन	0	06	58

1	2	3	4	5	1	2	3	4	5
मोहडा ह० न० 188	23/8 मिन	0	03	54	मोहडा ह० न० 188	101/13 मिन	0	10	12
	23/13 मिन	0	00	25		101/18 मिन	0	09	11
	23/14/1 मिन	0	09	86		101/23 मिन	0	03	29
	23/17 मिन	0	10	12		106/3 मिन	0	05	06
	23/24 मिन	0	10	12		106/8 मिन	0	08	60
	30/4 मिन	0	10	12		106/13 मिन	0	10	12
	30/7 मिन	0	10	12		106/18 मिन	0	10	12
	30/14 मिन	0	10	12		106/23 मिन	0	10	12
	30/16 मिन	0	01	52		121/3 मिन	0	07	08
	30/17 मिन	0	08	60		134 मिन	0	14	16
	30/24 मिन	0	03	54		146 मिन	0	01	01
	30/25 मिन	0	06	58		188 मिन	0	01	52
	40/4 मिन	0	00	25		189 मिन	0	00	76
	40/5/1 मिन	0	06	07		191 मिन	0	00	51
	40/5/2 मिन	0	00	51		196 मिन	0	00	00
	40/6 मिन	0	10	12		198 मिन	0	00	76
	40/15/2 मिन	0	10	12	फडोली	18/22 मिन	0	08	35
	40/16 मिन	0	10	12	ह० न० 189	20/2 मिन	0	10	32
	40/25 मिन	0	10	12		20/9 मिन	0	10	12
	45/10 मिन	0	01	52		20/12 मिन	0	09	61
	45/11 मिन	0	06	58		20/13/2 मिन	0	00	51
	45/20 मिन	0	10	12		20/18/2 मिन	0	04	05
	45/21 मिन	0	10	12		20/19 मिन	0	06	07
	46/5 मिन	0	10	12		20/22 मिन	0	02	78
	46/6 मिन	0	08	60		20/23/1 सालिम	0	05	31
	46/15/1 मिन	0	01	77		20/23/2 मिन	0	01	01
	46/15/2 मिन	0	00	76		28/2 सालिम	0	00	00
	60/1 मिन	0	09	36		28/3 मिन	0	01	01
	60/10 मिन	0	10	12		36 मिन	0	01	01
	60/11 मिन	0	10	12	मोहडा	1/25 मिन	0	08	60
	60/20 मिन	0	10	12	ह० न० 182				
	60/21 मिन	0	09	61		5/10 मिन	0	02	53
	60/22/1 मिन	0	00	00		5/11 मिन	0	07	59
	62/1 मिन	0	06	58		5/20 मिन	0	10	12
	62/2 मिन	0	03	54		5/21 मिन	0	09	61
	62/9 मिन	0	08	50		6/5 मिन	0	10	12
	62/10 मिन	0	01	52		6/6 मिन	0	07	59
	62/12 मिन	0	10	12		6/15/2 मिन	0	02	53
	62/19 मिन	0	10	12		10/1 मिन	0	10	12
	62/22 मिन	0	01	77		10/10 मिन	0	10	12
	82/2 मिन	0	02	02		10/11 मिन	0	10	12
	62/3 मिन	0	07	08		10/20 मिन	0	09	61
	82/8 मिन	0	08	60		10/21 मिन	0	06	32
	82/9 मिन	0	01	52		10/22 मिन	0	02	02
	82/12 मिन	0	01	01		14/1 मिन	0	02	53
	82/13 मिन	0	09	11		14/2 मिन	0	07	59
	82/18 मिन	0	09	36		14/9 मिन	0	10	12
	82/19/1 मिन	0	00	76		14/12 मिन	0	10	12
	82/23/1 मिन	0	08	09		14/19 मिन	0	10	12
	82/23/2 मिन	0	00	25		14/22 मिन	0	10	12
	101/3/1 मिन	0	04	55		19/2 मिन	0	07	08
	101/3/2 मिन	0	05	56		22 मिन	0	01	77
	101/8/2 मिन	0	10	12		25 मिन	0	01	01
						7/21/1 मिन	0	09	11

1	2	3	4	5	1	2	3	4	5
शाहपुर	14/1/1 मिन	0	04	05	शाहपुर ह०न० 125	59/4 मिन	0	03	54
ह०न० 125	14/1/2 मिन	0	01	01		59/7 मिन	0	08	09
	14/2 मिन	0	05	08		59/8 मिन	0	02	02
	14/9/1 मिन	0	08	60		59/14/1 मिन	0	10	12
	14/9/2 मिन	0	00	76		59/17 मिन	0	09	11
	14/12 मिन	0	04	55		59/24/1 मिन	0	10	12
	14/13/1 मिन	0	05	82		65/4 मिन	0	10	12
	14/18/2 मिन	0	10	12		65/7 मिन	0	10	12
	14/23/3 मिन	0	01	01		65/14 मिन	0	10	12
	14/24/1 मिन	0	04	81		65/16 मिन	0	02	53
	14/30 मिन	0	03	79		65/17/1 मिन	0	07	08
	20/4/1 मिन	0	10	12		65/24/2 मिन	0	02	53
	20/8 मिन	0	05	82		65/25/1	0	07	59
	20/7/1 मिन	0	04	55		84/5 मिन	0	10	12
	20/15/1 मिन	0	03	29		84/6/2 मिन	0	10	12
	20/15/2 मिन	0	07	08		84/15 मिन	0	10	12
	20/16 मिन	0	04	81		84/16/1 मिन	0	02	53
	21/20/1 मिन	0	00	51		84/16/2 मिन	0	07	59
	21/20/2 मिन	0	00	00		84/25/1 मिन	0	00	76
	21/20/3 मिन	0	00	76		84/25/2 मिन	0	00	76
	21/20/4 मिन	0	04	05		156/1 मिन	0	01	52
	21/21/1 मिन	0	05	06		158 मिन	0	01	77
	21/21/2 मिन	0	05	31		166 मिन	0	01	01
	25/1/2 मिन	0	06	07		875 मिन	0	00	76
	25/2/2 मिन	0	02	53		876 मिन	0	00	51
	25/9/1 मिन	0	01	26					
	25/9/2 मिन	0	08	25	कन्हेरा ह०न० 104	8/1 मिन	0	06	07
	25/12 मिन	0	03	04		8/2/1 मिन	0	03	79
	25/13/1 मिन	0	01	01		8/2/2 मिन	0	00	25
	25/13/2 मिन	0	06	58		8/9/1 मिन	0	05	82
	25/18 मिन	0	10	12		8/9/2 मिन	0	01	77
	25/23 मिन	0	02	02		8/9/3 मिन	0	02	53
	25/24 मिन	0	06	07		8/9/4 मिन	0	00	00
	25/28 मिन	0	02	02		8/12 मिन	0	05	82
	36/4 मिन	0	06	32		8/13/1 मिन	0	03	79
	36/5 मिन	0	02	28		8/13/2 मिन	0	00	00
	36/6 मिन	0	07	08		8/18/1 मिन	0	09	61
	36/7 मिन	0	03	29		8/18/2 मिन	0	00	51
	36/15/1 मिन	0	05	82		8/23 मिन	0	04	81
	36/15/2 मिन	0	04	30		8/24/1 मिन	0	04	30
	36/16 मिन	0	04	05		8/24/2 मिन	0	00	25
	37/20/1 मिन	0	03	29		15/4/1 मिन	0	00	00
	37/20/2 मिन	0	03	29		15/4/2 मिन	0	09	61
	37/21/1 मिन	0	07	33		15/8 मिन	0	05	31
	37/21/2 मिन	0	03	04		15/7 मिन	0	05	06
	42/1 मिन	0	04	55		15/15/2 मिन	0	01	77
	42/2 मिन	0	06	07		15/15/3 मिन	0	08	60
	42/9 मिन	0	10	12		15/16/1 मिन	0	04	55
	42/12 मिन	0	04	05		16/20/1 मिन	0	00	51
	42/13/1 मिन	0	03	04		16/20/2 मिन	0	05	31
	42/13/2 मिन	0	03	04		16/21 मिन	0	01	26
	42/18 मिन	0	10	12		52 मिन	0	00	51
	42/23/2 मिन	0	05	56		77 मिन	0	00	25
	43/24/2 मिन	0	00	00					
	59/3/2 मिन	0	06	58					

1	2	3	4	5	1	2	3	4	5
शेख साजदा ह० न० 108	1/6 मिन	0	05	06	काबला ह० न० 110	25/14 मिन	0	03	04
	1/15 मिन	0	08	85	—आरी	25/15 मिन	0	11	13
	2/11 मिन	0	08	32		25/16 मिन	0	03	79
	2/19 मिन	0	09	61		35/2 मिन	0	06	07
	2/20 मिन	0	05	82		35/3/1 मिन	0	05	08
	2/22 मिन	0	03	04		35/7 मिन	0	08	35
	2/23 मिन	0	11	13		35/8/1 मिन	0	04	05
	3/11 मिन	0	11	13		35/8/2 मिन	0	01	52
	3/12 मिन	0	08	85		35/14 मिन	0	07	84
	4/3/2 मिन	0	00	51		35/15/1 मिन	0	04	30
	4/4 मिन	0	10	62		35/15/2 मिन	0	01	26
	4/6 मिन	0	11	13		35/16/1 मिन	0	04	81
कुबला ह० न० 109	3/3/1 मिन	0	00	76		25/16/2 मिन	0	03	04
	3/3/2 मिन	0	05	06		35/28 सालिम	0	00	76
	3/3/3 मिन	0	03	04		36/20/1 मिन	0	01	01
	3/3/4 मिन	0	03	04		36/20/2 मिन	0	06	07
	3/7 मिन	0	09	85		36/21/1 मिन	0	00	51
काबला ह० न० 110	11/23 मिन	0	00	00		36/21/2 मिन	0	01	01
	17/11 मिन	0	05	06		36/21/3 मिन	0	00	25
	17/19/2 मिन	0	04	30		36/22 मिन	0	09	61
	17/20 मिन	0	10	37		36/26 मिन	0	00	51
	17/22/1 मिन	0	03	29		37/2 मिन	0	02	02
	17/22/2 मिन	0	07	08		37/3 मिन	0	02	53
	17/23 मिन	0	03	54		69 मिन	0	03	79
	18/3 मिन	0	06	58		70 मिन	0	04	30
	18/4 मिन	0	06	58		71/6 मिन	0	00	76
	18/6/2 मिन	0	05	82		80 मिन	0	02	28
	18/7/1 मिन	0	09	85		89 मिन	0	00	25
	18/15 मिन	0	09	61		94 मिन	0	01	26
	21/3/2 मिन	0	11	89		99 मिन	0	01	26
	21/4 मिन	0	00	76	काबली ह० न० 111	5/12 मिन	0	07	84
	21/6 मिन	0	01	77		5/18/1 मिन	0	02	78
	21/7 मिन	0	12	39		5/18/2 मिन	0	05	82
	21/14/2 मिन	0	00	00		5/19 मिन	0	05	06
	21/15 मिन	0	13	15		5/23 मिन	0	06	58
	21/16 मिन	0	00	25		5/24/2 मिन	0	07	08
	22/11 मिन	0	01	01		9/10/1 मिन	0	02	28
	22/19/2 मिन	0	00	51		9/10/2 मिन	0	00	00
	22/20/1 मिन	0	06	83		5/11 मिन	0	12	14
	22/20/2 मिन	0	06	58		5/12 मिन	0	01	77
	22/21/2 मिन	0	01	01		5/18 मिन	0	00	76
	22/22 मिन	0	11	89		5/19/1 मिन	0	07	84
	22/23 मिन	0	00	00		9/19/2 मिन	0	05	56
	24/20/1 मिन	0	05	56		9/20 मिन	0	00	25
	24/20/2 मिन	0	04	81		9/22 मिन	0	00	51
	24/21/1 मिन	0	04	81		9/23 मिन	0	13	15
	24/22 मिन	0	09	61		9/24 मिन	0	00	25
	25/2 मिन	0	01	52		10/4 मिन	0	09	11
	25/3 मिन	0	12	65		10/5 मिन	0	04	81
	25/4/1 मिन	0	00	00		10/6 मिन	0	11	13
	25/7 मिन	0	11	89		13/3 मिन	0	01	26
	25/8 मिन	0	02	28		13/4 मिन	0	12	90



1	2	3	4	5	1	2	3	4	5
काबली ह० नं० 111—जारी					सोनडा	13/18/2/2 मिन	0	00	76
	13/5/2 मिन	0	00	00	ह० नं० 114—जारी	13/18/2/3 मिन	0	00	00
	13/6 मिन	0	12	14		13/24 मिन	0	03	54
	13/7 मिन	0	01	26		13/25 मिन	0	09	11
	13/15 मिन	0	04	05		19/1 मिन	0	08	85
	14/11 मिन	0	10	62		19/9/1 मिन	0	00	51
	14/19 मिन	0	09	11		19/9/2 मिन	0	07	33
	14/20 मिन	0	05	31		19/10 मिन	0	08	58
	14/22 मिन	0	05	31		19/12/1 मिन	0	01	01
	14/23 मिन	0	07	33		19/12/2 मिन	0	00	00
	15/3 मिन	0	01	52		19/12/3 मिन	0	07	08
	24 मिन	0	00	76		19/13 मिन	0	06	83
	29 मिन	0	01	01		19/17 मिन	0	05	56
	32 मिन	0	01	52		19/18 मिन	0	09	11
	33 मिन	0	01	52		19/24 मिन	0	07	08
जंढली						19/25 मिन	0	05	31
ह० नं० 113	50/5 मिन	0	04	05		20/5 मिन	0	05	82
	50/6 सालिम	0	00	25		26/5/1 मिन	0	02	78
	51/1 मिन	0	00	51		26/5/2 मिन	0	00	76
	51/9 मिन	0	00	51		26/5/3 मिन	0	06	83
	51/10 मिन	0	12	65		27/1/2 मिन	0	03	79
	51/11 मिन	0	01	01		27/9/2/2 मिन	0	00	51
	51/12 मिन	0	12	90		27/9/3/2 मिन	0	02	02
	51/13 मिन	0	00	25		27/10/1 मिन	0	04	30
	51/17 मिन	0	00	25		27/10/3 मिन	0	02	28
	51/18 मिन	0	12	90		27/11/2 मिन	0	00	00
	51/19 मिन	0	01	01		27/12 मिन	0	14	16
	51/23 मिन	0	01	52		27/18 मिन	0	13	91
	51/24 मिन	0	12	39		27/19 मिन	0	00	25
	51/25 मिन	0	00	25		27/23/2 मिन	0	00	76
	57/1/2 मिन	0	00	00		27/24/1 मिन	0	05	56
	57/10 मिन	0	11	89		27/24/2 मिन	0	08	60
	57/11 मिन	0	02	78		28/10 मिन	0	00	76
	57/12 मिन	0	03	79		29/4/2 मिन	0	00	51
	58/4 मिन	0	01	77		29/5 मिन	0	08	60
	58/5 मिन	0	12	39		29/6 मिन	0	00	76
	58/6 मिन	0	02	28		77 मिन	0	01	77
सोनडा						326/5 मिन	0	01	26
ह० नं० 114	8/21 मिन	0	00	25		329 मिन	0	00	76
	8/28 मिन	0	07	08	पली मेहर	14/16/2 मिन	0	06	58
	9/24 मिन	0	00	51	ह० नं० 58	14/25 मिन	0	10	37
	9/25 मिन	0	12	90		15/21/2/2/4 मिन	0	03	79
	12/5 मिन	0	01	52		25/1/1 मिन	0	05	31
	13/1 मिन	0	12	65		25/1/2/3/1 मिन	0	01	01
	13/2 मिन	0	00	00		25/1/2/3/2 मिन	0	00	25
	13/9 मिन	0	12	14		25/1/3 मिन	0	07	33
	13/10 मिन	0	02	02		25/8/2/2 मिन	0	01	52
	13/12 मिन	0	03	04		25/9/1/2 मिन	0	00	25
	13/13/1/1 मिन	0	02	28		25/9/2 मिन	0	02	78
	13/13/1/2 मिन	0	09	11		25/9/3/2 मिन	0	02	28
	13/13/2 मिन	0	00	51		25/13 मिन	0	14	42
	13/17/2 मिन	0	10	88		25/32 मिन	0	00	25
	13/18/1/1 मिन	0	00	25		25/33 मिन	0	08	85
	13/18/2/1 मिन	0	00	51		25/34 मिन	0	03	54
	13/18/1/2 मिन	0	02	28		11/12 मिन	0	00	51

1	2	3	4	5	1	2	3	4	5
सिधा बाला	4/15 मिन	0	01	26	पती घर्बजा	16/14/1 मिन	0	00	76
ह० न० 57	5/11/1 मिन	0	03	79	ह० न० 56—जारी	16/14/2 मिन	0	07	84
	5/11/2 मिन	0	01	01		16/16/2 मिन	0	01	01
	5/19 मिन	0	00	76		16/17/1 मिन	0	04	55
	5/20/1 मिन	0	12	39		16/25/1 मिन	0	03	04
	5/20/2 मिन	0	00	51		16/25/2 मिन	0	06	58
	5/21 मिन	0	00	76		16/27 मिन	0	01	77
	5/22/1 मिन	0	03	29		16/28 मिन	0	06	58
	5/22/2 मिन	0	09	36		33/6/1 मिन	0	01	52
	7/21 मिन	0	00	25		33/6/2 मिन	0	10	12
	8/2 मिन	0	06	83		33/7 मिन	0	00	00
	8/3 मिन	0	06	83		52 मिन	0	00	51
	8/7/2 मिन	0	01	01		62 मिन	0	01	52
	8/8 मिन	0	12	65		77/3 मिन	0	02	02
	8/13 मिन	0	00	00		566 मिन	0	01	52
	8/14 मिन	0	13	66					
	8/16 मिन	0	07	08	पती कलाला	6/11/1 मिन	0	00	25
	8/17 मिन	0	07	08	ह० न० 51	6/11/2 मिन	0	08	60
	8/25 मिन	0	11	38		6/11/3 मिन	0	01	52
	18/1 मिन	0	10	12		6/19 मिन	0	00	51
	18/2/2/5 मिन	0	03	04		6/20 मिन	0	11	63
	18/2/2/6 मिन	0	02	02		6/21/2 मिन	0	01	26
	18/8 मिन	0	07	08		6/22/1 मिन	0	08	85
	18/9 मिन	0	08	60		6/22/2 मिन	0	02	02
	18/13 मिन	0	08	85		7/6/1 मिन	0	06	32
	18/14 मिन	0	06	58		7/15/1 मिन	0	01	77
	18/17 मिन	0	08	09		11/2 मिन	0	09	11
	35 मिन	0	02	78		11/3/1 मिन	0	01	52
	42-43 मिन	0	01	01		11/8/1 मिन	0	02	28
						11/8/2 मिन	0	09	36
पती घर्बजा	1/16 मिन	0	01	01		11/9 मिन	0	00	25
ह० न० 56	1/24 मिन	0	02	53		11/13/1 मिन	0	00	00
	1/25/1 मिन	0	02	78		11/13/2 मिन	0	03	29
	1/25/2 मिन	0	06	32		11/13/3 मिन	0	00	00
	8/1 मिन	0	00	00		11/13/5 मिन	0	05	31
	8/10 मिन	0	08	60		11/14/2 मिन	0	01	77
	8/11 मिन	0	11	63		11/17 मिन	0	11	63
	8/12 मिन	0	00	00		11/18/1 मिन	0	00	25
	8/19 मिन	0	09	86		11/24/1 मिन	0	03	29
	8/20 मिन	0	02	28		11/24/2 मिन	0	05	31
	8/22/1 मिन	0	04	81		11/25/1 मिन	0	02	28
	8/22/2 मिन	0	06	58		20/10 मिन	0	06	83
	8/23 मिन	0	00	25		20/11 मिन	0	05	31
	8/26 मिन	0	00	51		20/20 मिन	0	00	25
	8/27 सालिम	0	00	51		20/22 मिन	0	08	60
	9/5/1 मिन	0	08	60		20/28 सालिम	0	00	76
	9/5/2 मिन	0	00	76		20/29 मिन	0	10	12
	9/5/3 मिन	0	00	76		20/30 मिन	0	04	55
	9/6/1 मिन	0	02	02		21/4/3 मिन	0	00	25
	9/6/2 मिन	0	00	00		21/5/1 मिन	0	11	63
	16/2 मिन	0	02	02		21/5/2 मिन	0	00	25
	16/3 मिन	0	10	12		21/6 मिन	0	08	60
	16/7 मिन	0	01	01		32/2 मिन	0	04	55
	16/8 मिन	0	10	37		32/3/2 मिन	0	07	08

1	2	3	4	5	1	2	3	4	5
					खेल ह० नं० 52	27/6 मिन	0	04	81
	32/8 मिन	0	08	35		27/7 मिन	0	09	86
	32/13/1 मिन	0	00	51		27/15/2 मिन	0	10	62
	32/13/2 मिन	0	02	78		28/11 मिन	0	04	30
	32/14/1 मिन	0	06	83		28/19/2 मिन	0	02	28
पेल पत्ती कलाना	32/14/2 मिन	0	01	52		28/19/3 मिन	0	01	28
ह० न० 51	32/17/1 मिन	0	05	31		28/20 मिन	0	10	88
	32/17/2 मिन	0	01	01		28/22 मिन	0	11	89
	32/17/3 मिन	0	04	30		28/23 मिन	0	02	78
	32/17/4 मिन	0	00	76		30/11 मिन	0	01	26
	460 मिन	0	02	78		30/20 मिन	0	09	11
	462 मिन	0	01	26		30/21/1 मिन	0	00	25
	467 मिन	0	01	01		31/3 मिन	0	12	63
	477 मिन	0	01	01		31/4/2 मिन	0	02	28
	518 मिन	0	01	01		31/6/1 मिन	0	01	01
पत्ती रगडा	72/19/2 मिन	0	00	51		31/6/2 मिन	0	00	00
ह० न० 40	72/20 मिन	0	03	54		31/7 मिन	0	12	39
	72/22/1 मिन	0	05	31		31/8 मिन	0	00	00
	72/22/2 मिन	0	08	85		31/14/2 मिन	0	00	00
	72/23/2 मिन	0	01	52		31/15 मिन	0	12	65
	75/3 मिन	0	09	61		31/16 मिन	0	00	00
	75/9 मिन	0	02	02		250 मिन	0	01	28
	75/13/1 मिन	0	17	20		251 मिन	0	01	26
	75/13/2 मिन	0	00	00					
	75/17 मिन	0	08	60					
	75/18 मिन	0	01	52					
	75/24 मिन	0	12	14					
	75/28/1 मिन	0	00	00					
	88/4/2 मिन	0	02	28					
	88/5 मिन	0	09	11					
	88/6 मिन	0	04	30					
	683 मिन	0	03	54					
खेल	9/4 मिन	0	00	76					
ह० न० 52	9/6 मिन	0	08	35					
	9/7 मिन	0	11	13					
	9/8 मिन	0	06	58					
	9/15 मिन	0	05	56					
	10/11 मिन	0	09	36					
	10/19 मिन	0	06	83					
	10/20/1 मिन	0	05	82					
	10/22 मिन	0	06	58					
	10/23 मिन	0	08	09					
	17/11 मिन	0	01	01					
	17/19 मिन	0	06	32					
	17/20 मिन	0	06	58					
	17/22 मिन	0	09	11					
	17/23 मिन	0	05	82					
	18/3 मिन	0	07	33					
	18/4 मिन	0	07	59					
	18/6 मिन	0	07	08					
	18/7 मिन	0	07	84					
	18/15 मिन	0	08	09					
	27/3 मिन	0	09	61					
	27/4 मिन	0	05	31					

[सं० 12020/1/81-प्रौ०]

# MINISTRY OF PETROLEUM, CHEMICALS & FERTILIZER

(Department of Petroleum)

New Delhi, the 20th May, 1981

**S.O. 1667.**—Whereas it appears to the Central Government that it is necessary in the public interest that for the transport of petroleum products from Mathura in Uttar Pradesh to Jullundur in Punjab pipelines should be laid by the Indian Oil Corporation Limited.

And whereas it appears that for the purpose of laying such pipelines, it is necessary to acquire the Right of User in the land described in the schedule annexed hereto :

Now, therefore, in exercise of the powers conferred by Sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in land) Act, 1962 (50 of 1962), the Central Government hereby declare its intention to acquire the right of user therein :

Provided that any person interested in the said land may, within 21 days from the date of this notification, object to the laying of the pipelines under the land to the Competent Authority, Indian Oil Corporation Limited, Mathura-Jullundur Pipeline New House, Kunjpura Road, Karnal (Haryana).

And every person making such an objection shall also state specifically whether he wishes to be heard in person or by a legal practitioner.

## SCHEDULE

Name of Village	Khasra No	Area		
		H	A	Sq.M.
1	2	3	4	5
Landha H. No. 223	7/19 Min	0	02	28
	7/20 Min	0	03	04
	7/21 Min	0	00	51
	7/22 Min	0	09	61

1	2	3	4	5	1	2	3	4	
Landha H. No. 223	17/2 Min	0	10	12	Mohra H.No. 188	46/5 Min	0	10	12
	17/9/1 Min	0	05	82		46/6 Min	0	08	60
	17/9/2 Min	0	04	30		46/15/1 Min	0	01	77
	17/12 Min	0	08	60		46/15/2 Min	0	00	76
	17/3 Min	0	01	52		60/1 Min	0	09	36
	17/18 Min	0	08	35		50/10 Min	0	10	12
	17/19 Min	0	01	01		60/11 Min	0	10	12
	17/23 Min	0	10	12		60/20 Min	0	10	12
	20/3 Min	0	10	12		60/21 Min	0	09	61
	20/7/2 Min	0	00	51		60/22/1 Min	0	00	00
	20/8 Min	0	09	61		62/1 Min	0	06	58
	20/13 Min	0	02	78		62/2 Min	0	03	54
	20/14 Min	0	07	33		62/9 Min	0	08	60
	20/17 Min	0	10	12		62/10 Min	0	01	52
	20/24 Min	0	10	12		62/12 Min	0	10	12
	35/4 Min	0	09	11		62/19 Min	0	10	12
	35/5 Min	0	00	00		62/22 Min	0	01	77
	35/6 Min	0	05	56		82/2 Min	0	02	02
	35/7 Min	0	04	55		82/3 Min	0	07	08
	35/15 Min	0	10	12		82/8 Min	0	01	60
	35/16 Min	0	10	12		82/9 Min	0	01	52
	35/25 Min	0	06	07		82/12 Min	0	01	01
	122/Min	0	00	76		82/13 Min	0	09	11
	81 Min	0	01	01		82/18 Min	0	09	36
Mohra H. No. 188	10/2 Min	0	02	28	82/19/1 Min	0	00	76	
	10/9 Min	0	10	12	82/23/1 Min	0	08	09	
	10/12 Min	0	08	60	82/23/2 Min	0	00	25	
	10/13 Min	0	01	52	101/3/1 Min	0	04	55	
	10/18 Min	0	06	58	101/3/2 Min	0	05	56	
	10/19 Min	0	03	54	101/8/2 Min	0	10	12	
	10/22 Min	0	00	25	101/13 Min	0	10	12	
	10/23 Min	0	09	86	101/18 Min	0	09	11	
	16/3/1 Min	0	00	25	101/23 Min	0	03	29	
	16/3/2 Min	0	09	86	106/3 Min	0	05	06	
	16/8/1 Min	0	10	12	106/8 Min	0	08	60	
	16/13 Min	0	10	12	106/13 Min	0	10	12	
	16/18 Min	0	10	12	106/18 Min	0	10	12	
	16/23 Min	0	10	12	106/23 Min	0	10	12	
	23/3 Min	0	08	60	121/3 Min	0	07	08	
	23/4 Min	0	01	52	134 Min	0	14	16	
	23/7 Min	0	06	58	146 Min	0	01	01	
	23/8 Min	0	03	54	188 Min	0	01	52	
	23/13 Min	0	00	25	189 Min	0	00	76	
	23/14/1 Min	0	09	86	191 Min	0	00	51	
	23/17 Min	0	10	12	196 Min	0	00	00	
	23/24 Min	0	10	12	198 Min	0	00	76	
	30/4 Min	0	10	12	Phroli H. No. 189	18/22 Min	0	08	35
	30/7 Min	0	10	12		20/2 Min	0	10	12
	30/14 Min	0	10	12		20/9 Min	0	10	12
	30/16 Min	0	01	52		20/12 Min	0	09	61
	30/17 Min	0	08	60		20/13/2 Min	0	00	51
	30/24 Min	0	03	54		20/18/2 Min	0	04	05
	30/25 Min	0	06	58		20/19 Min	0	06	07
	40/4 Min	0	00	25		20/22 Min	0	02	78
	40/5/1 Min	0	06	07		20/23/1 Whole	0	05	31
	40/5/2 Min	0	00	51		20/23/2 Min	0	01	01
	40/6 Min	0	10	12		28/2 Whole	0	00	00
	40/15/2/ Min	0	10	12		28/3 Min	0	01	01
	40/16 Min	0	10	12	36 Min	0	01	01	
	40/25 Min	0	10	12	Bohawa H. No. 162	1/25 Min	0	08	60
	45/10 Min	0	01	52		5/10 Min	0	02	53
	45/11 Min	0	06	58		5/11 Min	0	07	59
	45/20 Min	0	10	12		5/20 Min	0	10	12
	45/21 Min	0	10	12					

1	2	3	4	5	1	2	3	4	5
Bohawa H. No. 162	5/21 Min	0	09	61	Shahpur H. No. 125	37/21/2 Min	0	03	04
	6/5 Min	0	10	12		42/1 Min	0	04	55
	6/6 Min	0	07	59		42/2 Min	0	06	07
	5/15/2 Min	0	02	53		42/9 Min	0	10	12
	10/1 Min	0	10	12		42/12 Min	0	04	55
	10/10 Min	0	10	12		42/13/1 Min	0	03	04
	10/11 Min	0	10	12		42/13/2 Min	0	03	04
	10/20 Min	0	09	61		42/18 Min	0	10	12
	10/21 Min	0	06	32		42/23/2 Min	0	05	56
	10/22 Min	0	02	02		42/24/2 Min	0	00	00
	14/1 Min	0	02	53		59/3/2 Min	0	06	58
	14/2 Min	0	07	59		59/4 Min	0	03	54
	14/9 Min	0	10	12		59/7 Min	0	08	09
	14/12 Min	0	10	12		59/8 Min	0	02	02
	14/19 Min	0	10	12		59/14 Min	0	10	12
	14/22 Min	0	10	12		19/17 Min	0	09	11
	19/2 Min	0	07	08		59/24/1 Min	0	10	12
	22 Min	0	01	77		65/4 Min	0	10	12
	25 Min	0	01	01		65/7 Min	0	10	12
						65/14 Min	0	10	12
Shahpur H. No. 125	7/21/1 Min	0	09	11		65/16 Min	0	02	53
	14/1/1 Min	0	04	05		65/17/1 Min	0	07	08
	14/1/2 Min	0	01	01		65/24/2 Min	0	02	53
	14/2 Min	0	05	06		65/25/1 Min	0	07	59
	14/9/1 Min	0	08	60		84/5 Min	0	10	12
	14/9/2 Min	0	00	76		84/6/2 Min	0	10	12
	14/12 Min	0	04	55		84/15 Min	0	10	12
	14/13/1 Min	0	05	82		84/16/1 Min	0	02	53
	14/18/2 Min	0	10	12		84/16/2 Min	0	07	59
	14/23/3 Min	0	01	01		84/25/1 Min	0	00	76
	14/24/1 Min	0	04	81		84/25/2 Min	0	00	76
	14/30 Min	0	03	79		156/1 Min	0	01	52
	20/4/1 Min	0	10	12		158 Min	0	01	77
	20/6 Min	0	05	82		166 Min	0	01	01
	20/7/1 Min	0	04	55		875 Min	0	00	76
	20/15/1 Min	0	03	29		876 Min	0	00	51
	20/15/2 Min	0	07	08	Nanhera H. No. 104	8/1 Min	0	06	07
	20/16 Min	0	04	81		8/2/1 Min	0	03	79
	21/20/1 Min	0	00	51		8/2/2 Min	0	00	25
	21/20/2 Min	0	00	00		8/9/1 Min	0	05	82
	21/20/3 Min	0	00	76		8/9/2 Min	0	01	77
	21/20/4 Min	0	04	05		8/9/3 Min	0	02	53
	21/21/1 Min	0	05	06		8/9/4 Min	0	00	00
	21/21/2 Min	0	05	31		8/12 Min	0	05	82
	25/1/2 Min	0	06	07		8/13/1 Min	0	03	79
	25/2/2 Min	0	02	53		8/13/2 Min	0	00	00
	25/9/1 Min	0	01	26		8/18/1 Min	0	09	61
	25/9/2 Min	0	08	85		8/18/2 Min	0	00	51
	25/12 Min	0	03	04		8/23 Min	0	04	81
	25/13/1 Min	0	01	01		8/24/1 Min	0	04	30
	25/13/2 Min	0	06	58		8/24/2 Min	0	00	25
	25/18 Min	0	10	12		15/4/1 Min	0	00	00
	25/23 Min	0	02	02		15/4/2 Min	0	09	61
	25/24 Min	0	06	07		15/6 Min	0	05	31
	25/28 Min	0	02	02		15/7 Min	0	05	06
	36/4 Min	0	06	32		15/15/2 Min	0	01	77
	36/5 Min	0	02	28		15/15/3 Min	0	08	60
	36/6 Min	0	07	08		15/16/1 Min	0	04	55
	36/7 Min	0	03	29		16/20/1 Min	0	00	51
	36/15/1 Min	0	05	82		16/20/2 Min	0	05	31
	36/15/2 Min	0	04	30		16/21 Min	0	01	26
	36/16 Min	0	04	05		52 Min	0	00	51
	37/20/1 Min	0	03	29		77 Min	0	00	25
	37/20/2 Min	0	03	29					
	37/21/1 Min	0	07	33					

1	2	3	4	5	1	2	3	4	5
Sheikhmajra H. No. 108	1/6 Min	0	05	06	Kanwala H. No. 110	35/15/2 Min	0	01	26
	1/15 Min	0	08	85	—(Contd.)	35/16/1 Min	0	04	81
	2/11 Min	0	06	32		35/16/2 Min	0	03	04
	2/19 Min	0	09	61		35/26 Min	0	00	76
	2/20 Min	0	05	82		36/20/1 Min	0	01	01
	2/22 Min	0	03	04		36/20/2 Min	0	06	07
	2/23 Min	0	11	13		36/21/1 Min	0	00	51
	3/11 Min	0	11	13		36/21/2 Min	0	01	01
	3/12 Min	0	08	85		36/21/3 Min	0	00	25
	4/3/2 Min	0	00	51		36/22 Min	0	09	61
	4/4 Min	0	10	62		36/26 Min	0	00	51
	4/6 Min	0	11	13		37/2 Min	0	02	02
						37/3 Min	0	02	53
Dudhla H. No. 109	3/3/1 Min	0	00	76		69 Min	0	03	79
	3/3/2 Min	0	05	06		70 Min	0	04	30
	3/3/3 Min	0	03	04		71/6 Min	0	00	76
	3/3/4 Min	0	03	04		80 Min	0	02	28
	3/7 Min	0	08	85		89 Min	0	00	25
						94 Min	0	01	26
						99 Min	0	01	26
Kanwala H. No. 110	11/23 Min	0	00	00	Kanwala H. No. 111	5/12 Min	0	07	84
	17/11 Min	0	05	06		5/18/1 Min	0	02	78
	17/19/2 Min	0	04	30		5/18/2 Min	0	05	82
	17/20 Min	0	10	37		5/19 Min	0	05	06
	17/22/1 Min	0	03	29		5/23 Min	0	06	58
	17/22/2 Min	0	07	08		5/24/2 Min	0	07	08
	17/23 Min	0	03	54		9/10/1 Min	0	02	28
	18/3 Min	0	06	58		9/10/2 Min	0	00	00
	18/4 Min	0	06	58		9/11 Min	0	12	14
	18/6/2 Min	0	05	82		9/12 Min	0	01	77
	18/7/1 Min	0	08	85		9/18 Min	0	00	76
	18/15 Min	0	09	61		9/19/1 Min	0	07	84
	21/3/2	0	11	89		9/19/2 Min	0	05	56
	21/4 Min	0	00	76		9/20 Min	0	00	25
	21/6 Min	0	01	77		9/22 Min	0	00	51
	21/7 Min	0	12	39		9/23 Min	0	13	15
	21/14/2 Min	0	00	00		9/24 Min	0	00	25
	21/15 Min	0	13	15		10/4 Min	0	09	11
	21/16 Min	0	00	25		10/5 Min	0	04	81
	22/11 Min	0	01	01		10/6 Min	0	11	13
	22/19/2 Min	0	00	51		13/3 Min	0	01	26
	22/20/1 Min	0	06	83		13/4 Min	0	12	90
	22/20/2 Min	0	06	58		15/5/2 Min	0	00	00
	22/21/2 Min	0	01	01		13/6 Min	0	12	14
	22/22 Min	0	11	89		13/7 Min	0	01	26
	22/23 Min	0	00	00		13/15 Min	0	04	05
	24/20/1 Min	0	05	56		14/11 Min	0	10	67
	24/20/2 Min	0	04	81		14/19 Min	0	09	11
	24/21/1 Min	0	04	81		14/20 Min	0	05	31
	24/22 Min	0	09	61		14/22 Min	0	05	31
	25/2 Min	0	01	52		14/23 Min	0	07	33
	25/3 Min	0	12	65		15/3 Min	0	01	52
	25/4/1 Min	0	00	00		24 Min	0	00	76
	25/7 Min	0	11	89		29 Min	0	01	01
	25/8 Min	0	02	28		32 Min	0	01	52
	25/14 Min	0	03	04		33 Min	0	01	52
	25/15 Min	0	11	13					
	25/16 Min	0	03	79	Jandali H. No. 113	50/5 Min	0	04	05
	35/2 Min	0	06	07		50/6 Whole	0	00	25
	35/3/1 Min	0	05	06		51/1 Min	0	00	51
	35/7 Min	0	08	35		51/9 Min	0	00	51
	35/8/1 Min	0	04	05		51/10 Min	0	12	65
	35/8/2 Min	0	01	52		51/11 Min	0	01	01
	25/14 Min	0	07	84		51/12 Min	0	12	90
	35/15/1 Min	0	04	30		51/13 Min	0	00	25

1	2	3	4	5	1	2	3	4	5
Jandali H. No. 113	51/17 Min	0	00	25	Sonda H. No. 114	29/5 Min	0	08	60
—(Contd.)	51/18 Min	0	12	90	—(Contd.)	29/6 Min	0	00	76
	51/19 Min	0	01	01		77/ Min	0	01	77
	51/23 Min	0	01	52		326/5 Min	0	01	26
	51/24 Min	0	12	39		329 Min	0	00	76
	51/25 Min	0	00	25					
	57/1/2 Min	0	00	00	Patti Mehar H. No.				
	57/10 Min	0	11	89	58	14/16/2 Min	0	06	58
	57/11 Min	0	02	78		14/25 Min	0	10	37
	57/12 Min	0	03	79		15/21 2/2/4/ Min	0	03	79
	58/4 Min	0	01	77		25/1/1 Min	0	05	31
	58/5 Min	0	12	39		25/1/2/3/1 Min	0	01	01
	58/6 Min	0	02	28		24/1/2/3/2/ Min	0	00	25
						25/1/3 Min	0	07	33
Sonda H. No. 114	8/21 Min	0	00	25		25/8/2/2 Min	0	01	52
	8/28 Min	0	07	08		25/9/1/2 Min	0	00	25
	9/24 Min	0	00	51		25/9/2 Min	0	02	78
	9/25 Min	0	12	90		25/9/3/2 Min	0	02	28
	12/5 Min	0	01	52		25/13 Min	0	14	42
	13/1 Min	0	12	65		25/32/ Min	0	00	25
	13/2 Min	0	00	00		25/33 Min	0	08	85
	13/9 Min	0	12	14		25/34 Min	0	03	54
	13/10 Min	0	02	02		1112 Min	0	00	51
	13/12 Min	0	03	04					
	13/13/1/1 Min	0	02	28	Singhan Wala				
	13/13/1/2 Min	0	09	11	H. No. 57	4/15 Min	0	01	26
	13/13/2 Min	0	00	51		5/11/1 Min	0	03	79
	13/17/2 Min	0	10	88		5/11/2 Min	0	01	01
	13/18/1/1 Min	0	00	25		5/19 Min	0	00	76
	13/18/2/1 Min	0	00	51		5/20/1 Min	0	12	39
	13/18/1/2 Min	0	02	28		5/20/2 Min	0	00	51
	13/18/2/2 Min	0	00	76		5/21 Min	0	00	76
	13/18/2/3 Min	0	00	00		5/22/1 Min	0	03	29
	13/24 Min	0	03	54		5/22/2 Min	0	09	36
	13/25 Min	0	09	11		7/21 Min	0	00	25
	19/1 Min	0	08	85		8/2 Min	0	06	83
	19/9/1 Min	0	00	51		8/3 Min	0	06	83
	13/9/2 Min	0	07	33		8/7/2 Min	0	01	01
	19/10 Min	0	06	58		8/8 Min	0	12	65
	19/12/1 Min	0	01	01		8/13 Min	0	00	00
	19/12/2 Min	0	00	00		8/14 Min	0	13	66
	19/12/3 Min	0	07	08		8/16 Min	0	07	08
	19/13 Min	0	06	83		8/17 Min	0	07	08
	19/17 Min	0	05	56		8/25 Min	0	11	38
	19/18 Min	0	09	11		18/1 Min	0	10	12
	19/24 Min	0	07	08		18/2/2/5 Min	0	10	12
	19/25 Min	0	05	31		18/2/2/5 Min	0	03	04
	20/5 Min	0	05	82		18/2/2/6 Min	0	02	02
	26/5/1 Min	0		78		18/8 Min	0	07	08
	26/5/2 Min	0	00	76		18/9 Min	0	08	60
	26/5/3 Min	0	06	83		18/13 Min	0	08	85
	27/1/2 Min	0	03	79		18/14 Min	0	06	58
	27/9/2/2 Min	0	00	51		18/17 Min	0	08	09
	27/9/3/2 Min	0	02	02		35 Min	0	02	78
	27/10/1 Min	0	04	30		42-43 Min	0	01	01
	27/10/3 Min	0	02	28					
	27/11/2 Min	0	00	00					
	27/12 Min	0	14	16	Patti Achharjan				
	27/18 Min	0	13	91	H. No. 56	1/16 Min	0	01	01
	27/19 Min	0	00	25		1/24 Min	0	02	53
	27/23/2 Min	0	00	76		1/25/1 Min	0	02	78
	27/24/1 Min	0	05	56		1/25/2 Min	0	06	32
	27/24/2 Min	0	08	60		8/1 Min	0	00	00
	28/10 Min	0	00	76		8/10 Min	0	08	60
	29/4/2 Min	0	00	51		8/11 Min	0	11	63

1	2	3	4	5	1	2	3	4	5
Patti Acharjan	8/12 Min	0	00	00	Patti kalalon	20/30 Min	0	04	55
H. No. 56—contd.	8/19 Min	0	09	86	H. No. 51—contd.	21/4/3 Min	0	00	25
	8/20 Min	0	02	28		21/5/1 Min	0	11	63
	8/22/1 Min	0	04	81		21/5/2 Min	0	00	25
	8/22/2 Min	0	06	58		21/6 Min	0	08	60
	8/23 Min	0	00	25		32/2 Min	0	04	55
	8/26 Min	0	00	51		32/3/2 Min	0	07	08
	8/27 Whole	0	00	51		32/8 Min	0	08	35
	9/5/1 Min	0	08	60		32/13/1 Min	0	00	51
	9/5/2 Min	0	00	76		32/13/2 Min	0	02	78
	9/5/3 Min	0	00	76		32/14/1 Min	0	06	83
	9/6/1 Min	0	02	02		32/14/2 Min	0	01	52
	9/6/2 Min	0	00	00		32/17/1 Min	0	05	31
	16/2 Min	0	02	02		32/17/2 Min	0	01	01
	16/3 Min	0	10	12		32/17/3 Min	0	04	30
	16/7 Min	0	01	01		32/17/4 Min	0	00	76
	16/8 Min	0	10	37		460 Min	0	02	78
	16/14/1 Min	0	00	76		462 Min	0	01	26
	16/14/2 Min	0	07	84		467 Min	0	01	01
	16/16/2 Min	0	01	01		477 Min	0	01	01
	16/17/1 Min	0	04	55		518 Min	0	01	01
	16/25/1 Min	0	03	04	Patti Rangron				
	16/25/2 Min	0	06	58	H. No. 40	72/19/2 Min	0	00	51
	16/27 Min	0	01	77		72/20 Min	0	03	54
	16/28 Min	0	06	58		72/22/1 Min	0	05	31
	33/6/1 Min	0	01	52		72/22/2 Min	0	08	85
	33/6/2 Min	0	10	12		72/23/2 Min	0	01	52
	33/7 Min	0	00	00		75/3 Min	0	09	61
	52 Min	0	00	51		75/9 Min	0	02	02
	62 Min	0	01	52		75/13/1 Min	0	17	20
	77/3 Min	0	02	02		75/13/2 Min	0	03	00
	566 Min	0	01	52		75/17	0	08	60
Pattikalalon						75/18 Min	0	01	52
H. No. 51	6/11/1 Min	0	00	25		75/24 Min	0	12	14
	6/11/2 Min	0	08	60		75/25/1 Min	0	01	00
	6/11/3 Min	0	01	52		88/4/2 Min	0	02	28
	6/19 Min	0	00	51		88/5 Min	0	09	11
	6/20 Min	0	11	63		88/6 Min	0	04	30
	6/21/2 Min	0	01	26		683 Min	0	03	54
	6/22/1 Min	0	08	85	Ghel				
	6/22/2 Min	0	02	02	H. No. 52	9/4 Min	0	00	76
	7/6/1 Min	0	06	32		9/6 Min	0	08	35
	7/15/1 Min	0	01	77		9/7 Min	0	11	13
	11/2 Min	0	09	11		9/8 Min	0	06	58
	11/3/1 Min	0	01	52		9/15 Min	0	05	56
	11/8/1 Min	0	02	28		10/11 Min	0	09	36
	11/8/2 Min	0	09	36		10/19 Min	0	06	83
	11/9 Min	0	00	25		10/20/1 Min	0	05	82
	11/13/1 Min	0	00	00		10/22 Min	0	06	58
	11/13/2 Min	0	03	29		10/23 Min	0	03	09
	11/13/3 Min	0	00	00		17/11 Min	0	01	01
	11/13/5 Min	0	05	31		17/19 Min	0	06	32
	11/14/2 Min	0	01	77		17/20 Min	0	06	58
	11/17 Min	0	11	63		17/22 Min	0	09	11
	11/18/1 Min	0	00	25		17/23 Min	0	05	82
	11/24/1 Min	0	03	29		18/3 Min	0	07	33
	11/24/2 Min	0	05	31		18/4 Min	0	07	59
	11/25/1 Min	0	02	28		18/6 Min	0	07	08
	20/10 Min	0	06	83		18/7 Min	0	07	84
	20/11 Min	0	05	31		18/15 Min	0	08	09
	20/20 Min	0	00	25		27/3 Min	0	09	61
	20/22 Min	0	08	60		27/4 Min	0	05	31
	20/28 Whole	0	00	76		27/6 Min	0	04	81
	20/29 Min	0	10	12					



1	2	3	4	5	1	2	3	4	5
	27/7 Min	0	09	86	मेहमूदपुर	7 मिन	00	12	22
	27/15/2 Min	0	10	62	ह० न० 144—जारी	8 मिन	00	01	69
	23/11 Min	0	04	30		9 मिन	00	02	53
	23/19/2 Min	0	02	28		10 मिन	00	02	95
	23/19/3 Min	0	01	26		59 मिन	00	08	85
	23/20 Min	0	10	88		90 मिन	00	03	79
	23/22 Min	0	11	89		91 मिन	00	04	64
	23/23 Min	0	02	78		92 मिन	00	10	12
	30/11 Min	0	01	26		95 मिन	00	14	75
	3 /20 Min	0	09	11		99/1 मिन	00	00	84
	3 /21/1 Min	0	00	25		1016/96/1 मिन	00	02	95
	31/3 Min	0	12	65		1016/96/2 मिन	00	02	95
	31/4/2 Min	0	02	28		1017/96 मिन	00	00	42
	31/6/1 Min	0	01	1		453 मिन	00	08	01
	31/6/2 Min	0	00	00		457 मिन	00	06	74
	31/7 Min	0	12	39		964/458 मिन	00	07	59
	31/8 Min	0	00	00		965/458 मिन	00	00	42
	31/14/2 Min	0	00	00		459 मिन	00	06	32
	31/15 Min	0	12	65		476 मिन	00	05	90
	31/16 Min	0	00	00		477 मिन	00	05	90
	250 Min	0	01	26		478 मिन	00	08	01
	251 Min	0	01	26		180 मिन	00	08	43
[No. 12020/1/81-Prod.]						482 मिन	00	08	85
नई दिल्ली, 20 मई, 1981						486 मिन	00	09	27
का० प्र० 1668.—यत्. केन्द्रीय सरकार को यह प्रतीत होता है कि लोक-						487 मिन	00	05	48
हित में यह आवश्यक है कि उत्तर प्रदेश में मथुरा से जलन्धर (पंजाब) तक						489 मिन	00	04	64
पेट्रोलियम पदार्थों के परिवहन के लिए पार्श्व लाइन इंडियन ऑयल कार्पो-						490 मिन	00	10	12
रेशन द्वारा बिछाई जानी चाहिये।						491 मिन	00	03	79
और यत्. यह प्रतीत होता है कि ऐसी लाईनों को बिछाने के प्रयोजन						556 मिन	00	01	69
के लिए एतदुपाय अनुसूची में वर्णित भूमि में उपयोग का अधिकार अर्जित						557 मिन	00	12	22
करना आवश्यक है।						558 मिन	00	00	00
यत् अब पेट्रोलियम और खनिज पदार्थ लाईन (भूमि में उपयोग के						559 मिन	00	11	80
अधिकार का अर्जन) अधिनियम 1962 (1962 का 50) की धारा 3 की						560 मिन	00	02	11
उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करने हुए केन्द्रीय सरकार ने						561 मिन	00	11	80
उसमें उपयोग का अधिकार अर्जित करने का अथवा एतदुपाय						562 मिन	00	00	00
कोषित किया है।						566 मिन	00	00	00
वर्णित कि उक्त भूमि में हितवद्ध कोई व्यक्ति, उस भूमि के नीचे पार्श्व						567 मिन	00	11	80
लाईन बिछाने के लिए आक्षेप सख्त प्राधिकारी, इंडियन ऑयल कार्पोरेशन						568 मिन	00	02	53
लिमिटेड, मथुरा जलन्धर पार्श्व लाईन प्रायोजना, 705 मोती सिंह नगर						570 मिन	00	02	53
जलन्धर (पंजाब) को इस अधिसूचना की तारीख के 21 दिनों के भीतर						571 मिन	00	10	96
कर सकेगा।						572 मिन	00	03	79
और ऐसा आक्षेप करने वाला हर व्यक्ति विनिर्दिष्ट यह भी कथन						573 मिन	00	10	54
करेगा कि वह यह चाहता है कि उसकी सुनवाई व्यक्तिगत हो या किसी विधि						1006/590 मिन	00	00	42
अवसारी की मार्फत।						600 मिन	00	12	22
अनुसूची						601 मिन	00	01	26
सहलील . राजपुरा	जिला : पटियाला	राज्य : पंजाब				631 मिन	00	06	74
ग्राम का नाम	खसरा नं०	क्षेत्रफल				638 मिन	00	03	79
		ह०	ए०	बर्ग मी०		637 मिन	00	09	27
		1	2	3	4	5			
मेहमूदपुर	4 मिन	00	06	74		639 मिन	00	06	32
ह० न० 144	5 मिन	00	13	49		640 मिन	00	09	69
	6 मिन	00	00	42		642 मिन	00	00	00
						1008/643 मिन	00	04	61
						1009/643 मिन	00	06	74
						644/2 मिन	00	00	42

1	2	3	4	5	1	2	3	4	5
मेहसूरापुर	646 मिन	00	03	79	बपरोर	163 मिन	0	05	06
ह० न० 141—अ(र)	674 मिन	00	02	11	ह० न० 113—अ(र)	164 मिन	0	08	86
	1009/678 मिन	00	00	00		180 मिन	0	03	79
	720 मिन	00	07	17		186 मिन	0	00	84
	722 मिन	00	04	22		213 मिन	0	09	70
	723 मिन	00	11	80		214 मिन	0	05	48
	724 मिन	00	00	42		215 मिन	0	05	48
	729 मिन	00	02	11		216 मिन	0	08	86
	730 मिन	00	12	65		220 मिन	0	08	43
	231 मिन	00	01	26		221 मिन	0	06	32
	739 मिन	00	00	00		222 मिन	0	10	96
	740 मिन	00	10	96		223 मिन	0	01	26
	741 मिन	00	04	22	नीशेरा	40 मिन	0	00	42
	743 मिन	00	11	38	ह० न० 138	42/1 मिन	0	03	37
	744 मिन	00	01	69		43 मिन	0	01	26
	746 मिन	00	11	80		568/45 मिन	0	08	01
	764 मिन	00	08	85		46 मिन	0	12	65
	765 मिन	00	02	53		48 मिन	0	05	48
बपरोर	1348/3 मिन	0	04	63		49 मिन	0	02	95
ह० न० 143	72 मिन	0	00	00		50 मिन	0	10	96
	73 मिन	0	00	42		100 मिन	0	05	48
	75 मिन	0	12	65		101 मिन	0	08	01
	76 मिन	0	00	84		102 मिन	0	07	17
	77 मिन	0	12	65		103 मिन	0	03	79
	78 मिन	0	00	84		105 मिन	0	00	00
	79 मिन	0	01	26		116 मिन	0	10	54
	83 मिन	0	01	26		117 मिन	0	01	26
	84 मिन	0	09	28		242 मिन	0	04	22
	85 मिन	0	02	11		243 मिन	0	13	07
	86 मिन	0	00	42		244 मिन	0	00	00
	87 मिन	0	12	65		245 मिन	0	01	69
	88 मिन	0	01	26		246 मिन	0	12	22
	93 मिन	0	01	26		247 मिन	0	00	00
	94 मिन	0	12	65		362 मिन	0	10	12
	1354/95 मिन	0	01	69		363 मिन	0	01	26
	96 मिन	0	12	65		383 मिन	0	01	26
	1355/99 मिन	0	05	06		384 मिन	0	12	65
	107 मिन	0	00	42		385 मिन	0	01	26
	1324/108/1 मिन	0	03	37		387 मिन	0	01	26
	1324/108/2 मिन	0	06	75		388 मिन	0	13	07
	1325/108/3 मिन	0	02	95		389 मिन	0	00	42
	109/1 मिन	0	00	42		391 मिन	0	00	42
	110 मिन	0	00	84		392 मिन	0	12	65
	129/1 मिन	0	00	00		393 मिन	0	00	42
	1270/130 मिन	0	04	21		403 मिन	0	00	42
	1271/130 मिन	0	04	64		404 मिन	0	12	22
	131 मिन	0	05	90		405 मिन	0	00	00
	143 मिन	0	03	79		406 मिन	0	00	84
	144 मिन	0	10	96		407 मिन	0	12	22
	145 मिन	0	00	00		408 मिन	0	00	42
	146 मिन	0	11	80		409 2 मिन	0	01	26
	147 मिन	0	02	53		418 मिन	0	01	69
	148 मिन	0	01	69		506/1-2 मिन	0	00	42
	162 मिन	0	09	70		507/1 मिन	0	00	42

1	2	3	4	5	1	2	3	4	5
मौजेरा	507/2 मिन	0	12	65	अली माजरा	267 मिन	0	02	95
ह० न० 138--जारी	508 मिन	0	01	69	ह० न० 137--जारी	271 मिन	0	10	96
	510 मिन	0	02	53		306/1 मिन	0	00	84
	511 मिन	0	11	80		392 मिन	0	02	11
	512 मिन	0	09	69		393 मिन	0	03	79
	513 मिन	0	00	00	शंभू कला	1946/8 मिन	0	00	42
	521 मिन	0	01	26	ह० न० 146	1946/10 मिन	0	01	26
	526 मिन	0	03	79		1946/11 मिन	0	12	23
	527 मिन	0	11	33		1946/12 मिन	0	01	68
	528 मिन	0	02	95		1953 मिन	0	02	11
	528/1 मिन	0	00	84		1954 मिन	0	11	01
	538 मिन	0	10	96		1955 मिन	0	00	00
	542 मिन	0	01	26		1956 मिन	0	00	00
	543 मिन	0	05	90		1957 मिन	0	10	96
	544 मिन	0	03	37		1958 मिन	0	03	79
	553 मिन	0	12	65		1992 मिन	0	01	26
	554 मिन	0	06	32		2008 मिन	0	04	64
	555 मिन	0	15	17		2009 मिन	0	10	12
	557 मिन	0	02	95		2017 मिन	0	08	85
अली माजरा	39 मिन	0	12	65		2020 मिन	0	07	59
ह० न० 137	40 मिन	0	09	27		2021 मिन	5	05	90
	42 मिन	0	10	96		2023 मिन	0	14	33
	43 मिन	0	05	06		2024 मिन	0	08	01
	44 मिन	0	01	69	नलदेही	581 मिन	0	00	84
	50 मिन	0	12	65	ह० न० 81	583 मिन	0	16	86
	51 मिन	0	00	00		586 मिन	0	00	42
	53 मिन	0	02	53		587 मिन	0	16	45
	54 मिन	0	10	96		588 मिन	0	00	84
	55 मिन	0	05	06		589 मिन	0	16	45
	70 मिन	0	08	01		590 मिन	0	00	42
	71 मिन	0	05	18		597 मिन	0	00	42
	72 मिन	0	02	11		600 मिन	0	00	42
	73 मिन	0	05	06		601 मिन	0	17	28
	74 मिन	0	08	43		609 मिन	0	00	00
	81 मिन	0	00	84		610 मिन	0	15	17
	82 मिन	0	00	84		1693/617 मिन	0	00	00
	83 मिन	0	13	91		619/1-2 मिन	0	14	33
	84 मिन	0	00	42		1696/620 मिन	0	01	69
	85 मिन	0	10	96		1697/620 मिन	0	0	42
	86 मिन	0	03	37		621/1 मिन	0	06	75
	94 मिन	0	00	84		621/2 मिन	0	08	43
	109/2 मिन	0	07	17		622/1 मिन	0	00	00
	200 मिन	0	10	51		634 मिन	0	14	33
	201 मिन	0	05	06		1580/635 मिन	0	02	12
	205 मिन	0	02	53		1581/635 मिन	0	00	84
	206/2	0	08	85		647 मिन	0	04	22
	254 मिन	0	08	01		648 मिन	0	13	49
	253 मिन	0	07	59		1655/649 मिन	0	05	91
	259 मिन	0	05	90		651 मिन	0	13	07
	261 मिन	0	09	27		652 मिन	0	06	32
	262 मिन	0	04	22		670 मिन	0	16	86
	264 मिन	0	02	53		1534/671 मिन	0	06	32
	265 मिन	0	12	65		687 मिन	0	05	90
	266 मिन	0	00	42		894 मिन	0	00	00

1	2	3	4	5	1	2	3	4	5
बलहरी	911 मिन	0	14	76	मदनपुर	523 मिन	0	00	00
ह० न० 81—जारी	912 मिन	0	00	42	ह० न० 80—जारी	525/2/1 मिन	0	04	21
	1668/913 मिन	0	01	68		525/2/2' मिन	0	09	70
	1669/913 मिन	0	16	02		731 मिन	0	00	42
	914 मिन	0	00	42		751 मिन	0	06	74
	927 मिन	0	03	37		753 मिन	0	00	84
	928 मिन	0	13	91		758 मिन	0	12	65
	929 मिन	0	03	37		759 मिन	0	01	26
	930/1 मिन	0	05	48		762 मिन	0	00	42
	930/2 मिन	0	09	70		763 मिन	0	03	37
	933 मिन	0	00	00		764 मिन	0	02	96
	937 मिन	0	13	49		765 मिन	0	01	68
	938 मिन	0	06	32	चमार	138 मिन	0	10	96
	939 मिन	0	10	96	ह० न० 79	140 मिन	0	00	42
	941 मिन	0	09	70		141 मिन	0	16	02
	942 मिन	0	07	17		142 मिन	0	01	27
	949 मिन	0	07	17		144 मिन	0	02	95
	950 मिन	0	99	27		145 मिन	0	14	76
	951 मिन	0	07	17		146/1 मिन	0	02	95
	953 मिन	0	09	69		189 मिन	0	00	42
	954 मिन	0	00	42		195 मिन	0	00	42
	1023 मिन	0	00	84		196 मिन	0	16	14
	1024 मिन	0	12	66		197 मिन	0	01	26
	1026 मिन	0	03	79		201 मिन	0	01	26
	1027 मिन	0	16	45		202 मिन	0	16	44
	1028 मिन	0	01	68		203 मिन	0	00	42
	1029 मिन	0	01	27		207 मिन	0	00	42
	1034 मिन	0	02	53		208 मिन	0	16	44
	1035 मिन	0	18	55		209 मिन	0	01	26
	1036 मिन	0	00	42	चमार	217 मिन	0	00	84
	1040 मिन	0	00	84	ह० न० 79	218 मिन	0	06	74
	1104 मिन	0	11	80		239 मिन	0	00	84
	1105 मिन	0	01	27		240 मिन	0	13	07
	1107 मिन	0	00	42		241 मिन	0	02	95
	1192 मिन	0	10	54		1681/242 मिन	0	02	95
	1196 मिन	0	08	01		245 मिन	0	13	91
	1197 मिन	0	08	43		246 मिन	0	00	42
	1198 मिन	0	06	32		266 मिन	0	07	17
	1203 मिन	0	06	75		267 मिन	0	06	74
	1204 मिन	0	12	23		271 मिन	0	07	17
	1205 मिन	0	02	95		291 मिन	0	00	00
मदनपुर	1/1 मिन	0	00	42		292 मिन	0	15	60
ह० न० 80	201 मिन	0	05	06		294 मिन	0	17	29
	208 मिन	0	06	32		840 मिन	0	01	26
	209 मिन	0	10	54		892 मिन	0	00	42
	210 मिन	0	00	84		952 मिन	0	05	49
	483 मिन	0	11	38		974 मिन	0	00	84
	487 मिन	0	03	79		976 मिन	0	15	18
	488 मिन	0	10	54		977 मिन	0	00	42
	490 मिन	0	06	75		978 मिन	0	16	45
	1388/514 मिन	0	03	38		979 मिन	0	01	26
	515 मिन	0	13	91		980 मिन	0	00	84
	516 मिन	0	03	38		988 मिन	0	00	84
	522 मिन	0	08	43		990 मिन	0	00	84

1	2	3	4	5	1	2	3	4	5
शमश	991 मिन	0	16	44	शमशदी	37/11 मिन	0	02	02
ह० न० 79—जारी	992/1 मिन	0	00	42	ह० न० 78—जारी	19/1 मिन	0	00	25
	996 मिन	0	00	42		19/2 मिन	0	00	51
	997 मिन	0	16	44		20 मिन	0	14	15
	998 मिन	0	00	42		21 मिन	0	00	76
	999 मिन	0	15	18		22 मिन	0	13	66
	1000 मिन	0	02	95		23 मिन	0	00	25
	1001 मिन	0	00	42		38/3 मिन	0	05	31
	1002 मिन	0	00	84		4/1 मिन	0	06	07
	1003 मिन	0	00	84		6 मिन	0	04	55
शमशदी	6/13 मिन	0	03	54		7/1 मिन	0	00	76
ह० न० 78	17 मिन	0	10	12		7/2 मिन	0	08	85
	18 मिन	0	03	29		15/1 मिन	0	04	30
	24 मिन	0	06	07		15/2 मिन	0	07	59
	25 मिन	0	06	83		16 मिन	0	00	00
	10/5 मिन	0	07	84		54/2/1 मिन	0	01	52
	11/1 मिन	0	06	58		3 मिन	0	12	90
	9 मिन	0	03	54		7 मिन	0	11	89
	10 मिन	0	09	87		8 मिन	0	02	78
	12 मिन	0	11	89		14/1 मिन	0	03	54
	13 मिन	0	02	28		14/2 मिन	0	00	25
	17/1 मिन	0	00	25		15/1 मिन	0	01	52
	17/2	0	00	76		15/2 मिन	0	04	81
	18 मिन	0	13	41		68 मिन	0	01	52
	19 मिन	0	00	00		69 मिन	0	00	51
	23/1 मिन	0	00	25		71 मिन	0	08	35
	23/2 मिन	0	00	00		74 मिन	0	00	51
	24 मिन	0	13	41		75 मिन	0	01	52
	25 मिन	0	00	25		114 मिन	0	00	76
	18/1	0	00	00		127 मिन	0	01	01
	10 मिन	0	11	89		132 मिन	0	00	76
	11 मिन	0	04	55	पेहर बुरद ह० न० 48	36 मिन	0	04	64
	12 मिन	0	09	61		37 मिन	0	13	02
	18 मिन	0	03	29		372/39 मिन	0	08	85
	19 मिन	0	07	08		40 मिन	0	06	74
	23 मिन	0	02	28		43 मिन	0	02	11
	24/1 मिन	0	04	55		89 मिन	0	10	96
	19/4 मिन	0	01	26		90 मिन	0	05	48
	5 मिन	0	13	16		92 मिन	0	14	33
	06 मिन	0	02	53		93 मिन	0	00	00
	32/4 मिन	0	10	63		154 मिन	0	03	79
	5/1 मिन	0	02	02		155 मिन	0	15	60
	6 मिन	0	13	41		156 मिन	0	00	42
	7 मिन	0	00	00		157 मिन	0	00	84
	15/1 मिन	0	00	76		175 मिन	0	12	22
	15/2 मिन	0	00	00		176 मिन	0	10	54
	33/10 मिन	0	00	76		177 मिन	0	13	07
	11 मिन	0	13	41		179 मिन	0	00	00
	12 मिन	0	00	00		189 मिन	0	05	90
	19 मिन	0	11	89		191 मिन	0	08	85
	20/1 मिन	0	01	52		192 मिन	0	12	22
	20/2 मिन	0	01	01		193 मिन	0	02	95
	22 मिन	0	04	55		196 मिन	0	00	84
	23 मिन	0	09	61		205 मिन	0	00	00

1	2	3	4	5	1	2	3	4	5
पेहर खुरख	206 मिन	0	13	91	डकासु खुर्द	27/13 मिन	0	11	38
ह० न० 49—जारी	208 मिन	0	02	11	ह० न० 49—जारी	27/14 मिन	0	09	27
	209 मिन	0	15	60		27/15 मिन	0	0	42
	210 मिन	0	02	53		27/16 मिन	0	10	96
	211 मिन	0	05	90		27/17 मिन	0	02	11
	275 मिन	0	00	84		28/20 मिन	0	08	01
	276 मिन	0	00	42		42 मिन	0	01	69
	279 मिन	0	16	02		43 मिन	0	02	11
	280 मिन	0	01	26		61 मिन	0	0	42
	287 मिन	0	15	17		68 मिन	0	01	26
डकासु कला ह० न० 50	942/554 मिन	1	11	80	डबाली ह० न० 39	1 मिन	0	08	85
	943/554 मिन	0	02	53		2 मिन	0	02	53
	944/566 मिन	0	02	53		3 मिन	0	05	90
	945/566 मिन	0	00	84		4 मिन	0	15	60
	571	0	06	74		13 मिन	0	12	22
	910/572 मिन	0	13	07		14 मिन	0	0	0
	911/572 मिन	0	00	00		15 मिन	0	02	11
	574 मिन	0	09	70		16 मिन	0	15	17
	575 मिन	0	09	70		17 मिन	0	0	42
	576 मिन	0	11	80		18 मिन	0	10	0
डकासु खुर्द ह० न० 49	10/25 मिन	0	08	01		19 मिन	0	15	60
	11/21 मिन	0	07	59		21 मिन	0	0	0
	11/22 मिन	0	0	0		789/22 मिन	0	08	85
	19/20 मिन	0	0	0		790/22 मिन	0	07	17
	19/21 मिन	0	10	12	डबाली	23 मिन	0	02	11
	19/22 मिन	0	10	55	ह० न० 39	24 मिन	0	02	11
	19/23 मिन	0	01	68		792/27 मिन	0	01	69
	20/10 मिन	0	03	37		28 मिन	0	16	44
	20/11 मिन	0	07	17		29 मिन	0	0	42
	20/12 मिन	0	10	96		30 मिन	0	0	0
	20/13 मिन	0	07	16		299 मिन	0	02	11
	20/16 मिन	0	09	70		753/312 मिन	0	0	42
	20/17 मिन	0	10	96		313 मिन	0	15	60
	20/18 मिन	0	04	64		314 मिन	0	01	26
	20/25 मिन	0	2	11		755/320 मिन	0	0	84
	21/1 मिन	0	03	79		756/321 मिन	0	20	12
	21/2 मिन	0	10	96		757/321 मिन	0	06	74
	21/3 मिन		09	27		322 मिन	0	0	42
	21/4 मिन	0	01	26		326 मिन	0	0	42
	21/6 मिन	0	11	38		328 मिन	0	16	44
	21/7 मिन	0	08	85		329 मिन	0	0	84
	21/8 मिन	0	0	42		330 मिन	0	0	84
	21/15 मिन	0	0	0		331 मिन	0	16	44
	26/2 मिन	0	0	42		333 मिन	0	0	42
	26/3 मिन	0	08	43		339 मिन	0	0	0
	26/4 मिन	0	10	96		340 मिन	0	0	42
	26/5 मिन	0	4	64		341 मिन	0	16	02
	26/6 मिन	0	06	75		342 मिन	0	16	44
	27/8 मिन	0	0	42		343 मिन	0	01	26
	27/9 मिन	0	8	85		344 मिन	0	0	84
	27/10 मिन	0	10	96		357 मिन	0	02	11
	27/12 मिन	0	02	53		358 मिन	0	15	60
						359 मिन	0	0	0
						362 मिन	0	15	17
						363 मिन	0	02	11

1	2	3	4	5	1	2	3	4	5
नवासी	408 मिन	0	11	80	नवास कला	429 मिन	0	08	01
ह० न० 39	408 मिन	0	02	95	ह० न० 11	455/431 मिन	0	12	22
	409 मिन	0	13	49		457/432 मिन	0	02	03
	411 मिन	0	05	48		458/134 मिन	0	04	22
	412 मिन	0	13	49		459/434 मिन	0	04	22
नवास कला	5 मिन	0	12	65	सप्ल ह० न० 38	366 मिन	0	08	01
ह० न० 11	9 मिन	0	0	84	सुरल कला	1/25 मिन	0	01	01
	10 मिन	0	14	75	ह० न० 9	2/21 मिन	0	0	0
	11 मिन	0	05	90		4/1 मिन	0	12	14
	21 मिन	0	0	42		9 मिन	0	0	76
	24 मिन	0	14	75		10 मिन	0	08	34
	25 मिन	0	05	90		12 मिन	0	05	31
	27 मिन	0	11	38		13/1 मिन	0	05	31
	28 मिन	0	9	70		13/2 मिन	0	04	05
	58 मिन	0	04	22		17/1 मिन	0	0	51
	60 मिन	0	12	23		17/2 मिन	0	06	06
	61 मिन	0	03	37		18/1 मिन	0	02	02
	62 मिन	0	01	68		18/2 मिन	0	02	53
	63 मिन	0	07	16		24 मिन	0	07	83
	64 मिन	0	13	91		4/25 मिन	0	06	07
	65 मिन	0	0	0		26 मिन	0	01	26
	102 मिन	0	08	86		11/5 1 मिन	0	0	76
	103 मिन	0	12	23		5/2 मिन	0	09	86
	103/1 मिन	0	01	26		12/1 मिन	0	05	31
	109 मिन	0	0	0		24/1 मिन	0	05	57
	110 मिन	0	16	86		24/2 मिन	0	03	54
	111 मिन	0	05	90		25/1 मिन	0	01	01
	117 मिन	0	08	02		23/1/2 मिन	0	0	51
	118 मिन	0	07	59		9 मिन	0	0	76
	439/119 मिन	0	01	26		10/1 मिन	0	02	02
	440/119 मिन	0	06	32		10/2/1 मिन	0	06	83
	123 मिन	0	12	65		10/2/2 मिन	0	04	30
	124 मिन	0	15	18		23/11 मिन	0	0	76
	125 मिन	0	0	84		12 मिन	0	13	16
	129 मिन	0	02	53		13 मिन	0	0	0
	194 मिन	0	13	92		18 मिन	0	13	16
	234 मिन	0	0	84		19 मिन	0	02	02
	239 मिन	0	10	96		23 मिन	0	01	52
	240 मिन	0	14	75		24 मिन	0	13	11
	241 मिन	0	03	79		25 मिन	0	0	25
	242 मिन	0	07	58		24/4/2 मिन	0	0	25
	269 मिन	0	0	0		5/1/1 मिन	0	07	34
	270 मिन	0	03	79		5/2 मिन	0	05	82
	295 मिन	0	0	0		6 मिन	0	0	25
	296 मिन	0	03	79		35/4 मिन	0	01	77
	375 मिन	0	08	43		35/5 मिन	0	12	90
	377 मिन	0	06	32		6 मिन	0	02	28
	383 मिन	0	08	43		36/1 मिन	0	0	0
	385 मिन	0	13	92		10 मिन	0	12	65
	389 मिन	0	05	48		11 मिन	0	02	78
	390 मिन	0	14	75		12 मिन	0	12	14
	390/1 मिन	0	0	42		18 मिन	0	11	13
	391 मिन	0	01	69		19 मिन	0	3	79
	392 मिन	0	01	26		23 मिन	0	04	05
						24 मिन	0	10	63

1	2	3	4	5	1	2	3	4	5
सुरल कला	43/10 मिन	0	08	85	सुरल कला	23 मिन	0	0	51
ह० न० 9	11 मिन	0	05	82	ह० न० 9	24 मिन	0	01	01
	12 मिन	0	09	11		25 मिन	0	01	01
	43/18 मिन	0	08	10		28 मिन	0	0	76
	19 मिन	0	06	58		27 मिन	0	0	25
	23 मिन	0	06	82		31 मिन	0	02	78
	24 मिन	0	07	59		53 मिन	0	0	76
	44/4 मिन	0	04	55		54 मिन	0	04	55
	5/1 मिन	0	07	59		65 मिन	0	03	54
	5/2 मिन	0	0	51		68 मिन	0	01	26
	6/1 मिन	0	02	28		69 मिन	0	02	78
	6/2 मिन	0	03	54		76 मिन	0	28	84
	51/4 मिन	0	07	84		77/8 मिन	0	03	29
	5 मिन	0	06	82		103 मिन	0	03	79
	6 मिन	0	08	85		113 मिन	0	0	76
	52/10 मिन	0	04	81		122 मिन	0	01	77
	91/19 मिन	0	0	76					
	22 मिन	0	0	51					

राज्य सरकार/केन्द्रीय सरकार की ऐसी भूमि की सूची जो पाइपलाइन के अन्तर्गत आती है तथा गांव मेहमोबपुर एच० बी० 144 तहसील राजपुरा, जिला पटियाला पंजाब राज्य में स्थित है।

तहसील . राजपुरा

जिला . पटियाला

राज्य पंजाब

नाम ग्राम	खसरा न०	क्षेत्रफल					वर्ग मीटर	
		बीघा	बीस्वा	हेक्टेयर	एयर			
महमोबपुर ह० न० 144	437 मिन	4	1	—	34	14	पी० डब्ल्यू० डी० राज्य सरकार	
	965/458	—	3	—	1	26	तदीव	
	665 मिन	—	5	—	02	11	केन्द्रीय सरकार	
जोड़	3 मिन	4	9	—	37	12		
नीमाहरा ह० न० 38	260 मिन	—	4	—	1	69	पी० डब्ल्यू० डी० (बी एण्ड आर)	
							राज्य सरकार	
अलीमाजरा ह० न० 137	391 मिन	0	3	0	01	26	पी० डब्ल्यू० डी० (बी एण्ड आर)	
							राज्य सरकार	
बलहेडी ह० न० 81	612 मिन	—	11	—	04	64		
	984 मिन	—	5	—	02	10	राज्य सरकार पी० डब्ल्यू० डी०	
							(बी एण्ड आर)	
जोड़	2 मिन	—	16	—	06	74		
मदनपुर ह० न० 80	732 मिन	—	5	—	02	11	पी० डब्ल्यू० डी० (बी एण्ड आर)	
							राज्य सरकार	
पैहर कुरख ह० न० 48	324 मिन	—	8	—	3	37	पी० डब्ल्यू० डी० (बी एण्ड आर)	
							राज्य सरकार	
नलास कला ह० न० 11	384 मिन	1	2	—	09	27	राज्य सरकार (राज्य)	



S.O. 1668.—Whereas it appears to the Central Government that it is necessary in the public interest that for the transport of petroleum products from Mathura in Uttar Pradesh to Jullundur in Punjab, pipelines should be laid by the Indian Oil Corporation Limited.

And whereas it appears for the purpose of laying such pipelines, it is necessary to acquire the Right of User in the land described in the schedule annexed hereto :

Now therefore, in exercise of the powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in land) Act, 1962 (50 of 1962), the Central Government hereby declare its intention to acquire the right of user therein :

Provided that any person interested in the said land may, within 21 days from the date of this notification, object to the laying of the pipelines under the land to the Competent Authority, Indian Oil Corporation Limited, Mathura-Jullundur Pipeline 705, Mota Singh Nagar, Jullundur.

And every person making such an objection shall also state specifically whether he wishes to be heard in person or by a legal practitioner.

#### SCHEDULE

Tehsil : Rajpura      Distt : Patiala      State : Punjab

Name of Village	Khasra No.	Area		
		H.	A.	Sq. M.
1	2	3	4	5
Mehmadpur	4 Min	00	06	74
H. No. 144	5 Min	00	13	49
	6 Min	00	00	42
	7 Min	00	12	22
	8 Min	00	01	69
	9 Min	00	02	53
	10 Min	00	02	95
	89 Min	00	08	85
	90 Min	00	08	79
	91 Min	00	04	64
	92 Min	00	10	12
	95 Min	00	14	75
	99/1 Min	00	00	84
	1016/96/1 Min	00	02	95
	1016/96/2 Min	00	02	95
	1017/96 Min	00	00	42
	453 Min	00	08	01
	457 Min	00	06	74
	964/458 Min	00	07	59
	965/458 Min	00	00	42
	459 Min	00	06	32
	476 Min	00	05	90
	477 Min	00	05	90
	478 Min	00	08	01
	480	00	08	43
	482 Min	00	08	85
	486 Min	00	00	27
	487 Min	00	05	48
	489 Min	00	04	64
	490 Min	00	10	12
	491 Min	00	03	79

1	2	3	4	5
Mehmadpur	556 Min	00	01	69
H. No. 144	557 Min	00	12	22
	558 Min	00	00	00
	559 Min	00	11	80
	560 Min	00	02	11
	561 Min	00	11	80
	562 Min	00	00	00
	566 Min	00	00	00
	567 Min	00	11	80
	568 Min	00	02	53
	570 Min	00	02	53
	571 Min	00	10	96
	572 Min	00	03	79
	573 Min	00	10	54
	1006/590 Min	00	00	42
	600 Min	00	12	22
	601 Min	00	01	26
	631 Min	00	06	74
	636 Min	00	03	79
	637 Min	00	09	27
	639 Min	00	06	32
	640 Min	00	09	69
	642 Min	00	00	00
	1008/643 Min	00	04	64
	1009/643 Min	00	06	74
	644/2 Min	00	00	42
	646 Min	00	03	79
	674 Min	00	02	11
	1009/678 Min	00	00	00
	720 Min	00	07	17
	722 Min	00	04	22
	723 Min	00	11	80
	724 Min	00	00	42
	729 Min	00	02	11
	730 Min	00	12	65
	731 Min	00	01	26
	739 Min	00	00	00
	740 Min	00	10	96
	741 Min	00	04	22
	743 Min	00	11	38
	744 Min	00	01	69
	746 Min	00	11	80
	764 Min	00	08	85
	765 Min	00	02	53
Baprou	1348/3 Min	0	04	63
H. No. 143	72 Min	0	00	00
	73 Min	0	00	42
	75 Min	0	12	65
	76 Min	0	00	84
	77 Min	0	12	65
	78 Min	0	00	84
	79 Min	0	01	26
	83 Min	0	01	26
	84 Min	0	09	28
	85 Min	0	02	11
	86 Min	0	00	42
	87 Min	0	12	65
	88 Min	0	01	26
	93 Min	0	01	26
	94 Min	0	12	65
	1354/95 Min	0	01	69
	96 Min	0	12	65
	1355/99 Min	0	05	06
	107 Min	0	00	42
	1324/108/1 Min	0	03	37

1	2	3	4	5	1	2	3	4	5
Baprou	1324/108/2 Min	0	06	75	Noshehra	408 Min	0	00	42
H. No. 143	1325/108/3 Min	0	02	95	H. No. 138	409/2 Min	0	01	26
	109/1 Min	0	00	42		418 Min	0	01	69
	110 Min	0	00	84		506/1-2 Min	0	00	42
	129/1 Min	0	00	00		507/1 Min	0	00	42
	1270/130 Min	0	04	21		507/2 Min	0	12	65
	1271/130 Min	0	04	64		508 Min	0	01	69
	131 Min	0	05	90		510 Min	0	02	53
	143 Min	0	03	79		511 Min	0	11	80
	144 Min	0	10	96		512 Min	0	09	69
	145 Min	0	00	00		513 Min	0	00	00
	146 Min	0	11	80		521 Min	0	01	26
	147 Min	0	02	53		526 Min	0	03	79
	148 Min	0	01	69		527 Min	0	14	33
	162 Min	0	09	70		528 Min	0	02	95
	163 Min	0	05	06		528/1 Min	0	00	84
	164 Min	0	08	86		538 Min	0	10	96
	180 Min	0	03	79		542 Min	0	01	26
	186 Min	0	00	84		543 Min	0	05	90
	213 Min	0	09	70		544 Min	0	03	37
	214 Min	0	05	48		553 Min	0	12	65
	215 Min	0	05	48		554 Min	0	06	32
	216 Min	0	08	86		555 Min	0	15	17
	220 Min	0	08	43		557 Min	0	02	95
	221 Min	0	06	32	Al Majra	39 Min	0	12	65
	222 Min	0	10	96	H. No. 137	40 Min	0	09	27
	223 Min	0	01	26		42 Min	0	10	96
Noshehra	40 Min	0	00	42		43 Min	0	05	56
H. No. 138	42/1 Min	0	03	37		44 Min	0	01	69
	43 Min	0	01	26		50 Min	0	12	65
	568/45 Min	0	08	01		51 Min	0	00	00
	46 Min	0	12	65		53 Min	0	02	53
	48 Min	0	05	48		54 Min	0	10	96
	49 Min	0	02	95		55 Min	0	05	06
	50 Min	0	10	96		70 Min	0	08	01
	100 Min	0	05	48		71 Min	0	05	48
	101 Min	0	08	01		72 Min	0	02	11
	102 Min	0	07	17		73 Min	0	05	06
	103 Min	0	03	79		74 Min	0	08	43
	105 Min	0	00	00		81 Min	0	00	84
	116 Min	0	10	54		82 Min	0	00	84
	117 Min	0	01	26		83 Min	0	13	91
	242 Min	0	04	22		84 Min	0	00	42
	243 Min	0	13	07		85 Min	0	10	96
	244 Min	0	00	00		86 Min	0	03	37
	245 Min	0	01	69		94 Min	0	00	84
	246 Min	0	12	22		109/2 Min	0	07	17
	247 Min	0	00	00		200 Min	0	10	54
	362 Min	0	10	12		201 Min	0	05	06
	363 Min	0	01	26		205 Min	0	02	53
	383 Min	0	01	26		206/2 Min	0	08	85
	384 Min	0	12	65		254 Min	0	08	01
	385 Min	0	01	26		255 Min	0	07	59
	387 Min	0	01	26		259 Min	0	05	90
	388 Min	0	13	07		261 Min	0	09	27
	389 Min	0	00	42		262 Min	0	04	22
	391 Min	0	00	42		264 Min	0	02	53
	391 Min	0	12	65		265 Min	0	12	65
	392 Min	0	00	42		266 Min	0	00	42
	403 Min	0	00	42		267 Min	0	02	95
	404 Min	0	12	22		271 Min	0	10	96
	405 Min	0	00	00		306/1 Min	0	00	84
	406 Min	0	00	84		392 Min	0	02	11
	407 Min	0	12	22		393 Min	0	03	79

1	2	3	4	5	1	2	3	4	5
Shambhoo Kalan					Chalheri	938 Min	0	06	32
H. No. 146	1946/8 Min	0	00	42	H. No. 81	939 Min	0	10	96
	1946/10 Min	0	01	26		941 Min	0	09	70
	1946/11 Min	0	12	23		942 Min	0	07	17
	1946/12 Min	0	01	68		949 Min	0	07	17
	1953 Min	0	02	11		950 Min	0	09	27
	1954 Min	0	11	81		951 Min	0	07	17
	1955 Min	0	00	00		953 Min	0	09	69
	1956 Min	0	00	00		954 Min	0	00	42
	1957 Min	0	10	96					
	1958 Min	0	03	79		1023 Min	0	00	84
	1992 Min	0	01	26		1024 Min	0	12	66
	2008 Min	0	04	64		1926 Min	0	03	79
	2009 Min	0	10	12		1027 Min	0	16	45
	2017 Min	0	08	85		1028 Min	0	01	68
	2020 Min	0	7	59		1029 Min	0	01	27
	2021 Min	0	05	90		1034 Min	0	02	53
	2023 Min	0	14	33		1035 Min	0	18	55
	2024 Min	0	08	1		1036 Min	0	00	42
						1040 Min	0	00	84
Chalheri						1104 Min	0	11	00
H. No. 81	581 Min	0	00	84		1105 Min	0	01	27
	583 Min	0	16	86		1107 Min	0	00	42
	586 Min	0	00	42		1192 Min	0	10	54
	587 Min	0	16	45		1196 Min	0	08	01
	588 Min	0	00	84		1197 Min	0	08	43
	589 Min	0	16	45		1198 Min	0	06	32
	590 Min	0	00	42		1203 Min	0	06	75
	597 Min	0	00	42		1204 Min	0	12	23
	600 Min	0	00	42		1205 Min	0	02	95
	601 Min	0	17	28					
	609 Min	0	00	00	Madanpur	1/1 Min	0	00	42
	610 Min	0	15	17	H. No. 80	201 Min	9	05	86
	1693/617 Min	0	00	00		208 Min	0	06	32
	619/1-2 Min	0	14	33		209 Min	0	10	54
	1696/620 Min	0	01	69		210 Min	0	00	84
	1697/620 Min	0	00	42		485 Min	0	11	38
	621/1 Min	0	06	75		487 Min	0	03	79
	621/2 Min	0	08	43		488 Min	0	10	54
	622/1 Min	0	00	00		490 Min	0	06	75
	634 Min	0	14	33		1388/514 Min	0	03	38
	1580/635 Min	0	02	12		515 Min	0	13	91
	1581/635 Min	0	00	84		516 Min	0	03	38
	647 Min	0	04	22		522 Min	0	08	48
	648 Min	0	13	49		523 Min	0	00	00
	1655/649 Min	0	05	91		525/2/1 Min	0	04	21
	651 Min	0	13	07		525/2/2 Min	0	09	70
	652 Min	0	06	32		731 Min	0	00	42
	670 Min	0	16	86		751 Min	0	06	74
	1534/671 Min	0	06	32		753 Min	0	00	84
	687 Min	0	05	90		758 Min	0	12	65
	894 Min	0	00	00		759 Min	0	01	26
	911 Min	0	14	76		762 Min	0	00	42
	912 Min	0	00	42		763 Min	0	03	37
	1668/913 Min	0	01	68		764 Min	0	02	96
	1669/913 Min	0	16	02		765 Min	0	01	68
	914 Min	0	00	42					
	927 Min	0	03	37	Chamaru	138 Min	0	10	96
	928 Min	0	13	91	H. No. 79	140 Min	0	00	42
	929 Min	0	03	37		141 Min	0	16	02
	930/1 Min	0	05	48		142 Min	0	01	27
	930/2 Min	0	09	70		144 Min	0	02	95
	933 Min	0	00	00		145 Min	0	14	76
	937 Min	0	13	49		146/1 Min	0	02	95

1	2	3	4	5	1	2	3	4	5
Chamaru	189 Min	0	00	42	Shamdo	10 Min	0	11	89
H. No. 79	195 Min	0	00	42		11 Min	0	04	55
	196 Min	0	16	44		12 Min	0	09	61
	197 Min	0	01	26		18 Min	0	03	29
	201 Min	0	01	26		19 Min	0	07	08
	202 Min	0	16	44		23 Min	0	02	28
	203 Min	0	00	42		24/1 Min	0	04	55
	207 Min	0	00	42		19/4 Min	0	01	26
	208 Min	0	16	44		5 Min	0	13	16
	209 Min	0	01	26		6 Min	0	02	53
	217 Min	0	00	84		32/4 Min	0	10	63
	218 Min	0	06	74		5/1 Min	0	02	02
	239 Min	0	00	84		6 Min	0	13	41
	240 Min	0	13	07		7 Min	0	00	00
	241 Min	0	02	95		15/1 Min	0	00	76
	1681/242 Min	0	02	95		15/2 Min	0	00	00
	245 Min	0	13	91		33/10 Min	0	00	76
	246 Min	0	00	42		11 Min	0	13	41
	266 Min	0	07	17		12 Min	0	00	00
	267 Min	0	06	74		19 Min	0	11	89
	271 Min	0	07	17		20/1 Min	0	01	52
	291 Min	0	00	00		20/2 Min	0	01	01
	292 Min	0	15	60		22 Min	0	04	55
	294 Min	0	17	29		23 Min	0	09	61
	840 Min	0	01	26		37/11 Min	0	02	02
	892 Min	0	00	42		19/1 Min	0	00	25
	952 Min	0	05	49		19/2 Min	0	00	51
	974 Min	0	00	84		20 Min	0	13	15
	976 Min	0	15	18		21 Min	0	00	76
	977 Min	0	00	42		22 Min	0	13	66
	978 Min	0	16	45		23 Min	0	00	25
	979 Min	0	01	26		38/3 Min	0	05	31
	980 Min	0	00	84		4/1 Min	0	06	07
	988 Min	0	00	84		6 Min	0	04	55
	990 Min	0	00	84		7/1 Min	0	00	76
	991 Min	0	16	44		7/2 Min	0	08	85
	992/1 Min	0	00	42		15/1 Min	0	04	30
	996 Min	0	00	42		15/2 Min	0	07	59
	997 Min	0	16	44		16 Min	0	00	00
	998 Min	0	00	42		54/2/1 Min	0	01	52
	999 Min	0	15	18		3 Min	0	12	90
	1000 Min	0	02	95		7 Min	0	11	89
	1001 Min	0	00	42		8 Min	0	02	78
	1002 Min	0	00	84		14/1 Min	0	03	54
	1003 Min	0	00	84		14/2 Min	0	00	25
Shamdo	6/13 Min	0	03	54		15/1 Min	0	01	52
H. No. 78	17 Min	0	10	12		15/2 Min	0	04	81
	18 Min	0	03	29		68 Min	0	01	52
	24 Min	0	06	07		69 Min	0	00	51
	25 Min	0	06	83		71 Min	0	03	25
	10/5 Min	0	07	84		74 Min	0	00	51
	11/1 Min	0	06	58		75 Min	0	01	52
	9 Min	0	03	54		114 Min	0	00	76
	10 Min	0	09	87		127 Min	0	01	01
	12 Min	0	11	89		132 Min	0	00	76
	13 Min	0	02	28					
	17/1 Min	0	00	25	Pahar Khurd	36 Min	0	04	64
	17/2 Min	0	00	76	H. No. 49	37 Min	0	13	92
	18 Min	0	13	41		372/39 Min	0	08	85
	19 Min	0	00	00		40 Min	0	06	74
	23/1 Min	0	00	25		43 Min	0	02	11
	23/2 Min	0	00	00		89 Min	0	10	96
	24 Min	0	13	41		90 Min	0	05	48
	25 Min	0	00	25		92 Min	0	14	33
	18/1 Min	0	00	00		93 Min	0	00	00

1	2	3	4	5	1	2	3	4	5
Pahar-Khurd-Contd.	154 Min	00	03	79					
	155 Min	00	15	60	Dhakausu Khurd	27/10 Min	0	10	96
	156 Min	00	00	42	H B 49 Contd	27/12 Min	0	02	53
	157 Min	00	00	84		27/13 Min	0	11	38
	175 Min	00	12	22		27/14 Min	0	09	27
	175 Min	00	10	54		27/15 Min	0	0	42
	177 Min	00	13	07		27/16 Min	0	10	96
	179 Min	00	00	00		27/17 Min	0	02	11
	189 Min	00	05	90		28/20 Min	0	08	01
	191 Min	00	08	85		42 Min	0	01	69
	192 Min	00	12	22		43/Min	0	02	11
	193 Min	00	02	95		61 Min	0	0	42
	196 Min	00	00	84		68 Min	0	01	26
	205 Min	00	00	00					
	206 Min	00	13	91	Dhabali H B 39	1 Min	0	08	85
	208 Min	00	02	11		2 Min	0	02	53
	209 Min	00	15	60		3 Min	0	05	90
	210 Min	00	02	53		4 Min	0	15	60
	211 Min	00	05	90		13 Min	0	12	22
	275 Min	00	00	84		14 Min	0	0	00
	276 Min	00	00	42		15 Min	0	02	11
	279 Min	00	16	02		16 Min	0	15	17
	280 Min	00	01	26		17 Min	0	0	42
	287 Min	00	15	17		18 Min	0	0	00
Dhakausu Kalan	942/554 Min	0	11	80		19 Min	0	15	60
H B. 50	943/554 Min	0	02	53		21 Min	0	0	00
	944/556 Min	0	02	53		789/22 Min	0	08	85
	945/566 Min	0	0	84		790/22 Min	0	07	17
	571 Min	0	06	74		23 Min	0	02	11
	910/572 Min	0	13	07		24 Min	0	02	11
	911/572 Min	0	0	0		92/27 Min	0	01	69
	574 Min	0	09	70		28 Min	0	16	44
	575 Min	0	09	70		29 Min	0	0	42
	576 Min	0	11	80		30 Min	0	0	0
Dhakausu Khurd	10/25 Min	0	08	01		299 Min	0	02	11
H. B. 49	11/21 Min	0	07	59		753/312 Min	0	0	42
	11/22 Min	0	0	0		313 Min	0	15	60
	19/20 Min	0	0	0		314 Min	0	01	26
	19/21 Min	0	10	12		755/320 Min	0	0	84
	19/22 Min	0	10	55		756/321 Min	0	10	12
	19/23 Min	0	01	68		756/321 Min	0	06	74
	20/10 Min	0	03	37		322 Min	0	0	42
	20/11 Min	0	07	17		326 Min	0	0	42
	20/12 Min	0	10	96		328 Min	0	16	44
	20/13 Min	0	07	16		329 Min	0	0	84
	20/16 Min	0	09	70		330 Min	0	0	84
	20/17 Min	0	10	96		331 Min	0	16	44
	20/18 Min	0	04	64		333 Min	0	0	42
	20/25 Min	0	2	11		339 Min	0	0	0
	21/1 Min	0	03	79		340 Min	0	0	42
	21/2 Min	0	10	96		341 Min	0	16	02
	21/3 Min	0	09	27		342 Min	0	16	44
	21/4 Min	0	01	26		343 Min	0	01	26
	21/6 Min	0	11	38		344 Min	0	0	84
	21/7 Min	0	8	85		357 Min	0	02	11
	21/8 Min	0	0	42		358 Min	0	15	60
	21/15 Min	0	0	0		359 Min	0	0	0
	26/2 Min	0	0	42		362 Min	0	15	17
	26/3 Min	0	08	43		363 Min	0	0	11
	26/4 Min	0	10	96		405 Min	0	11	80
	26/5 Min	0	4	64		408 Min	0	02	95
	26/6 Min	0	06	75		409 Min	0	13	49
	27/8 Min	0	0	42		411 Min	0	03	48
	27/9 Min	0	8	85		412 Min	0	13	49

1	2	3	4	5	1	2	3	4	5
Nalas Kalan	5 Min	0	12	65	Sural Kalan	18/1 Min	0	02	02
H. B. 11	9 Min	0	0	84	H.B. 9 Contd.	18/2 Min	0	02	53
	10 Min	0	14	75		24 Min	0	07	83
	11 Min	0	05	90		4/25 Min	0	06	07
	21 Min	0	0	42		26 Min	0	01	26
	24 Min	0	14	75		11/5/1 Min	0	0	76
	25 Min	0	05	90		5/2 Min	0	09	86
	27 Min	0	11	38		12/1 Min	0	05	31
	28 Min	0	09	70		24/1 Min	0	05	57
	58 Min	0	04	22		24/2 Min	0	03	54
	60 Min	0	12	23		25/1 Min	0	01	01
	61 Min	0	03	37		23/1/2 Min	0	0	51
	62 Min	0	01	68		9 Min	0	0	76
	63 Min	0	07	16		10/1 Min	0	02	02
	64 Min	0	13	91		10/2 /1 Min	0	06	83
	65 Min	0	0	0		10/2/2 Min	0	04	30
	102 Min	0	08	86		23/11 Min	0	0	76
	103 Min	0	12	23		12 Min	0	13	16
	103/1 Min	0	01	26		13 Min	0	0	0
	109 Min	0	0	0		18 Min	0	13	16
	110 Min	0	16	86		19 Min	0	02	20
	111 Min	0	05	90		23 Min	0	01	52
	117 Min	0	08	02		24 Min	0	13	41
	118 Min	0	07	59		25 Min	0	0	25
	439/119 Min	0	01	26		24/4/2 Min	0	0	25
	440/119 Min	0	06	32		5/1/1 Min	0	07	34
	123 Min	0	12	65		5/2 Min	0	05	82
	124 Min	0	15	18		6 Min.	0	0	25
	125 Min	0	0	84		35/4 Min	0	01	77
	129 Min	0	02	53		35/5 Min	0	12	90
	194 Min	0	13	92		6 Min	0	02	28
	234 Min	0	0	84		36/1 Min	0	0	0
	239 Min	0	10	96		10 Min	0	12	65
	240 Min	0	14	75		11 Min	0	02	78
	241 Min	0	03	79		12 Min	0	12	14
	242 Min	0	07	58		18 Min	0	11	13
	269 Min	0	0	0		19 Min	0	3	79
	270 Min	0	03	79		23 Min	0	04	05
	295 Min	0	0	0		24 Min	0	10	63
	296 Min	0	03	79		43/10 Min	0	08	85
	375 Min	0	08	43		11 Min	0	05	82
	377 Min	0	06	32		12 Min	0	09	11
	383 Min	0	08	43		43/18 Min	0	08	10
	385 Min	0	13	92		19 Min	0	06	58
	389 Min	0	05	48		23 Min	0	06	82
	390 Min	0	14	75		24 Min	0	07	59
	390 /1 Min	0	0	42		44/4 Min	0	04	55
	391 Min	0	01	69		5/1 Min	0	07	59
	392 Min	0	01	26		5/2 Min	0	0	51
	429 Min	0	08	01		6/1 Min	0	02	28
	455/431 Min	0	12	22		6/2 Min	0	03	54
	457/432 Min	0	02	95		51/4	0	07	84
	458/434 Min	0	04	22		5 Min	0	06	82
	459/434 Min	0	04	22		6 Min	0	08	85
Bhapul	366 Min	0	08	01		52/10 Min	0	04	81
H.B. 38						91/19 Min	0	0	76
Sural Kalan	1/25 Min	0	01	01		22 Min	0	0	51
H.B. 9	2/21 Min	0	0	0		23 Min	0	0	51
	4/1 Min	0	12	14		24 Min	0	01	01
	9 Min	0	0	76		25 Min	0	01	01
	10 Min	0	08	34		26 Min	0	0	76
	12 Min	0	05	31		27 Min	0	0	25
	13/1 Min	0	05	31		31 Min	0	02	78
	13/2 Min	0	04	05		53 Min	0	0	76
	17/1 Min	0	0	51		54 Min	0	04	55
	17/2 Min	0	06	06		65 Min	0	03	54
						68 Min	0	01	26
						69 Min	0	02	78
						76 Min	0	28	84
						77/6 Min	0	03	29
						103 Min	0	03	79
						113 Min	0	0	76
						122 Min	0	01	77

List of State Govt./Central Govt. land coming under pipeline in Village, Mehmodpur-HB No. 144 Teh. Rajpura Distt. Patiala State Punjab

Name of the Village	Khasra No	Area					
		Bigha	Biswa	Hectare	Ac.	Sq. M.	
Mehmodpur HB No.144	437 Min	4	1		34	14	State Govt (PWD B & R)
	965/458		3		1	26	-do-
	665 Min	..	5		02	11	Central Govt.
Total	3 Min	4	9		37	12	
Noshohra HB 138	260 Min		4		1	69	PWD (B & R)
Ali Majra HB 137	391 Min	0	3	0	01	26	PWD (B & R)
Chalheri HB No. 81	612 Min	.	11		04	64	Irrigation Deptt
	984 Min		5		02	10	P.W.D (B & R)
Total	2 Min		16		06	74	
Madanpur	732 Min		5		02	11	PWD (B & R)
Pehar Khurd HB No. 48	324 Min		8		3	37	PWD (B & R)
Nulas Kalan HB No. 11	384 Min	1	2		09	27	Rev Deptt

[No 12020/2/81-Prod]

F N Phamswaran Under secy

## (रसायन और उर्वरक विभाग)

नई दिल्ली 28 अप्रैल 1981

का० आ० 1669--केन्द्रीय सरकार, राजभाषा (संघ के शासकीय प्रयोजन के लिये प्रयोग) नियम, 1976 के नियम 10 के उप नियम (4) के अनुसरण में केन्द्रीय सरकार निम्नलिखित उपक्रम एवं प्लांट का जो रसायन और उर्वरक विभाग के नियन्त्रण में हैं तथा जिनके कर्मचारियों ने हिन्दी का कार्यभाषा ज्ञान प्राप्त कर लिया है अधिसूचित करती है --

- 1 इंडियन ड्रग्स एण्ड फार्मास्यूटिकल्स लि०  
मुख्यालय 1  
आई० डी० पी० एन० कम्प्लैक्स,  
दुण्डाहेडा गुरुगांव (हरियाणा)  
पिन-122001

- 2 आई० डी० पी० एन०  
गुरुगांव प्लांट  
गुरुगांव (हरियाणा)।

[म० ई० 11011/3/80 हिन्दी]  
सी० आर० चानन, ज्यर सचिव

(Department of Chemicals &amp; Fertilizers)

New Delhi, the 28th April, 1981

**SO 1669.**—In pursuance of Sub-rule (4) of Rule 10 of the Official Language (Use for Official purposes of the Union) Rules, 1976, the Central Government hereby notifies the following undertaking and its Plant under the control of Department of Chemicals & Fertilizers. The staff whereof have

acquired the working knowledge of Hindi --

- I Indian Drugs & Pharmaceuticals Ltd  
Head Office,  
IDPL Complex,  
Dundaheda, Gurgaon-122001,  
(Haryana)
- II IDPL, (Indian Drugs & Pharmaceuticals Ltd),  
Gurgaon Plant Office,  
Gurgaon 122001 (Haryana)

[No E 11011/3/80-Hindi]

C R CHANAN Under Secy

नई दिल्ली, 13 मई 1981

का० आ० 1670--शीरा नियंत्रण आदेश 1961 की धारा 1 की उपधारा (2) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार एतद्वारा इस अधिसूचना के नकारी गजट में प्रकाशन की तारीख को लागू करने के लिये शीरा नियंत्रण आदेश 1961 के लागू होने की तारीख के रूप में निर्धारित करती है।

[संख्या 15021(89)/80-सा०-12-ईस्क]

New Delhi, the 13th May, 1981

**S.O. 1670.**—In exercise of the powers conferred by Sub-clause (2) of clause 11 of the Molasses Control Order, 1961, the Central Government hereby directs that the provisions of sub-clause (1) thereof shall come into force in the State of Nagaland with effect from the date of publication of this notification in the Official Gazette.

[No. 15021(89)/80-CH-II(Desk)]

नई दिल्ली, 13 मई, 1981

का० आ० 1671—जीरा नियंत्रण आदेश, 1961 की धारा 11 की उपधारा (2) द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार एतद्वारा निदेश देती है कि उक्त आदेश की उपधारा (1) इस अधिसूचना के सरकारी गजट में प्रकाशन की तारीख से नागालैण्ड राज्य में लागू होगी।

[सं० 15021 (89)/80-रसा०-II (डैस्क)]

कीर्ति कुमार, अवसर सचिव

New Delhi, the 13th May, 1981

**S.O. 1671.**—In exercise of the powers conferred by sub-clause (2) of clause 1 of the Molasses Control Order, 1961, the Central Government hereby appoints the date of publication of this notification in the Official Gazette as the date on which the Molasses Control Order, 1961 shall come into force in the State of Nagaland.

[No. 15021(89)/80-Ch. II-Desk]  
KIRTHY KUMAR, Under Secy.

### स्वास्थ्य और परिवार कल्याण मंत्रालय

(स्वास्थ्य विभाग)

नई दिल्ली, 25 मई, 1981

का० आ० 1672.—यन. भारतीय आयुर्विज्ञान परिषद् अधिनियम, 1956 (1956 का 102) की धारा 3 की उपधारा (1) के खंड 3 के अनुसरण में श्री वेन्कटेश्वर विश्वविद्यालय ने डा० पी० एस० आर० के० हरनाथ को 23 फरवरी, 1981 से भारतीय आयुर्विज्ञान परिषद् का सदस्य मनोनीत किया है।

अतः अब, उक्त अधिनियम की धारा 3 की उपधारा (1) के उपबन्धों का पालन करते हुए केन्द्रीय सरकार एतद्वारा भूतपूर्व स्वास्थ्य मंत्रालय की 9 जनवरी, 1960 की अधिसूचना संख्या 5-13/59-एम०-1 में निम्नलिखित और संशोधन करती है, अर्थात्:—

उक्त अधिसूचना में “धारा (3) की उपधारा (1) के खंड (ख) के अधीन मनोनीत” शीर्ष के अन्तर्गत क्रम संख्या 14 और उससे सम्बन्धित प्रविष्टि के स्थान पर निम्नलिखित क्रम संख्या और प्रविष्टि रखी जाएगी, अर्थात्:—

“14. डा० पी० एस० आर० के०, हरनाथ,  
चिकित्सा शिक्षा के अतिरिक्त निदेशक,  
चिकित्सा और स्वास्थ्य सेवा निदेशालय,  
आन्ध्र प्रदेश, हैदराबाद।

[संख्या बी० 11013/2/81-एम० ई० (नीति)]

### MINISTRY OF HEALTH AND FAMILY WELFARE (Department of Health)

New Delhi, the 25th May, 1981

**S.O. 1672.**—Whereas in pursuance of the provision of clause (b) of sub-section (1) of section 3 of the Indian Medical Council Act, 1956 (102 of 1956) Dr. P. S. R. K. Haranath, has been elected by the Sri Venkateswara University to be a member of the Medical Council of India with effect from the 23-2-1981.

Now, therefore, in pursuance of sub-section (1) of section 3 of the said Act, the Central Government hereby makes the following amendment in the notification of the late Ministry of Health N. 5-13/59-MI dated the 19th January, 1960, namely:—

In the said Notification, under the heading “Elected under clause (b) of sub-section (1) of section 3” for serial number 14 and entries relating thereto the following serial number and entries shall be submitted, namely:—

“14. Dr. P.S.R.K. Haranath, Additional Director of Medical Education, Directorate of Medical and Health Services, Andhra Pradesh, Hyderabad.”

[No. V.11013/2/81-M.E.(Policy)]

का० आ० 1673.—यतः भारतीय आयुर्विज्ञान परिषद् अधिनियम, 1956 (1956 का 102) की धारा 3 की उपधारा (1) के खंड 3 के अनुसरण में केन्द्रीय सरकार ने पंजाब सरकार के परामर्श से डा० (श्रीमती) लीला रामा कुमार, अनुसंधान और चिकित्सा शिक्षा निदेशक, पंजाब को डा० मोहिनंद सिंह कोहली के स्थान पर भारतीय आयुर्विज्ञान परिषद् का सदस्य मनोनीत करती है।

अतः अब, उक्त अधिनियम की धारा 3 की उपधारा (1) के उपबन्धों का पालन करने हुए केन्द्रीय सरकार एतद्वारा भूतपूर्व स्वास्थ्य मंत्रालय की 9 जनवरी, 1960 की अधिसूचना संख्या 5-13/59-एम०-1 में निम्नलिखित और संशोधन करती है, अर्थात्:—

उक्त अधिसूचना में “धारा 3 की उपधारा (1) के खंड (ख) के अधीन मनोनीत” शीर्ष के अन्तर्गत क्रम संख्या 11 और उससे सम्बन्धित प्रविष्टि के स्थान पर निम्नलिखित क्रम संख्या और प्रविष्टि रखी जाएगी, अर्थात्:—

“11. डा० (श्रीमती) लीला रामा कुमार,  
अनुसंधान और चिकित्सा शिक्षा निदेशक,  
पंजाब।”

[सं० बी० 11013/3/81-एम० ई० (नीति)]

**S.O. 1673.**—Whereas the Central Government in pursuance of clause (b) of sub-section (1) of section 3 of the Indian Medical Council Act, 1956 (102 of 1956) and in consultation with the Government of Punjab nominated Dr. (Mrs. Leila Rama Kumar, Director, Research and Medical Education Punjab to be a member of the Medical Council of India vice Dr. Mohinder Singh Kohli, with effect from 12-3-1981.

Now, therefore, in pursuance of the provisions of sub-section (1) of section 3 of the said Act, the Central Government hereby makes the following further amendment in the notification of the late Ministry of Health No. 5-13-59-MI dated the 9th January, 1960, namely:—

In the said notification, under the heading “Nominated under clause (a) of sub-section (1) of section 3” for serial number 11 and the entry relating thereto the following serial number and entry shall be substituted, namely:—

“11. Dr. (Mrs.) Leila Rama Kumar, Director, Research and Medical Education, Punjab”.

[No. V. 11013/3/81-M.E. (Policy)]

### आवेश

का० आ० 1674.—यतः भारत सरकार के भूतपूर्व स्वास्थ्य मंत्रालय की 30 दिसम्बर, 1960 की अधिसूचना सं० 17-59/59-एम०-1 द्वारा केन्द्रीय सरकार ने निदेश दिया है कि भारतीय चिकित्सा परिषद् अधिनियम, 1956 (1956 का 102) के प्रयोजनों के लिए “एम० डी० (चिकित्सा)” अमेरिका की चिकित्सा ग्रहता मान्य चिकित्सा ग्रहता होगी;

और यतः डा० सोमर फेल्ड ए० एल्जाबेथ जिनके पास उक्त ग्रहता है धर्मार्थ कालेज तथा अस्पताल, बैस्लोर के साथ सम्बद्ध हैं;

अतः अब, उक्त अधिनियम की धारा 14 की उपधारा (1) के परमपुत्र के भाग (ग) का पालन करते हुए केन्द्रीय सरकार एतद्वारा—

1 31 दिसम्बर, 1982 तक की और अवधि प्रस्ताव

2. उस अवधि को जब तक डा० सोमर फेल्ड ए० एल्जाबेथ उक्त फिजिशियन मेडिकल कालेज तथा अस्पताल के साथ सम्बद्ध रहते हैं, जो भी काम हो वह अवधि विनिर्दिष्ट करती है, जिसमें पूर्वोक्त डॉक्टर मेडिकल प्रेक्टिस कर सकेंगे।

[सं० बी० 11016/6/80-एम० ई० (नीति)]



## ORDERS

**S.O. 1674.**—Whereas by the notification of the Government of India in the late Ministry of Health No. 17-59/59-MI dated the 30th December, 1960, the Central Government has directed that the medical qualification, "M.D. (Chicago) U.S.A." shall be recognised medical qualification for the purpose of the Indian Medical Council Act, 1956 (102 of 1956).

And whereas, Dr. Sommerfect A. Elisabeth who possesses the said qualification is for the time being attached to the Christian Medical College and Hospital, Vellore for the purposes of charitable work.

Now, therefore, in pursuance of clause (c) of the proviso to sub-section (1) of section 14 of the said Act, the Central Government hereby specifies:—

(i) a further period upto 31st December, 1982 or

(ii) the period during which Dr. Sommerfect A. Elisabeth is attached to the said Christian Medical College and Hospital, Vellore.

whichever is shorter, as the period to which the medical practice by the aforesaid doctor shall be limited.

[No. V. 11016/6/80-M.E. (Policy)]

**का० आ० 1675**—यतः भारत सरकार के मृतपूवं स्वास्थ्य मंत्रालय की 30 दिसम्बर, 1960 की अधिसूचना सं० "17-59/59-एम०-1" द्वारा केन्द्रीय सरकार ने निवेश दिया है कि भारत चिकित्सा परिषद् अधिनियम, 1956 (1956 का 102) के प्रयोजन के लिए "एम० डी० (चिकागो) अमेरिका" की चिकित्सा अर्हता मान्य चिकित्सा अर्हता होगी ;

और यतः डा० ऐडवर्ड बी० ब्रोवेल, जिनके पास उक्त अर्हता है धर्मार्थ कार्य के प्रयोजनों के लिए फिलहाल किष्किवन मेडिकल कालेज तथा अस्पताल, और ब्राउन मेमोरियल अस्पताल, लुधियाना (पंजाब) के साथ सम्बद्ध है ;

अतः अब, उक्त अधिनियम की धारा 14 की उपधारा (1) के परन्तुक के भाग (ग) का पालन करने हुए केन्द्रीय सरकार एतद्वारा—

1. 7 जनवरी, 1982 तक की और अवधि अथवा
2. उस अवधि को जब तक डा० ऐडवर्ड बी० ब्रोवेल उक्त किष्किवन मेडिकल कालेज तथा ब्राउन मेमोरियल अस्पताल, लुधियाना (पंजाब) के साथ सम्बद्ध रहते हैं, जो भी कम हो, वह अवधि विनिश्चित करती है, जिसमें पूर्वोक्त डाक्टर मेडिकल प्रैक्टिस कर सकेंगे ।

[सं० बी० 11013/7/81-एम० ई० (नीति)]

के० एल० भाटिया, अव्वर सचिव

**S.O. 1675.**—Whereas by the notification of the Government of India in the late Ministry of Health No. 17-59/59 MI dated the 30th December, 1960, the Central Government has directed that the medical qualification, "M.D. (Chicago) U.S.A." shall be recognised medical qualification for the purpose of the Indian Medical Council Act, 1956 (102 of 1956);

And whereas Dr. Edward B. Browell, who possesses the said qualification is for the time being attached to the Christian Medical College and Brown Memorial Hospital, Ludhiana, Punjab for the purposes of charitable work.

Now, therefore, in pursuance of clause (c) of the proviso to sub-section (1) of section 14 of the said Act, the Central Government hereby specifies:—

(i) a further period upto 7th January, 1982 or

(ii) the period during which Dr. Edward B. Browell is attached to the Said Christian Medical College, and Brown Memorial Hospital, Ludhiana, Punjab.

whichever is shorter, as the period to which the medical practice by the aforesaid doctor shall be limited.

[No. V. 11016/(7)/79-M.E. (Policy)]

K. L. BHATIA, Under Secy.

210 GI/81—10

## नौवहन और परिवहन मंत्रालय

(परिवहन पक्ष)

नई दिल्ली, 20 मई, 1981

**का० आ० 1676.**—केन्द्रीय सरकार इस अधिसूचना के द्वारा दिल्ली परिवहन निगम (सदस्य) नियम, 1973 के नियम 3 के साथ पठित सड़क परिवहन निगम अधिनियम, 1950 (1950 का 64) की धारा 5 की उपधारा (1) द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए श्री ए० के० टंडन, अपर पुलिस आयुक्त, दिल्ली को दिल्ली परिवहन निगम का सदस्य नियुक्त करती है और भारत सरकार के नौवहन और परिवहन मंत्रालय (परिवहन पक्ष) की अधिसूचना संख्या का० आ० 238 (इ) दिनांक 1 मई, 1979 में निम्नलिखित संशोधन करती है, प्रस्ताव:—

"उक्त अधिसूचना के पैरा 1 में मब संख्या (V) के सामने की प्रविष्टि के स्थान पर 'श्री ए० के० टंडन, अपर पुलिस आयुक्त, दिल्ली' शब्द रखे जाएंगे" ।

[फाइल सं० टी० जी० डी० (9)/79]

बी० शंकरालिंगम, उप सचिव

## MINISTRY OF SHIPPING &amp; TRANSPORT

(Transport Wing)

New Delhi, the 20th May, 1981

**S.O. 1676.**—In exercise of the powers conferred by sub-section (1) of section 5 of the Road Transport Corporation Act, 1950 (64 of 1950) read with rule 3 of the Delhi Transport Corporation (Members) Rules, 1973, the Central Government hereby appoints Shri A. K. Tandon, Additional Commissioner of Police, Delhi, as a member of the Delhi Transport Corporation and makes the following amendment in the Notification of the Government of India in the Ministry of Shipping and Transport (Transport Wing) No. S.O. 238(E), dated the 1st May, 1979:—

In the said notification, in paragraph 1, for the entry against item (V), the words "Shri A. K. Tandon, Additional Commissioner of Police, Delhi", shall be substituted.

[File No. TGD (9)/79]

V. SANKARALINGAM, Dy. Secy.

## दिल्ली विकास प्राधिकरण

नई दिल्ली, 11 नवम्बर, 1980

**का० आ० 1677.**—दिल्ली विकास अधिनियम 1957 (1957 की सं० 61) की धारा 3 की उपधारा (2), जिसे धारा 52 की उपधारा (1) के साथ पढ़ा जाए, द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए दिल्ली विकास प्राधिकरण एतद्वारा निवेश देता है कि त्रिपक्षीय अनुबंध निष्पादन करने और बीमे के दावों पर हस्ताक्षर करने की इसकी शक्तियों का प्रयोग इसके वित्त सलाहकार (आशय) द्वारा भी किया जाए ।

[सं० 2(9)/80-एम०सी०]

ह० अपठनीय

सचिव, दिल्ली विकास प्राधिकरण

## DELHI DEVELOPMENT AUTHORITY

New Delhi, the 11th November, 1980

**S.O. 1677.**—In exercise of the powers conferred by sub-section (2) of Section 3 read with sub-section (1) of Section 52 of the Delhi Development Act, 1957 (No. 61 of 1957), the Delhi Development Authority hereby directs that its power to execute tripartite agreements and to sign insurance claims may also be exercised by its Financial Adviser (Housing).

[No. 2(9)/80-MC]

Sign. Illigible, Secy.

Delhi Development Authority

## सूचना और प्रसारण मंत्रालय

नई दिल्ली, 21 मई, 1981

क्र० आ० 1678.—चलचित्र (सेंसर) नियम, 1958 के नियम 4(1) और (2क) के साथ पठित चलचित्र अधिनियम, 1952 की धारा 3(1) द्वारा प्रवृत्त अधिकारों का प्रयोग करते हुए तथा इस मंत्रालय की अधिसूचना संख्या 11/1/77-एफ० (सी०), दिनांक 24-11-77 और 1-12-77 का अधिक्रमण करते हुए, केन्द्रीय सरकार एतद्वारा तत्काल से भगले आदेश तक निम्नलिखित व्यक्तियों को फिल्म सेंसर बोर्ड का सदस्य नियुक्त करती है :—

1. श्रीमती एम० नमदहला
2. कुमारी शान्ता गांधी
3. डा० (श्रीमती) सरयू वी० दोशी
4. श्री एम० बी० श्रीनिवासन
5. श्री एम० टी० बसुदेवन नायर
6. श्री एम० बी० कृष्णस्वामी
7. श्री भूपेन हजारीका

[फाइल संख्या 11/3/78-एफ० (सी०)]

4. Shri M. B. Srinivasan
5. Shri M. T. Vasudevan Nair
6. Shri M. V. Krishnaawamy
7. Shri Bhupen Hazarika

[F. No. 11/3/78-F(C)]

नई दिल्ली, 25 मई, 1981

क्र० आ० 1679.—चलचित्र (सेंसर) नियमावली, 1958 के नियम 10 के साथ पठित चलचित्र अधिनियम, 1952 (1952 का 37वां) की धारा 5 की उप-धारा (2) द्वारा प्रवृत्त अधिकारों का प्रयोग करते हुए, केन्द्रीय सरकार, श्री निशिथ बनेर्जी प्रोड्यूसर, फिल्म प्रभाग, कलकत्ता को 23-4-1981 के अपराह्न से 6-6-1981 तक, श्रीमती गौरी चटर्जी, जिन्हें राष्ट्रीय प्रशासन अकादमी, मसूरी में प्रशिक्षण के लिए भेजा गया है, के स्थान पर प्रादेशिक अधिकारी, केन्द्रीय फिल्म सेंसर बोर्ड, कलकत्ता के पद का अतिरिक्त कार्य भार संभालने के लिए नियुक्त करती है।

[फाइल संख्या 802/31/80-एफ० (सी०)]

उर्मिला गुप्ता, उप सचिव

## MINISTRY OF INFORMATION AND BROADCASTING

New Delhi, the 21st May, 1981

S.O. 1678.—In exercise of the powers conferred by Section 3(1) of the Cinematograph Act 1952 read with Rule 4(1) and (2A) of the Cinematograph (Censorship) Rules, 1958 and in supersession of this Ministry's Notifications No. 11/1/77-F(C) dated 24-11-1977 and 1-12-77, the Central Government hereby appoints the following persons as members of the Board of Film Censors with immediate effect until further orders :—

1. Smt. M. Nasrullah
2. Kumari Shanta Gandhi
3. Dr. (Smt.) Sarayu V. Doshi

New Delhi, the 25th May, 1981

S.O. 1679.—In exercise of the powers conferred by sub-section (2) of Section 5 of the Cinematograph Act, 1952 (37 of 1952) read with rule 10 of the Cinematograph (Censorship) Rules, 1958, the Central Government is pleased to appoint Shri Nishith Banerjee, Producer, Films Division, Calcutta, to hold additional charge of the post of Regional Officer, Central Board of Film Censors, Calcutta, on a temporary basis from 23-4-1981 A.N. to 6-6-1981, vice Smt. Gauri Chatterjee deputed for training in the National Academy of Administration, Mussoorie.

[F. No. 802/31/80-F(C)]

URMILA GUPTA, Dy. Secy.

## आदेश

नई दिल्ली, 23 मई, 1981

क्र० आ० 1680.—भारत सरकार के सूचना और प्रसारण मंत्रालय के आदेश संख्या एस० ओ० 3792, दिनांक 2 विसम्बर, 1966 की प्रथम अनुसूची में निर्धारित प्रत्येक अधिनियमों के उपबन्ध के अन्तर्गत जारी किए गए निदेशों के अनुसार, केन्द्रीय सरकार, फिल्म सलाहकार बोर्ड, बम्बई की सिफारिशों पर विचार करने के बाद एतद्वारा इसके साथ लगी अनुसूची के कालम 2 में दी गई फिल्मों को उनके सभी भारतीय भाषाओं के रूपान्तरों सहित, जिनका बिबरण प्रत्येक के सामने उक्त अनुसूची के कालम 6 में दिया हुआ है, स्वीकृत करती है।

## अनुसूची

क्रम संख्या	फिल्म का नाम	फिल्म की सम्बाई (मीटरों में)	आवेदक का नाम	निर्माता का नाम	क्या वैज्ञानिक फिल्म है या शिला संबंधी फिल्म है या समाचार और सामयिक घटनाओं की फिल्म है या डाकुमेंट्री फिल्म है
1.	भारतीय समाचार समीक्षा दैनिकी संख्या 27 (रंगीन)	297	फिल्म प्रभाग भारत सरकार, बम्बई		"समाचार और सामयिक घटनाओं" की फिल्म। सामान्य प्रदर्शन के लिए।
2.	वार्ता तरंगिनी संख्या 9	238.00	आंध्र प्रदेश राज्य फिल्म विकास निगम लि०, "गृह कल्प" एम० जे० रोड, हैदराबाद-1		"समाचार और सामयिक घटनाओं" की फिल्म। आंध्र प्रदेश में प्रदर्शन के लिए।
3.	वार्ता तरंगिनी संख्या 10	259.00	—तथैव—		—तथैव—
4.	भारतीय समाचार समीक्षा संख्या 1693 (राष्ट्रीय)	212.00	फिल्म प्रभाग, भारत सरकार, बम्बई।		"समाचार और सामयिक घटनाओं" की फिल्म। सामान्य प्रदर्शन के लिए।
5.	भारतीय समाचार समीक्षा संख्या 1693 (पूर्वी)	291.00	—तथैव—		"समाचार और सामयिक घटनाओं" की फिल्म। पूर्वी सिकेट में प्रदर्शन के लिए।

1	2	3	4	5	6
6. महाराष्ट्र समाचार संख्या 358	291.00	सूचना और जनसंपर्क महानिदेशक, महाराष्ट्र सरकार, 68-तारदेव रोड, बम्बई-34			“समाचार और सामयिक घटनाओं” की फिल्म। महाराष्ट्र में प्रदर्शन के लिए।
7. विज्ञापित विकास वार्ता	371.5	सहायक सूचना निदेशक (फिल्मस), गुजरात सरकार रामनाई लैम्स, वार्ली, बम्बई-18	प्रोड्यूसर : सूचना निदेशक गुजरात सरकार, गांधी नगर।		“बाकुमेंट्री” फिल्म। गुजरात सर्किट में प्रदर्शन के लिए।
8. गोल्डन कोयर (रंगीन)	209.00	फिल्म प्रभाग, भारत सरकार, 24-पेडर रोड, बम्बई-26।			“बाकुमेंट्री” फिल्म। सामान्य प्रदर्शन के लिए।
9. फिजियोथेरापी	295.00	—तथैव—	—तथैव—	—तथैव—	—तथैव—
10. सविग दि कंजुमर	218.54	—तथैव—	—तथैव—	—तथैव—	—तथैव—
11. डिमार्बेल्स	248.00	—तथैव—	—तथैव—	—तथैव—	—तथैव—
12. मुंडाकुगु-ए-सीप फारबर्ग	236.00	—तथैव—	—तथैव—	—तथैव—	—तथैव—
13. दि म्यू लिक	246.5	—तथैव—	—तथैव—	—तथैव—	—तथैव—
14. बराबरी	284.07	सहायक सूचना निदेशक (फिल्मस), गुजरात सरकार, रामनाई रिसर्व लैम्स लि०, 77 डा० एमीवीसेंट रोड वली, बम्बई-18।	सूचना निदेशक, गुजरात सरकार सचिवालय, ब्लॉक नं० 7, गांधीनगर-10		“बाकुमेंट्री” फिल्म। केवल गुजरात में प्रदर्शन के लिए।
15. महिती बिब संख्या 343	259.08	—तथैव—	—तथैव—		“समाचार और सामयिक घटनाओं” की फिल्म। गुजरात सर्किट में प्रदर्शन के लिए।
16. बी बिलोड दू यू	219.00	फिल्म प्रभाग, भारत सरकार, 24-पेडर रोड, बम्बई-26।			“बाकुमेंट्री” फिल्म। सामान्य प्रदर्शन के लिए।
17. भारतीय समाचार समीक्षा संख्या 1694 (राष्ट्रीय)	193.00	—तथैव—			“समाचार और सामयिक घटनाओं” की फिल्म। सामान्य प्रदर्शन के लिए।
18. भारतीय समाचार समीक्षा संख्या 1694 (दक्षिण)	288.00	—तथैव—			“समाचार और सामयिक घटनाओं” की फिल्म। दक्षिण सर्किट में प्रदर्शन के लिए।
19. टायज आफ कंडापल्ली (रंगीन)	240.00	—तथैव—			“बाकुमेंट्री” फिल्म। सामान्य प्रदर्शन के लिए।
20. योर एनीमी टी० बी०	307.85	एम० टी० एस० राजन, मार्फेत मैसर्स कराची 22-विश्वक, कराची आर्टोफ़ अपार्टमेंट्स, बम्बई-51			—तथैव—
21. साइंस फार विलेज (रंगीन)	354.00	एच० भार० सरिन, सरिन प्रोडक्शंस, शकुन्तला, 4 पेडर रोड, शास्ता-क्रुज (वैस्ट) बम्बई-54।			—तथैव—
22. इलैक्ट्रानिक्स अनलिमिटेड (रंगीन)	290.16	आशिस्क मुखर्जी, सी-73, कोजी होम, पाली हिल, बम्बई-50			—तथैव—
23. एन एक्सप्ल	375.00	फिल्म प्रभाग, भारत सरकार, 24-पेडर रोड, बम्बई-26।			—तथैव—
24. बाई पोस्ट	207.00	—तथैव—			—तथैव—
25. ओवर बायर्स एंड बेज	289.00	—तथैव—			—तथैव—
26. ए मीनांस	282.00	—तथैव—			—तथैव—
27. ट्रंक काल	244.00	—तथैव—			—तथैव—
28. भवाई (रंगीन)	246.00	—तथैव—			—तथैव—
29. क्वीन आफ स्प्राइसिज कार्डमोम (रंगीन)	285.59	अजीज पी० एम० फिल्मेज, मार्फेत मधु नायक, बम्बई लेबा०, 149-एस० के० बोले रोड, बम्बई-400024।			—तथैव—

1	2	3	4	5	6
30. यामिनी कृष्णमूर्ति (रंगीन)	551.00	बलबन्त गार्गी, 27, कम्प्यूटरबा गांधी मार्ग, नई दिल्ली ।			“डाकुमेंट्री” सामान्य प्रदर्शन के लिए ।
31. व्हेयर इज ही नाउ ?	361.57	फिल्म प्रभाग, भारत सरकार, 24 पैडर रोड, बम्बई ।			—तथैव—
32. मदर एंड चाइल्ड	301.00	—तथैव—			—तथैव—
33. वि डिस्कोज इन योर	303.00	—तथैव—			—तथैव—
34. हैल्प अम सर्व यू बेंटर	199.00	—तथैव—			—तथैव—
35. फ्यूचर इज अवर	173.00	—तथैव—			—तथैव—
36. महिती चित्र संख्या 344	170.69	सहायक सूचना निदेशक (फिल्म), गुजरात सरकार, रामनाथ रिसर्च लेब, बम्बई-18 ।	सूचना निदेशक, गुजरात सरकार, सचिवालय, गांधीनगर ।		“समाचार और सामयिक घटनाओं” की फिल्म । गुजरात सर्किट में प्रदर्शन के लिए ।
37. वार्ता तरंगिनी संख्या 11	289.63	प्रबन्ध निदेशक, आंध्र प्रदेश राज्य, फिल्म विकास निगम लि., गृह कल्प एम. जे. रोड, हैदराबाद ।	आंध्र प्रदेश राज्य फिल्म विकास निगम लि. हैदराबाद ।		“समाचार और सामयिक घटनाओं” की फिल्म । आंध्र प्रदेश में प्रदर्शन के लिए ।
38. उत्तर प्रदेश समाचार संख्या 84 ।	291.08	सूचना विभाग उत्तर प्रदेश सरकार, लखनऊ ।			“समाचार और सामयिक घटनाओं” की फिल्म । उत्तर प्रदेश में प्रदर्शन के लिए ।
39. फारेस्ट्स अवर फ्रेंडज (रंगीन)	299.00	गिरिधर फिल्म्स, टी. बी. पंढारकर, 2.12, कुमार कं. हाउसिंग सोसायटी, हनुमान रोड, विलेपार्ले ईस्ट, बम्बई-57			“डाकुमेंट्री” फिल्म सामान्य प्रदर्शन के लिए ।
40. सबसे पहले आइटम नं. 1 वन	126.00	फिल्म प्रभाग, भारत सरकार, 24 पैडर रोड, बम्बई-26			—तथैव—
41. लार्ड स्वामी नारायण (रंगीन)	495.60	शुशीमा फिल्म्स, मार्फत 162-डी मीनाक्षी बिल्डिंग, डा. अम्बेडकर रोड, चापर (बम्बई) जे. एस. अटवाल, प्राप.			—तथैव—
42. क्या आप जानते हैं ? (रंगीन)	297.18	घनश्याम भगत, कृते बच्चामनबार्ह, श्री अक्षर पुरषोत्तम, संस्था, शाही बाग रोड, महमदाबाद ।	बच्चामनबार्ह श्री अक्षर पुरषोत्तम संस्था, अक्षर भवन, 19 स्वामी जनजीवन वास मार्ग, बम्बई-14 ।		“डाकुमेंट्री” फिल्म शाही और अर्धशाही क्षेत्रों में प्रदर्शन के लिए
43. इन्टू दि 30 दीज	482.00	फिल्म प्रभाग, भारत सरकार, 24, पैडर रोड, बम्बई-26 ।			“डाकुमेंट्री” फिल्म सामान्य प्रदर्शन के लिए ।

[फाइल संख्या 315/1/80-एफ (पी)]

कश्मीरी लाल, डेस्क अधिकारी

## ORDER

New Delhi, the 23rd May, 1981

S.O. 168).—In pursuance of the directions issued under the provision of each of the enactments specified in the First Schedule to the order of the Government of India in the Ministry of Information and Broadcasting No. S.O. 3792 dated the 2nd December, 1966 the Central Government after considering recommendations of the Films Advisory Board, Bombay hereby approves the films specified in column 2 of the Schedule annexed hereto in all its/their language versions to be of the description specified against it/each in column 6 of the said Schedule.

## SCHEDULE

Sl. No.	Title of the Film	Length of the film in metres	Name of the applicant	Name of the Producer	Brief whether a synopsis scientific film or for educational purpose a film dealing with news current events documentary film
1	2	3	4	5	6
1.	I.N.R. News Magazine No. 27 (Colour)	297 m	Films Division, Government of India, Bombay		News and current events. General release.

1	2	3	5	6
2. Varta Tarangini No. 9	238.00	A.P. State Film Development Corpn. Ltd. 'Gruhakalpa' M.J. Road, Hyderabad-1.		News & current events for release in A.P.
3. Varta Tarangini No. 10	259.00	-do-		-do-
4. Indian News Review No. 1693 (National)	212.00	Films Division, Govt. of India, Bombay.		News and current events, General release
5. Indian News Review No. 1693 (Eastern)	291.00	-do-		News & current events release in Eastern circuit.
6. Maharashtra News No. 359	291.00	Dir. Gen. of Information & Public Relations, Govt. of Maharashtra, 68-Tardeo Road, Bombay-34.		News & Current events release in Maharashtra circuit.
7. Vijalini Vikas Varta	371.5	Asstt. Dir. of Information (Films), Govt. of Gujarat, Ramnord Labs, Worli, Bombay-18. Producer : Dir. of Information, Govt. of Gujarat, Gandhinagar.		'Documentary for release in Gujarat circuit.
8. Golden Coir (Colour)	209.00	Films Division, Govt. of India, 24-Peddar Road, Bombay-26		'Documentary' for General Release.
9. Physiotherapy	295.00	-do-		-do-
10. Serving the Consumer	218.54	-do-		-do-
11. Diabetes	248.00	-do-		-do-
11. Diabetes	248.00	-do-		-do-
12. Mundadugu—A Leap Forward	236.00	-do-		-do-
13. The New Link	246.5	-do-		-do-
14. Varabandi	284.00	Asstt. Director of Information (Films), Govt. of Gujarat, Ramnord Research Lab; Ltd., 77-Dr. Annie Besant Road, Worli, Bombay-18.	Director of Information, Govt. of Gujarat, Sachivalaya, Block No. 7, Gandhinagar-10.	'Documentary for release in Gujarat only.
15. Mahitichitra No. 343	259.08	Asst. Director of Information (Films), Govt. of Gujarat, Ramnord Research Lab. Ltd. 77-Dr. Annie Besant Rd., Bombay-18.	Director of Information, Govt. of Gujarat, Sachivalaya, Block No. 7, Gandhinagar-10.	'News & Current events for release in Gujarat circuit.
16. We Belong to You	219.00	Films Division, Govt. of India, 24-Peddar Road, Bombay-6.		'Documentary' for general release.
17. Indian News Review No. 1694 (National)	193.00	-do-		'News and Current events' General release.
18. Indian News Review No. 1694 (Southern)	288.00	-do-		'News and Current events' Release in Southern circuit.
19. Toys of Kondapalli (colour)	240.00	-do-		'Documentary' for General Release.
20. Your Enemy T.B.	307.85	M.T.S. Rajan M/s. Karashree C/o Karashree, Arieek Apartments. 22-Viswak Bombay-51.		'Documentary' for General Release.
21. Science for Village (Colour)	354.00	H.R. Sarin, Sarin Productions 'Shankuntala' 4-Podar Road, Santacruz West, Bombay-54.		'Documentary' for General Release.
22. Electronics Unlimited (Col).	290.16	Ashish Mukherjee, C-73, Cozihom, Pali Hill, Bombay-50.		-do-
23. An Eclipse	375.00	Films Division, Govt. of India, 24-Peddar Road, Bombay-26.		-do-
24. By Post	207.00	-do-		-do-
25. Over Wires and Waves	289.00	-do-		-do-
26. A Menance	282.00	-do-		-do-
27. Trunk Call	244.00	Films Division, Govt. of India, 24-Peddar Road, Bombay-26.		'Documentary' for General Release.
28. Bhavai (Colour)	264.00	-do-		-do-

1	3	4	5	6
29. Queen of Spices— Cardamom (Col)	285.59	Azeez P.M., Filmage, C/o. Madhu Naik, Bombay Labs. 149-S.K. Bole Road, Bombay-400024.		-do-
30. Yamini Krishnamurthy (Colour)	551.00	Balwant Gargi, 27, Kasturba Gandhi Marg, N. Delhi.		-do-
31. Where Is He Now ?	361.57	Films Division, Govt. of India, 24-Peddar Road, Bombay.		-do-
32. Mother and Child	301.00		-do-	-do-
33. The Decision Is Yours	303.00		-do-	-do-
34. Help Us Serve You Better	199.00		-do-	-do-
35. Future Is Ours	173.00		-do-	-do-
36. Mahitichitra No. 344	170.69	Asstt. Director of Information (Films), Govt. of Gujarat, Ramnord Research Labs, Bombay-18.	Dir. of Information, Govt. of Gujarat, Sachivalaya, Gandhinagar.	'News and Current events' Release in Gujarat Circuit.
37. Varta Tarangini No. 11	289.63	Mg. Director, Andra Pradesh State Film Develop. Corpn., Ltd. 'Gruhakalpa', M.J. Road, Hyderabad-1.	A.P. State Film Development Corpn. Ltd. Hyderabad.	'News and Current Events' for release in Andhra Pradesh.
38. Uttar Pradesh Samachar No. 84	291.08	Information Department Govt. of Uttar Pradesh, Lucknow.		'News and Current events' Release in U. Pradesh.
39. Forests Our Friends (Col)	299.00	Giridhar Films, T.B. Pendharkar, 2/12, Kumar Co. Housing Society, Hanuman Road, Vile Parle East, Bombay-57.		'Documentary' for General Release.
40. Sab Se Pahle Item No. One	126	Films Division, Govt. of India, Bombay-26.		-do-
*41. Lord Swaminarayan (Col)	495.60	Tushima Films, C/o 162-D, Meenaxi Bldg. Dr. Ambedkar Road, Dadar (Bombay)—J.S. Atwal, Prop.		'Documentary' General Release.
**42. Kya Aap Jante Hai (Col)	297.18	Ghanshyam Bhagat, for Bochasanwasi, Shri Akshar-chasanwasi, Shri Akshar Purushottam Sanstha, Shahl Baug Road, Ahmedabad.	Bochasanwasi, Shri Akshar-Purushottam Sanstha, 'Akshar Bhavan', 19-Swami Janjivandas Marg, Bombay—14.	'Documentary' for release in semi-urban & rural areas.
43. Into the 30's	482.00	Films Division, Govt. of India 24-Peddar Road, Bombay-26.		'Documentary' for General Release.

[File No. 315/1/80-F(P)]  
KASHMIRI LAL, Desk Officer

### MINISTRY OF LABOUR

New Delhi, the 16th May, 1981

S.O. 1681.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal No. 2, Dhanbad, in the industrial dispute between the employers in relation to the management of Tetulmari Colliery of Messrs Bharat Coking Coal Limited, Post Office Sijua, District Dhanbad, and their workmen which was received by the Central Government on the 12th May, 1981.

#### BEFORE SHRI J. P. SINGH, CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL (NO. 2) DHANBAD

Reference No. 21 of 1980

(In the matter of an industrial dispute under S. 10(1)(d) of the I. D. Act, 1947)

#### PARTIES :

Employers in relation to the management of Tetulmari colliery of Messrs Bharat Coking Coal Limited, Post Office Sijua District Dhanbad and their workmen.

#### APPEARANCES :

On behalf of the employers.—Shri B. Joshi, Advocate.

On behalf of the workmen.—Shri C. M. Sharma, Organising Secretary, Rastriya Colliery Mazdoor Sangh, Dhanbad.

STATE : Bihar

INDUSTRY : Coal.

Dhanbad, 30th April, 1981

#### AWARD

This is a reference under S. 10 of the I. D. Act, 1947. The Central Government by its notification No. L-20012(44)/80-D. III(A) dated 4th September, 1980 has referred this dispute to this Tribunal for adjudication on the following terms :

#### SCHEDULE

"Whether the demand of the workmen of Tetulmari colliery of Messrs Bharat Coking Coal Limited, Post Office Sijua, District Dhanbad that Shri Mahabir Saw, Munshi should be reinstated and paid wages for the period of idleness from the 30th November, 1976 is justified? If so, to what relief is the said workman entitled?"

2. After receipt of the reference notices were sent to both the parties for filing their written statements and documents. Both parties took some time for filing the settlement. Ultimately today a memorandum of settlement signed on 16-12-80 was filed by the parties incorporating therein the terms of settlement arrived at between them in respect of the industrial dispute pending for adjudication in this Tribunal. As per the settlement Shri Mahabir Saw the concerned workman

would be taken back in employment without any back wages in the same job in which he was working previously. Since the settlement is beneficial to both the parties I accept the same. Accordingly, I pass the award in terms of the settlement which do form a part of the award.

J. P. SINGH, Presiding Officer

[No. L-20012(44)/80-D. III(A)]

Memorandum of settlement arrived at between the management of Bharat Coking Coal Limited Sijua Area and the workman concerned represented by Shri C. M. Sharma, Organising Secretary, RCMS on 16-12-80

#### PRESENT :

##### Management side

(1) Shri P. R. Sinha  
General Manager

(2) Shri K. C. Nandkeolyar  
Personnel Manager

##### Union side

(1) Shri C. M. Sharma  
Orgn. Secretary, RCMS

(2) Shri Mahabir Sao,  
concerned workman

#### Short recital of the case

Shri Mahabir Sao was working as Surface Munshi in Tetulmari colliery since take over of the colliery by the Central Government in 1976. One Shri Basaval was detected to have been working in the name of Mahabir Sao. The imposter found so working was stopped by the management vide letter No. TC/73/20/Pers/76 dated 29-11-76 from the Superintendent, Tetulmari colliery. However, the genuine person Mahabir Sao who was absenting was not available for duty. Subsequently the union raised dispute that the genuine person Mahabir Sao was also stopped from work and demanded that he should be taken back in employment. The matter could not be resolved in course of conciliation proceedings. Subsequently the union raised dispute again before the General Manager which was taken up for discussion in 5-8-80 with Shri Bindeshwari Dubey, President RCMS. In course of discussion it was agreed that if the management would fail to approve that Shri Mahabir Sao as an imposter within one month then the claimant should be taken back in employment. Accordingly the case of Shri Mahabir Sao was referred to the District Magistrate Dhanbad vide this office letter No. GM/SA/PD/43/5379/80 dated 20/26-8-80 for verification in order to prove identity of the person claiming to be Mahabir Sao. But so far nothing has been heard from the District Magistrate in this regard. On the other hand the union have been pressing for allowing Shri Mahabir Sao in terms of management's commitment in course of Union Management negotiation on 5-8-80. The matter was again taken up for discussion with the Union and after discussion it was agreed to take Shri Mahabir Sao back in employment temporarily on the following terms and conditions.

#### Terms of Settlement

- (1) That the person claiming to be Mahabir Sao would be taken back in employment in the same job in which he was working last.
- (2) That after receipt of police verification report from the Dy. Commissioner, Dhanbad if it is found that the person who is hereby allowed to resume duty is not actually Mahabir Sao he would be stopped from work without any reference to the workman concerned.
- (3) That the workman concerned will produce, for the time being, certificate from the concerned Block Development Officer regarding his real identity and would also submit an affidavit duly executed before the 1st Class Magistrate.
- (4) That the concerned workman would not be entitled for any wages or benefit, whatsoever, for the past period.

- (5) That the workman concerned would report for duty within 10 days from the date of this settlement along with BDO-certificate, affidavit and duly attested photograph in triplicate.
- (6) That this will not be cited as a precedent in respect of any subsequent dispute.
- (7) That this settlement shall be registered under Rule 58(4) of the Industrial Dispute (Central) Rules, 1957.

(P. R. Sinha)  
General Manager

(K. C. Nandkeolyar)  
Personnel Manager

(C. M. Sharma)  
Orgn. Secy., RCMS

(Mahabir Sao)  
concerned workman

#### Witnesses —

1. Illegible

2. Illegible

Sijua,

dated 16th Dec., 1980

Ref. No. GM/SA/PD/44 80 Dated 16th Dec. 1980

New Delhi, the 20th May, 1981

S.O. 1682.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal No. 1, Dhanbad, in the industrial dispute between the employers in relation to the management of Bhulanbararee Colliery of Messrs Bharat Coking Coal Limited, Post Office Patherdih (Dhanbad) and their workmen, which was received by the Central Government on the 15th May, 1981.

#### BEFORE THE CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL NO. 1, DHANBAD

(In the matter of a reference under Sec. 10(1) (d) of the Industrial Disputes Act, 1947)

Reference No. 26 of 1977

#### PARTIES :

Employers in relation to the Bhulanbararee Colliery of Messrs Bharat Coking Coal Limited, Post Office Patherdih (Dhanbad)

AND

Their Workman.

#### APPEARANCES :

For the Employers :

Shri G. Prasad, Advocate.

#### CATE

For the Workman :

Shri S. Bose, Secretary, Colliery Mazdoor Sangh, Dhanbad.

STATE : Bihar

INDUSTRY : Coal

Dhanbad, the 8th May, 1981

#### AWARD

By Order No. L-20012/158/75-D. III/A. dated the 2nd February, 1976, the Central Govt. being of opinion that an industrial dispute existed between the employers in relation to Bhulanbararee Colliery of M/s. Bharat Coking Coal Ltd. and their workman in respect of the matter specified in the schedule attached to the order referred the same for adjudication to Industrial Tribunal No. 2 Dhanbad. While the matter was pending there the reference was transferred to this Tribunal vide Order No. S-11025(1)/77-(i)-D-IV(B) dated 22-2-1977. The schedule attached to the order reads thus.

"Whether the action of the management of Bhulanbararee Colliery of M/s. Bharat Coking Coal Limited, P.O. Patherdih, Distt. Dhanbad in dismissing S/shri G. P. Choudhury, U.S. Tiwary and

Sri Jalim Ram, all Munshis with effect from 21-4-1975, is justified? If not, to what relief are they entitled?"

2. After notice to the parties they have filed their respective written statements. In addition to its written statement the union as filed a rejoinder of the written statement of the management.

3. The case of the management as revealed from its written statement is that between 1-4-74 to 4-5-74 the concerned workmen were underground munshis engaged in the main-dip at 10 Seam in the colliery in question. During this period pick coal was being raised from the main dip. The total raising of pick coal reported by the three concerned workmen was 181 tubs whereas according to dimension of the drive in the main dip during the relevant period the raising of pick coal should have been only 52.5 tubs. For this over-reporting the concerned workmen were charged on 27-6-74 and they submitted their replies on 12-7-74. The explanations submitted by them not being satisfactory the management held a domestic enquiry regarding the charges against the three concerned workmen. The common enquiry was held on 20-9-1974, 23-9-1974 and 9-10-1974 in presence of the concerned workmen who cross-examined the management's witnesses but did not produce any evidence in support of their defence. After the closure of the enquiry the Enquiry Officer submitted his report on 20-11-1974 in which after elaborate discussion of the evidence he held the workman to be guilty of the charges. As there was no extenuating circumstance in favour of the workmen and as the charges were of serious nature the General Manager and Chief Mining Engineer approved the findings and recommendation of dismissal of the Enquiry Officer. Accordingly the workmen were dismissed on 21-4-1975. The management acted bonafide all along. In view of seriousness of the charge and in the interest of proper maintenance of discipline in the colliery the punishment of dismissal imposed by the management on the three concerned workmen is fully justified, and does not call for any interference.

4. The case of the union as made out in its written statement may be briefly stated thus. The three workmen were permanent employees of Bhulanbararee Colliery and were working as underground munshis in main dip 10 Seam during the relevant period i.e. from 1-4-74 to 4-5-74. The charges framed against the workmen are vague, indefinite and false. On receiving the chargesheets the concerned workmen approached the management for supply of relevant papers and of copies of the Standing Orders. The management refused to supply the same, thus depriving them of their inherent right to show cause against the chargesheets levelled against them. The management also did not give to the concerned workman full opportunity to submit their explanations to the charges. The chargesheet against the concerned workmen were not issued by competent authority. The chargesheets were not accompanied by complete statements of allegations against the workmen and were not supported by any document to enable the concerned workmen to understand the charges against them. The management before ascertaining the dimension of the drive in the main dip 10 Seam could not have chargesheeted the concerned workmen. As the progress in the main dip 10 Seam 7th level junction was hampered due to water trouble during the relevant period, the Asstt. Colliery Manager and Overman of the Colliery in question asked the miners of the main dip to raise coal from North Air Crossing from North level and from South level and to show the coal thus raised as pick coal raised from main dip. Accordingly by the three concerned workmen booked pick coal raised by the miners from the aforesaid three places as pick coal raised from main dip. The reporting thus made by the concerned workmen as per the instructions of the Asst. Colliery Manager and Overman was checked and approved by the Asstt Colliery Manager. So no fault could be found with the concerned workmen. After the workmen submitted their explanations the decision of the management to hold a domestic enquiry was taken so suddenly that there was no time left for the concerned workmen to object to the appointment of the Enquiry Officer who was directed to hold enquiry. In the enquiry that followed the concerned workmen were not given opportunity to engage a defence helper. The enquiry was held in such a perfunctory manner that the concerned workmen could not get opportunity to examine witness in support of their defence. As three different chargesheets were issued against the three different

workmen the joint enquiry held by the Enquiry Officer for all the three chargesheets has prejudiced the concerned workmen seriously. The Manager of the colliery was all along present in the enquiry to exercise his influence over the enquiry officer. The manager's presence in the enquiry also influenced the witnesses who were examined in the enquiry. The Enquiry Officer did not give reasonable and full opportunity to the concerned workmen either to produce their own documents or to call for certain documents or to examine witnesses in support of their defence. Even the workmen were not given full opportunity to cross-examine the management's witness. Evidence in the enquiry was not recorded in presence of all the workmen. Enquiry Officer did not take into consideration the stock register which would have shown that there was no over-reporting as alleged against the concerned workmen. The Enquiry Officer should have held that officers other than the three concerned workmen had also their responsibility in the alleged over-reporting. The charge of mis-appropriation against the concerned workmen is absolutely unfounded. The payments made to the miners being duly scrutinised and certified by Asstt. Colliery Manager the management's case that the three concerned workmen mis-appropriated any money by alleged over-reporting cannot stand. The order of dismissal passed against the concerned workmen is not only malafide but is also not justified. Hence the concerned workmen are entitled to be reinstated.

5. As the union in its written statement challenged the fairness of the domestic enquiry at the instance of the parties the question of fairness of domestic enquiry was determined by my predecessor. By order dated 31st May, 1977 my predecessor after scrutinising the evidence led by the parties and after hearing them held that the domestic enquiry was fair and proper in so far as U. S. Tiwary and Jalim Ram were concerned and the same was not fair and proper in so far as G. P. Choudhury was concerned. It is on account of this order the management in course of bearing of the case before me led fresh evidence by examining four witnesses, namely, MW-2, to MW-5 to prove its case against G. P. Choudhury. Sri G. P. Choudhury one of the concerned workmen also led evidence in course of the hearing to rebut the evidence led by the management examining himself only as WW-2. Besides the aforesaid oral evidence led before Tribunal parties have also relied upon several documents proved in course of the hearing. Reliance has also been placed by the parties on the evidence both oral and documentary recorded in course of the domestic enquiry including the report of the enquiry officer.

6. It is an admitted fact that the three concerned workmen were working as underground munshis in the main dip 10 Seam of Bhulanbararee Colliery at the 7th level junction from 1st April, 1974 to 4th May, 1974. It is also not disputed that the pick coal was being raised during the aforesaid period in the main dip at 10 Seam. It is admitted that the duties of the three concerned workmen who were all underground munshis at the relevant time were to submit reports regarding tubs of coal raised by each miner from the main dip 10 Seam. The reports submitted by the munshis are in writing and signed by them. They show the places from where pick coal is raised and put into tubs and also the names of the miners who have raised the coal and put the same into tubs. The report, therefore, shows the number of tubs filled with coal by each miner. On the basis of this report bill is prepared for all the miners in the Bill Section. The Bill so prepared after counter-signatures of the Colliery Manager as well as of the Assistant Colliery Manager is sent to the payment section where order for payment is passed and payments are made to the miners individually on production of their identity cards in the presence of an officer of the colliery. It, therefore, follows that to rope an underground munshi in a charge of mis-appropriation of company's money on the basis of alleged over-reporting by him it has to be shown that there is connivance between the munshi and miners and that out of the money received by the miners a portion is shared by the munshi. The chargesheets Exts. M-1 to M-3 dated 27th June, 1974 show that the allegations in all of them are the same. The charges levelled against the three concerned workmen as per the three chargesheets are that they mis-appropriated company's fund by alleged over-reporting while booking tubs of coal raised by the miners. Shri G. Prasad learned counsel for the management fairly concedes that there is no evidence to show that there was connivance between the three concerned workmen and the miners in respect of whom there was over-reporting as



per the report of the concerned workmen. Mr. Prasad also concedes that the management has not been able to show that in the money paid to the miners on the false report of the three munshis which showed over-reporting the three concerned workmen had any share. Such being the position there is no escape from the conclusion that the charge of misappropriation levelled against the three concerned workmen is without any evidence and therefore it must be held not to have been proved. In spite of these concessions by Mr. Prasad it is argued by him that even if a case of misappropriation is said not to have been established still the act of three workmen amounts to dishonesty in connection with company's business and that such an act is a misconduct under Rule 21(1)(a) of the Standing Orders. This contention of Mr. Prasad is well founded. It cannot be denied that the report submitted by a munshi is a very important document on the basis of which payments are made to the miners. This report shows number of tubs filled by each miner with coal. The miner is paid on the basis of tubs filled by him as per the report. If really a miner has only filled two tubs with coal but the report showed that he has filled 5 tubs of coal payment has to be made to the miner for 5 tubs of coal. Therefore by making a false report like this a munshi is certainly to be held to have acted dishonestly in respect of company's business. So if sharing of money by a munshi with a miner is not proved still then a munshi will be held to have committed a misconduct having acted dishonestly in respect of company's business. The charge sheet against the three concerned workmen is that in the main dip 10 Seam between 1st April, 1974 to 4th May, 1974 the total progress was only 15 ft., that according to dimension of drive with a length of 15 ft. the total quantity of coal which could have been raised from a space with aforesaid dimension could only be 52.5 tubs, and that from the said space with the said dimension the three munshis had falsely booked 181 tubs of coal. In the charge against U. S. Tiwary it has been said that out of 181 tubs of coal he as per his report had booked 63 tubs of pick coal. In the charge against Jalim Ram it is said that out of 181 tubs of coal he as per his report had booked 65 tubs of pick coal. In the charge against G. P. Choudhury it has been said that out of 181 tubs of coal he had booked 53 tubs of pick coal. So each individual charge against each of the concerned three workmen shows that each of the three concerned workmen had booked more than 52.5 tubs of pick coal in his report whereas according to the management from the space with the aforesaid dimension as given in the charge only 52.5 tubs of coal would have been raised between 1st April, 1974 to 4th May, 1974. The union does not dispute these reports. On the other hand the concerned workmen admitted that they had reported as indicated in their reports. If the management's case that from a space with a dimension as given in the chargesheet only 52.5 of pick coal could have been raised between 1st April, 1974 to 4th May, 1974 is accepted it must be held that there was over-reporting by the three concerned workmen. After careful scrutiny of evidence led on behalf of the management and after hearing both parties at length I find that the management's stand that from a space with the dimension as given in the chargesheet only 52.5 tubs of pick coal could be raised within the relevant period is not seriously challenged. On the other hand the union tries to show that under the orders of the Asstt. Colliery Manager and the Overman Incharge the three concerned munshis were directed to book tubs of coal not only raised from the main dip 10 Seam but from other places, namely, North Air Crossing, North Rise and South Rise. An attempt has also been made by the union to show that there had been a roof fall at the relevant place few days before 1st April, 1974 that as a result of the fall some coal had fallen down at the relevant place and that that coal which had fallen down was also carried along with pick coal raised by the miners from the main dip 10 Seam and put into tubs and that therefore the number of tubs reported in the reports was more than what it should have been. It is thus very clear that the stand of the management which has been consistent throughout that 52.5 tubs of coal would only have been raised from the drive with a length of 15 ft. in main dip 10 Seam between 1st April, 1974 to 4th May, 1974 is accepted by the union as it does not say that more number of tubs of coal could have been raised as stated by the management from the place in question. After accepting the management's stand the union comes forward with a case that along with the tubs of coal that were raised from the relevant place during the period mentioned in the chargesheet, some other coal from some other places as mentioned above had also been raised. Therefore, the only question that falls for determination

is as to whether coal from main dip 10 Seam which had only progressed upto 15 ft. was only raised between 1st April, 1974 and 4th May, 1974 or along with that coal, coal from other places had also been raised raising the total number of tubs of coal booked to 181 tubs.

The chargesheets Exts. M-1 to M-3 dated 27th June, 1974 specifically say that during the period from 1st April, 1974 to 4th May, 1974 only 52.5 tubs of coal would have been raised from the main dip 10 Seam with a drive of 15 ft. in length and that the concerned workmen during the same period as per their reports had booked 181 tubs of coal showing that the same had been raised from the very same place from which according to chargesheets only 52.5 tubs of coal could have been raised. In the explanation submitted by the three concerned workmen Exts. M-4 to M-6 dated 12th July, 1974 it has been said that it might be that the progress of main dip of 10 Seam 7th level junction was 15 ft. only between 1st April, 1974 to 4th May, 1974. But according to the explanation because there was water trouble and the face could not be properly driven out due to pumping trouble, the concerned workmen were instructed by the Asstt. Colliery Manager and Overman to engage miners of main dip in North Air Crossing, North Rise and South Rise and to book tubs of coal raised by the miners from those places as pick coal from main dip 10 Seam and that in pursuance to such instruction the tubs of coal the miners loaded from outside the main dip were also booked as pick coal in the name of main dip 10 Seam. In course of hearing of the case before the Tribunal a suggestion was made to one of the management's witnesses, namely, MW-2 that there was a roof fall at the relevant place shortly before 1st April, 1974 and that as a result of the fall some coal came down from the roof which was also loaded along with the pick coal raised from main dip 10 Seam by the loaders and booked as pick coal from main dip only. Thus the story given in the explanation by the concerned workmen and the suggestion made to MW-2 in course of hearing go to show that the union is attempting to make out a case that along with pick coal from main dip 10 Seam the loaders not only raised coal from other places as mentioned in the explanations but also the coal which came down as a result of roof fall and that all the coal thus raised by the loaders in the tubs was booked as pick coal in the main dip 10 Seam raising the number of tubs from 52.5 to 181. MW-2 while admitting in cross-examination about roof fall has clearly stated that the coal which had come down from the roof was loaded on Hazri basis and was not mixed with pick coal raised from main dip 10 Seam. It is, however, argued by Mr. S. Bose appearing for the union that if there was truth in the version of MW-2 the management would have done well to produce papers to show that as a matter of fact coal which had fallen from the roof was raised as deposed to by MW-2. Non-production of documents by the management to show that the coal that had fallen from the roof was raised on Hazri basis will not affect the management's case in any way because the plea of roof fall is completely absent from the explanation submitted by the concerned workmen Exts. M-4 to M-6. If as a matter of fact the union was serious about this plea it could have examined the loaders themselves who could have said that they raised coal that had fallen from the roof along with pick coal raised from main dip 10 Seam and that the entire coal thus raised by them was booked as pick coal from main dip 10 Seam as shown in the reports of the munshis. There is no reason why the union did not examine the miners. In the absence of any material prima facie to show that coal raised from other sources was also booked with pick coal raised from main dip 10 Seam the management cannot be expected to lead negative evidence. MW-2 who has examined himself as a witness for the union does not breath a word about roof fall or about coal raised from sources other than from main dip 10 Seam as per the instruction of Asstt. Colliery Manager, Overman and Mining Sirdar. In the departmental enquiry the three concerned workmen have examined themselves. They do not breath a word about roof fall. They have only deposed in the enquiry that beyond their explanation they have nothing more to say. In this circumstance the story about roof fall cannot be accepted and it cannot be said as claimed by the union that the coal that had fallen from the roof was raised along with the coal from main dip 10 Seam and the entire coal thus raised was booked as pick coal from the main dip 10 Seam. Regarding the story as given in the explanations that under the instructions of the Asstt. Colliery Manager and Overman coal raised from North Air Crossing, North Rise and South Rise was also booked as pick coal from Main Dip 10 Seam the evidence for the union is practically nil.

In the departmental enquiry as has been pointed out earlier the three concerned workmen have only said that beyond the story given in their explanation they have nothing more to say. Even before the enquiry officer they never asserted that as a matter of fact coal raised from other places was booked as pick coal from main dip 10 Seam as per the instruction of the officers of the management. Even before the Tribunal WW-2 one of the concerned workmen examined for the union does not assert in his evidence that coal raised from other sources was booked as pick coal from main dip 10 Seam as per the instruction of the Asstt. Colliery Manager and Overman. No other oral evidence has been adduced by the union in support of this story. MW-2 the Asstt. Colliery Manager when asked in cross-examination about raising of coal from North Air Crossing from North Rise and from South Rise has emphatically denied the fact. In other words this witness who is a responsible officer of the management has stated that no coal raised from any other source was booked as pick coal from main dip 10 Seam and that there was ever any such instruction. The union has not chosen to examine any of the miners or the Overman or the Mining Sirdar who was on duty at the relevant place at the relevant time, to prove the union's case that coal raised from other sources was also booked as pick coal from main dip 10 Seam according to instruction of the management. True it may be said that none of the miners and none of the personnels of the technical supervisory staff would dare come to depose against the management and in favour of the union. Still then a finding regarding the plea taken by the concerned workmen has to be arrived at on the basis of evidence. When there is no evidence in support of the plea of the union the finding must be against it. It is argued by Mr. Bose for the union that in view of the specific plea taken in the explanations Exts. M-4 to M-6 it was incumbent on the management to examine the concerned miners, the overman and the concerned mining sirdar either in the domestic enquiry or before the Tribunal. As has been noticed earlier it is the case of the union from the very beginning that under the instruction of the Asstt. Colliery Manager and Overman, the concerned workmen booked coal raised from other places as pick coal from main dip 10 Seam. The management has examined one of the two persons mentioned in the explanation, namely, Asstt. Colliery Manager as MW-2. He does not support the plea of the concerned workmen given in their explanations and emphatically denies the suggestion that no coal raised from other sources was booked as pick coal from main dip 10 Seam. To examine the overman would have been duplication of evidence for the management. Certainly an Asstt. Colliery Manager is a more responsible person than an overman. So, therefore, when the management has examined the Asstt. Colliery Manager it could not be blamed for non-examination of the overman, mining sirdar and the miners. It is, however, argued by Mr. Bose for the union that overman and mining sirdar belonging to Technical Supervisory staff were all along present to supervise raising of coal by the miners when pick coal was being raised from main dip 10 Seam during the relevant period whereas the Asstt. Colliery Manager was only supervising the work by going on inspection from time to time. Therefore the alleged over-reporting by the concerned workman must have been to their knowledge. So the overman and mining sirdar would be more competent persons to testify about the falsity of union's case. When these two persons have not been examined the management must be held guilty of suppression of material evidence. According to Mr. Bose the miners who were engaged in loading would also be proper persons to depose about over-reporting and so non-examination of these persons by the management leaves a lacuna in management's case which must fail on that account. It has already been noticed that Asstt. Colliery Manager has already been examined by the management as MW2 and he has emphatically denied the case made out by the concerned workmen in their explanation. True Asstt. Colliery Manager is a person who does not remain present always when raising takes place, and therefore it may not be possible for him to notice the alleged over-reporting at the place of occurrence itself or while passing the munshi reports to the Bill Sec. But so far as overman, mining sirdar and miners are concerned they are more likely to notice the alleged over-reporting at the site itself. Assuming that they had knowledge about the over-reporting and did not disclose the same to the concerned authorities immediately the only inference that can be drawn is that they are either abettors of the offence committed by the concerned workmen or are accomplices with the concerned workmen. That being so their evidence either before the Enquiry Officer or before the Tribunal would not have helped much because

that would not be independent evidence. So non-examination of these persons by the management is not fatal for the management inasmuch as it has chosen to examine a more responsible person who was supervising the work at the relevant time.

It is then argued by Mr. Bose that the field book which has been produced by the management both in the domestic enquiry as well as before the Tribunal is not countersigned by any officer in authority and therefore the same should not be taken into consideration. In my view this argument of Mr. Bose has no substance. The field book only shows the actual drivage at the relevant time in the main dip 10 Seam. It has nothing to do with actual quantity of coal raised. So far as drivage in the main dip 10 Seam is concerned I have already said that there is no dispute between parties. It is admitted by implication as per the explanation given by the concerned workman that the length of the drivage as mentioned in the chargesheet is not only correct but the quantity of coal that could have been raised from a length of 15 ft. in the main dip 10 Seam between 1st April, 1974 to 4th May, 1974 as given in the chargesheet is also correct. That being so the criticism which Mr. Bose makes on the Field Book is of no assistance to the union.

It is further argued by Mr. Bose that the allegation in the chargesheet that the concerned workmen misappropriated is not proved. He points out the evidence led by the union that a munshi's report after it is prepared and signed by the munshi goes to Asstt. Colliery Manager's office who thereafter sends it to the Bill Clerk where bill is prepared in the name of individual miners on the basis of the munshi's report. After the bill is prepared the same is countersigned by the manager and orders are passed for payment. After this the bill goes to the payment section where payments are made to the individual miners in the presence of an officer. That being the position unless connivance is established between the miners and the concerned munshis to show that the miners after receiving payment under the bills parted with a portion thereof in favour of the munshis it is not possible to say that the munshis committed any misappropriation. This argument of Mr. Bose is very sound. I entirely agree with him that a case of misappropriation has not been established but the concerned workmen have been charged under para 21(1)(a) of the Standing Orders which says that theft, fraud or dishonesty in connection with the employers business or property are misconducts. Although charge mentions misappropriation the provision contained in para 21(1)(a) of the Standing Orders does not refer to it. The concerned workmen were specifically told that they were charged for misconduct as mentioned in this provision. Therefore it has to be seen whether the concerned workmen committed dishonesty in respect of management's business and property. Payments are made to each minor for the numbers of tubs of coal booked in his name in the munshi report. Therefore if a munshi over-reports and on the basis of over-reporting payment is made it must be held that the munshi in his act of over-reporting commits dishonesty in respect of management's business and property. In the present case it has been noticed that even though number of tubs of pick coal that could have been booked in main dip 10 Seam between the given period is only 52.5 the concerned munshis have reported 181 tubs. Each one of them has reported more than 52.5 tubs. I have already negated the plea of the union that tubs of coal booked in the concerned munshis' reports do not include coal raised from other sources as per the case of the union. Therefore conclusion is irresistible concerned munshis have deliberately over-reported and have thereby acted dishonestly while dealing with company's business and property. It is argued by Mr. Bose that a munshi only sits at one place underground and books the number of tubs of coal brought to him by different miners. The munshi is not required to see wherefrom the coal is brought. According to Mr. Bose it is the duty of the overman and the mining sirdar who are at the spot to see that the miners engaged to raise coal from a particular place raise the same from that place only and do not raise coal from any other place. That being so a munshi could not be held responsible for over-reporting because he has no knowledge as to wherefrom the coal is brought to him. This position is not correct. Even though the overman and the mining sirdar as personnel belonging to technical supervisor staff look after the raising it cannot be said that it is not the duty of the munshi to see the place wherefrom the coal is brought. As a matter of fact the technical supervisor staff allot gangs for raising coal from different sites to the knowledge of munshis. In other

words the munshis are told by the technical supervisory staff as to from what place the miners of each gang are to raise coal. The report prepared by the munshi is in a prescribed form. Even though the form is not a statutory one in one of its columns the munshi is to mention the place wherefrom the coal is raised. On the basis of this report bills are prepared and payments are made. So it cannot be said that when the munshi fills the column himself for noting the place wherefrom the coal is raised he does so without taking any responsibility of filling the column correctly. The munshi report is signed by him. In the present case the three concerned workmen have signed their respective reports. In the columns meant for noting down the place wherefrom the coal is raised they have mentioned the place as main dip 10 Seam. So it is futile to argue that a munshi has no responsibility when he fills up this column, indicating the place wherefrom the coal is raised. I have already said that the over-reporting by three concerned munshis may be with the knowledge of or at the connivance of the miners, overman and mining sirdar. But that would not exonerate the three concerned workmen when they have deliberately made false reports by over-reporting. This act of their cannot but amount to dishonesty on their part. Mr Bose in course of argument has drawn my attention to several provisions in the Coal Mines Regulations to show that it is the duty of the mining sirdar as well as the overman to locate the place wherefrom coal is to be raised and to take sufficient safety measures. But this does not mean that munshi is not to see the place wherefrom the coal is raised and to report blindly about the place in his report. When the form used by the munshi has a column in which the place wherefrom the coal is raised has to be mentioned the munshi cannot escape his responsibility when he wrongly makes an entry in this column. An argument has been advanced by Mr Bose that Surveyor's report which is said to be the basis of the charge against the three concerned workmen was not produced in the enquiry. But as I have already said the location and dimension of the place wherefrom coal was raised not being disputed, non-production of surveyor's report in the enquiry will not affect the merit of the case against the management. A surveyor's report will only show the extent of drifage. This is not disputed as I have already pointed out. Therefore, even accepting the contention of Mr Bose that surveyor's report was not produced in the enquiry it cannot be said that the management has not proved its case against the concerned workmen. Merely because other officers namely, the mining sirdar and the overman as contended by Mr Bose either deliberately overlooked the over-reporting or had any hand in the over-reporting that would not be a circumstance to exonerate the authors of the report, namely, the three concerned workmen. Assuming for the time being that other officers of the management are also responsible for over-reporting committed by three concerned workmen that would not be an extenuating circumstance in favour of the concerned workmen. The misconduct for which the three concerned workmen have been charged is of a very serious nature and certainly calls for punishment of severe type i.e. dismissal. In my view the three concerned workmen have been rightly found guilty and have been rightly punished and the unpunished order of punishment do not call for interference.

For the reasons stated above I hold that the misconduct for which the three concerned workmen have been charged has been fully proved against them and the action taken by the management against the three concerned workmen dismissing them from service with effect from 21st April, 1975 is justified. The reference is answered accordingly. In the circumstance there will be no order for cost.

B. K. RAY, Presiding Officer  
[No L-20012/158/75-D III(A)]

New Delhi, the 21st May, 1981

**S.O. 1863**—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal No. 3 Dhanbad, in the industrial dispute between the employers in relation to the management, of Digwadih Colliery of Tata Iron and Steel Company Limited At & Post Office Jamadoba, District Dhanbad and their workmen which was received by the Central Government on the 15th May, 1981.

BEFORE SHRI J. N. SINGH, PRESIDING OFFICER,  
CENTRAL GOVT. INDUSTRIAL TRIBUNAL-CUM-  
LABOUR COURT NO. 3, DHANBAD

Reference No. 18/78

PARTIES

Employers in relation to the management of Digwadih Colliery of M/s Tata Iron & Steel Co. Ltd., P.O. Jamadoba (Dhanbad)

AND

Their workman.

APPEARANCES:

For the Employers—Shri S. S. Mukherjee, Advocate.

For the Workman—Shri B. N. Sharma, Joint General Secretary, J.M.S.

INDUSTRY Coal

STATE : Bihar.

Dated, the 7th May, 1981

AWARD

The Government of India in the Ministry of Labour in exercise of the powers conferred on them U/s 10(1)(d) of the Industrial Disputes Act, 14 of 1947 have referred the following dispute to this Tribunal for adjudication by their Order No. L 20012/161/77-D.III(A) dated the 21st February, 1978.

SCHEDULE

"Whether the action of the management of Digwadih Colliery of M/s Tata Iron & Steel Co. Ltd. P.O. Jamadoba Dhanbad in dismissing Md. Kamal Clipman/Banksman with effect from 12th July, 1976 is justified? If not, to what relief is the said workman entitled?"

2 The case of the workman is that he was in the permanent employment of the company as a Clipman and had worked for more than 14 years and the duties and responsibilities performed by him were that of a Clipman. The job description of a Clipman has been defined in the Central Wage Board for Coal Mining Industry.

3 It is stated that the concerned workman was charge-sheeted on 5th December, 1975 alleging that on 3rd December 1975 he was deputed to work as a Banksman in A shift at 9 Pit top from 8 a.m. to 4 p.m. It was alleged that during the course of his duty at about 10.15 a.m. the south side cage had just come up at the Kep's level and the concerned workman carelessly opened the fencing gate of the other side viz north side and pushed a tub loaded with cement and sand which fell down in the shaft and hit the bottom cage at the depth of about 450 ft as a result of which the bottom cage and the guide rope were badly damaged which ultimately led to the stoppage of pit winding and production for two shifts.

4 The concerned workman denied the charge and submitted that as per Regulation 84(1) of the Coal Mines Regulations, 1957 it is clear that the actual at the top of the shaft shall be self operating but the actual fact was that the gate was not self operating and the management is guilty of the violation of the said regulation. According to him it was only due to the rolling down of the tubs in question which fell down in the shaft. It is also stated that the enquiry was not held in accordance with the principles of natural justice and he has been dismissed illegally. The workman has also submitted that the duty of a Banksman was thrust upon him against his wishes and the management is entirely responsible for the said mishap. He challenged the fairness of the enquiry in various other ways and it is submitted that he be reinstated with full back wages.

5 The case of the management however is that concerned workman had been working as Banksman at Digwadih Colliery and on the date of occurrence he was in A shift duty at 9 Pit top from 8 a.m. to 4 p.m. It is stated that during the course of his duty at about 10.15 a.m. the south side cage had just come up at the Kep's level and the concerned workman carelessly opened the fencing gate of the north side and pushed a tub loaded with cement and sand which

fell down in the shaft and hit the bottom cage at the depth of about 450 ft. as a result of which the bottom cage and the guide rope were badly damaged leading to the stoppage of the pit winding and production for two shifts. It is stated that for the above misconduct a chargesheet was issued against the concerned workman to which he submitted a reply. A departmental enquiry was conducted in presence of the concerned workman, Md. Kamal and he was given full opportunity to cross-examine the management's witnesses and also adduced his evidence to defend himself. In the departmental enquiry, however, the charges were fully proved against him and the competent authority agreeing with the findings of the Enquiry Officer dismissed the concerned workman with effect from 12th July, 1976. It is submitted that the job of Banksman is very important and the concerned workman committed a very serious misconduct in as much as due to his negligence accident would have happened. It is also stated that Md. Kamal had submitted his grievance through the Grievance Procedure Machinery functioning at the colliery and the Group Joint Grievance Committee consisting of both management and workman representatives discussed the case of Md. Kamal and an unanimous decision was taken against him and it was held that the dismissal was justified and no injustice had been done to him.

6. In the rejoinder the management has denied that the workman of Banksman had been thrust upon the concerned workman against his will and according to the management the concerned workman was doing the job of Banksman since long.

7. The preliminary issue as to whether the enquiry was just and proper was heard by my predecessor-in-office who by his order dated 15th September, 1980 held that the enquiry was just and proper and there was no denial of natural justice.

8. The only point now for consideration is as to whether the action of the management in dismissing the concerned workman from 12th July, 1976 is justified and if not what relief he is entitled to.

9. For the aforesaid decision this Court has to look into the enquiry proceedings and see as to whether there was sufficient evidence before the management to hold the concerned workman guilty of the charge.

10. The management has examined MW-1 Sri L. Prasad, Asstt. Manager who has stated that the departmental enquiry was held against the concerned workman by Sri Binay Kr. Verma, Personnel Officer of the company. As the Enquiry Officer had left his service and his whereabouts were not known hence he could not be examined. This witness however was the Presiding Officer during the enquiry. The workman has examined himself as WW-1 and has denied the charge. Ext. M-1 is the chargesheet dated 3rd December, 1975 issued against the workman which reads as follows:

"Charge Sheet No. 100.  
Name Sri Md. Kamal. T. No. 37160.  
Designation Ag. Banksman (Clipman)  
Section Dikwadhi Colliery.

You are hereby asked to show cause why disciplinary action should not be taken against you under Clause 19(6) & 19(19) to be read with Reg. 190 of Coal Mines Regulations 1957 of the Standing Orders for the following misconduct.

You were deputed to work as Banksman in 'A' shift of 3rd December, 1975 at 9 Pit top.

At about 10.15 a.m. the South cage had just come up at the kips level. You carelessly opened the empty side fencing gate of the North cage portion and pushed down a tub loaded with cement and sand which fell down into the shaft and hit the bottom cage at a depth of about 530 ft. It badly damaged the cage and guide rope, and resulted in stoppage of pit winding and production for two shifts. This is a very serious act of negligence on your part.

Also you have violated the Section 190 of Coal Mines Regulations 1957.

You are allowed 72 hours from the date of receipt here of two give your explanation.

Any representation that you may make in this connection will be taken into consideration before passing orders.

Dated 5-12-75

Sd/- Manager  
Digwadhi Colliery."

The workman vide Ext. M-1/A denied the charge and threw the responsibility on the management saying that the gate of the shaft was not self operating. Exts. M-3 & M-4 are the documents to show that time was extended during the enquiry. Ext. M-5 is the dismissal letter dated 3rd July, 1976 dismissing the concerned workman with effect from 12th July, 1976. Ext. M-7 is the enquiry proceeding. From a perusal of the enquiry proceeding it will appear that on behalf of the management Sri Lalan Prasad, Safety Officer, Sri P. N. Singh, Manager, Rajmangal Singh, Trammer and Sri Bijoy Kumar Verma, Asstt. Manager were examined. Md. Kamal the concerned workman has examined himself as D. W. Sri L. Prasad is the Safety Officer and he was also the Presenting Officer during the enquiry. He has stated that on the date and time of occurrence he was in his chamber at pit top office and that at about 10.15 a.m. he got report that one tub loaded with cement and sand had fallen down in Pit No. 9 from the empty side and so he rushed to the spot and found several persons there. He enquired into the matter and before him the concerned workman was looking very nervous and he admitted his guilt. The concerned workman was present during his examination but he declined to cross-examine him. Witness No. 2 is Sri P. N. Singh, the Manager who also sent to the place of occurrence when he was informed by Rajmangal Singh, Trammer. He has also stated about the falling of the tub and the damage caused by it. His cross-examination has also been declined. The next witness is Rajmangal Singh, Trammer who is an eye witness to the incident. He has given the details and has stated that the concerned workman went towards the empty side and opened the northern gate where there were 7 tubs and the first tub was full of sand and cement. He has further stated that the concerned workman without asking or without getting any signal went towards the empty side and opened the sprag of the first tub and pushed it to the northern side. The tub went straight inside the shaft and rested at pit bottom at 350 ft. below. According to him it was due to gross negligence of the concerned workman that this incident occurred. The last witness is Sri Bijay Kumar Verma, Assistant Manager. According to him he came to the pit top and after giving signal to be allowed to go down he went down from the northern cage. He has also given the other details.

11. From the evidence of the above witness it will appear that the incident in question was caused due to the negligence of the concerned workman as he without taking any precaution allowed the tub to go down from the northern cage.

12. Though the concerned workman in his written statement has stated that the work of Banksman had been thrust upon him against his will, but has not come to support this fact in his evidence. Rather, it is clear from the evidence on record that he was working as a Banksman since long. The duties of a Banksman has been defined U/S 52 of the Coal Mines Regulation, 1957. Any negligence of this section amounts to gross misconduct under the Standing Order of the company which is on the record. From the evidence adduced during the enquiry proceeding it is clear that the incident in question was caused due to negligence of the concerned workman and the charges were well proved against him. The Enquiry Officer in his report Ext. M-8 has given cogent reasons for holding the concerned workman guilty of the charge after discussing the entire evidence adduced before him and it cannot be said that there was no cogent evidence against the concerned workman to hold him guilty.

13. Considering the evidence and record of the case, I hold that the charges against the concerned workman were well proved and his dismissal is justified.

14. The workman in the circumstances is not entitled to any relief.

15. I give my award accordingly.

J. N. SINGH, Presiding Officer  
[No. L-20012(161)/77-D.IIIA]  
A. V. S. SARMA, Desk Officer

नई दिल्ली, 22 मई, 1981

का० आ० 1684.—केन्द्रीय सरकार, न्यूनतम मजदूरी अधिनियम, 1948 (1948 का 11) की धारा 26 की उपधारा (2) द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, यह निदेश देती है कि इस अधिसूचना के राजपत्र में प्रकाशन की तारीख से पांच वर्ष की अवधि के लिए उक्त अधिनियम की धारा 18 की उपधारा (3) के उपबंध, जहाँ तक उनका संबंध मजदूरी पत्रियों के जारी करने से है, सैनिक, इंजीनियरी सेवा और सैनिक फार्मों के उन कर्मचारियों को लागू नहीं होंगे जो केन्द्रीय सरकार द्वारा अनुमोदित काल वेतनमान पर हैं और किसी अनुसूचित नियोजन में इसलिए नियोजित हैं क्योंकि इन कर्मचारियों की मजदूरी की विधिधियाँ और अन्य ब्यौरे मजदूरी पुस्तिकाओं में रखे जाते हैं।

[एस० 32014/6/77-इल्यू० सी० (एम० डब्ल्यू०)]

New Delhi, the 22nd May, 1981

S.O. 1684.—In exercise of the powers conferred by sub-section (2) of section 26 of the Minimum Wages Act, 1948 (11 of 1948), the Central Government hereby directs that, for a period of five years from the date of publication of this notification in the Official Gazette, the provisions of sub-section (3) of section 18 of the said Act, in so far as it relates to the issue of the wage slips, shall not apply to the employees in the Military Engineering Service and Military Farms, who are on the time scales of pay approved by the Central Government and are employed in any scheduled employment because the particulars of wages and other details containing these employees are maintained in the wage books.

[S-32014/6/77-WC(MW)]

का० आ० 1685.—केन्द्रीय सरकार की यह राय है कि रेलों, माल गोदामों, डाँकों और पत्तनों में लवाई और उतलाई में नियोजन की बाबत मजदूरी की दरें, न्यूनतम मजदूरी अधिनियम, 1948 (1948 का 11) के अधीन नियत की जानी चाहिए ;

अतः, केन्द्रीय सरकार, उक्त अधिनियम की धारा 27 द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, उक्त नियोजन को उक्त अधिनियम की अनुसूची के भाग I से जोड़ने के अपने आशय की सूचना देती है;

इस अधिसूचना के राजपत्र में प्रकाशन की तारीख से तीन मास की अवधि की समाप्ति पर या उसके पूर्व उक्त परिवर्धन की बाबत किसी व्यक्ति से जो भी मुआव या आक्षेप प्राप्त होंगे, केन्द्रीय सरकार उन पर विचार करेगी।

[एस०-32017/1/79-इल्यू० सी० (एम० डब्ल्यू०)]

एस० एस० सहस्रानामन, उपसचिव

S.O. 1685.—Whereas the Central Government is of opinion that the minimum rates of wages should be fixed under the Minimum Wages Act, 1948 (11 of 1948) in respect of employment in loading and unloading in railways, godsheds, docks and ports ;

Now, therefore, in exercise of the powers conferred by section 27 of the said Act, the Central Government hereby gives notice of its intention to add the said employment to Part I of the Schedule to the said Act.

Any suggestions or objections which may be received from any persons in respect of the said addition on or before the expiry of a period of, three months from the date of publication of this notification in the Official Gazette, will be considered by the Central Government.

[S. 32017/1/79-WC(MW)]

S. S. SAHASRANAMAN, Dy. Secy.

New Delhi, the 21st May, 1981

S.O. 1686.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal, Madras, in the industrial dispute between the employers in relation to the management of State Bank of India and their workman, which was received by the Central Government on the 12th May, 1981.

BEFORE THIRU T. SUDARSANAN DANIEL, B.A., B.L.,  
PRESIDING OFFICER, INDUSTRIAL TRIBUNAL,  
MADRAS

(Constituted by the Government of India)

Monday, 4th May, 1981

Industrial Dispute No. 78 of 1980.

(In the matter of the dispute for adjudication under Section 10(1)(d) of the Industrial Disputes Act, 1947 between the workmen and the Management of State Bank of India, Madras.]

BETWEEN

Thiru S. Santhanakrishnan, No. 18, South Street Sarukkal,  
P. O. Kabisthalam-614203, Thanjavur District Tamil  
Nadu.

AND

The Chief General Manager, State Bank of India, Madras  
LHO, No. 21, Madras-1.

Reference :

Order No. L-12012/181/79-D.II.A., dated 7th October, 1980 of the Ministry of Labour, Government of India.

This dispute coming on for final hearing on Thursday, the 5th day of March, 1981, upon perusing the reference, claim and counter statements and all other material papers on record and upon hearing the arguments of Thiru K. Chandru for Thiruvalluvar Row and Reddy and K. Chandru, Advocate for the workman and of Thiru M. Mahalingam, Advocate appearing for the Management and this dispute having stood over till this day for consideration, this Tribunal made the following.

AWARD

This is an Industrial Dispute between the workmen and the Management of State Bank of India, Madras referred to this Tribunal for adjudication under Section 10(1)(d) of the Industrial Disputes Act, 1947 by the Government of India in Order No. 12012/181/79-D.II.A., dated 7th October, 1980 of the Ministry of Labour, in respect of the following issue :

Whether the action of the management of State Bank of India, Madras in terminating abruptly the services of Shri Santhanakrishnan temporary clerk on 15-2-74 is justified : If not, to what relief is the workman concerned entitled ?

(2) Facts leading upto this dispute are as follows : The Management is State Bank of India represented by the Chief General Manager, Madras LHO, No. 21, Madras 1, Tamil Nadu. The reference made by the Government of India relates to the action of the Management in having terminated the services of Thiru S. Santhanakrishnan on 16-2-1974. The claimant Thiru S. Santhanakrishnan was directed to appear by the Branch Manager of Chongam Branch of the Management by order dated 17-5-1973 Ex. W-1 for interview for being appointed as a temporary clerk. On 22nd May, 1973 he was appointed as a temporary clerk of Chongam Branch for a period of 15 days from 22nd May, 1973 to 5th June, 1973 under Ex. W-2. On 16-2-1974, the Branch Manager issued an order Ex. W-3 stating that as the Claimant Thiru S. Santhanakrishnan have had completed 265 days of service in their Branch, his services are no longer required. Thus it is apparent that the claimant Thiru S. Santhanakrishnan was engaged as temporary employee by the Management at Chongam Branch during the period from 22-5-1973 to 16-2-74.

Admittedly, he has completed 265 days of service as temporary clerk. The stand of the Management is that the Claimant Thiru S. Santhakrishnan had not completed 240 days of service during a period of 12 calendar months and hence he is not entitled to the benefits of Chapter V-A of the Industrial Disputes Act, 1947. The Claimant Thiru S. Santhakrishnan had joined the Management on 22-5-1973 and his services were terminated on 16-2-1974. Therefore it is clear that from May, 1973 till February, 1974 during a period of 10 months he has put in 265 days of service as a temporary clerk as is evident from the order of the Management Ex. W-3. In 57 F.J.R. Page 67 (Surendra Kumar Verma and others vs. Central Government Industrial Tribunal-cum-Labour Court, New Delhi, and another) the Supreme Court has pointed out that as per amendment of Section 25-B(2) of the Industrial Disputes Act, 1947, it is designed to provide that a workman who has actually worked under an employer for not less than 240 days during a period of 12 months shall be deemed to have been in continuous service for a period of one year and that it is no longer necessary that he should be in employment during the preceding period of twelve calendar months in order to qualify within the terms of Section 25-B and it is sufficient if he has actually worked for not less than 240 days in a period of 12 months. Therefore, the retrenchment of Claimant Thiru S. Santhakrishnan would well come within the ambit of Section 25-B of the Industrial Disputes Act, 1947. It is not gain-said that neither the notice contemplated under Section 25F (a) nor any compensation contemplated under Section 25F(b) of the Industrial Disputes Act, 1947 had been paid to the Claimant Thiru S. Santhakrishnan at the time of retrenchment on 16-2-1974. In the circumstances, the termination of the Claimant Thiru S. Santhakrishnan who had worked for 265 days during the period of one year without complying with the provisions of Section 25-F of the Industrial Disputes Act, 1947 is invalid and inoperative. That has been laid down by the Supreme Court in 1976—I.L.L.J. Page 478 (State Bank of India vs. N. Sundaramonev) where it is pointed out that "if the workman swims into the harbour of Section 25F, he cannot be retrenched without payment at the time of retrenchment compensation as prescribed therein read with Section 25B(2)."

(3) That leads me to the next question as to the relief that should be awarded to the Claimant Thiru S. Santhakrishnan. Learned counsel for the workman Thiru Chandru points out that in the absence of any special circumstances pleaded and proved by the Management, the normal relief of reinstatement with full back wages must be ordered. Support for this position is sought to be had from the latest decision of the Supreme Court in 57 F.J.R. Page 67 (Surendra Kumar Verma and others vs. Central Government Industrial Tribunal-cum-Labour Court, New Delhi and another). Where it has been pointed out that ordinarily, a workman who has been retrenched in contravention of the law is entitled to reinstatement with full back wages and that principle yields only where the justice of the case in the light of exceptional circumstances makes it impossible or wholly inequitable vis a vis the employer and workmen to direct reinstatement with full back wages. In exceptional cases there is a vestige of discretion left in the Court to make appropriate consequential orders. Therefore, on the facts of the present case, it has to be seen whether there is any special impediment in the way of awarding the normal relief of reinstatement with full back wages. My answer would be in the affirmative. Here are my reasons : In the first place, admittedly, the Claimant was employed by the Management only as a temporary clerk. In order to be confirmed as a regular clerk, the incumbent has to pass a necessary test held by the Management. In the present case, although the Claimant had last worked under the Management on 16-2-1974 yet in 1977, he was permitted to appear for a test. But unfortunately, failed to qualify himself. Therefore, even if he had been continued in the employment from 16-2-1974 till 1977, yet he would not have been confirmed as a regular clerk because he has failed to pass the required test. But learned counsel for the Claimant Thiru K. Chandru points out that even assuming that the Claimant has not come out successful in the test conducted for permanent absorptions, even then his temporary appointment must be terminated in accordance with law and he places reliance on the latest decision of the Supreme Court reported in 1980-II-I.T.J. Page 72 (Santhosh Gupta vs. State Bank of Patiala). Howbeit it must be noted that the services of Claimant had not been terminated because of his failure to pass the required test. Therefore this decision while affirming that the termination of the Claimant on

16-2-1974 is patently invalid and inoperative for the non-compliance of provision of Section 25-F of the Industrial Disputes Act, 1947, it would not in any way further the case of the Claimant to any extent. If the Claimant had been continued in service even after 16-2-1974 and his services had been terminated consequent on his failure to pass a required test, even then, he cannot be retrenched by the Management without complying with the conditions laid down in Section 25-F of the Industrial Disputes Act, 1947. But on the facts of the present case, it is perfectly clear that if reinstatement is ordered now it would mean that the Claimant must be deemed to be as a temporary employee from 16-2-1974 till date for over 7 years. Normally, a temporary employee would never be considered to be a temporary for a period exceeding one year. In the circumstances, it would be most inexpedient to order actual reinstatement of the Claimant Thiru S. Santhakrishnan with effect from 16-2-1974.

(4) As already pointed out, prior to the termination of the services of the Claimant from 16-2-1974, no notice nor compensation was offered to him in direct violation of mandatory provision of Section 25-F of the Industrial Disputes Act, 1947. As per paragraph 522(4) of the Sastry Award governing the employees of the Banks, an employee would be entitled to 14 days salary in lieu of notice. Admittedly, even this 14 days salary in lieu of notice was not paid to the Claimant at the time of termination of his services on 16-2-1974. However, at the intervention of the State Bank of India Staff Union, the Management has paid the Claimant 14 days salary in lieu of notice as contemplated in paragraph 522(4) of the Sastry Award. The stand of the Management is that the Claimant has accepted this payment without any demur in full and final settlement of all his claims. It is well settled that acceptance of notice pay would not bar a workman from challenging the validity of the retrenchment itself. There cannot be a waiver of any statutory rights. If authority is needed I would only refer to 1977-II-L.L.J. Page 137, where a Division Bench of our High Court had confirmed 50 F.J.R. Page 28 (R. Sankaran vs. Additional Labour Court, Madras and another). To a similar effect is also an earlier decision of our High Court reported in 37 F.J.R. Page 249 (Sree Rajendra Mills Ltd., vs. Labour Court, Coimbatore and others), where it was pointed out that the mandate under the Industrial Disputes Act, 1947 is imperative and it imports an implied avoidance of any arrangement or settlement outside the provisions of that chapter between the employer and the workmen and hence it cannot be contended that an agreement de hors the provisions of the Industrial Disputes Act can be passed into service, in the face of the express provision of Industrial Disputes Act, 1947. Therefore, I am unable to accept the case of the Management that the Claimant has settled his claim against the Management of receipt of 14 days salary in lieu of notice as prescribed in paragraph 522(4) of the Sastry Award.

(5) The services of the Claimant were terminated on 16-2-1974. The contention of the Management is that the Claimant had not completed 240 days of service during a period of 12 calendar months and hence he is not entitled to the benefit of Chapter V-A of the Industrial Disputes Act, 1947. This position has been taken up by the Management apparently on the basis of an earlier decision of the Supreme Court in 1963—25 F.J.R. Page 88 (Sur Enamel and Stamping Works (P) Ltd., vs. their workmen). However, in 57 F.J.R. Page 67, the Supreme Court has pointed out that the aforesaid decision does not apply to situation governed by the subsequently amended Section 25-B of the Industrial Disputes Act, 1947 by the amendment of Act of 1964. Therefore, whatever may be the justification of the stand of the Management, it cannot be said as the law then stood in 1974 or 1977, the view of the Management was altogether unjustified. However, a shred of cloud that existed over the horizon with regard to the conditions for invoking Section 25-B of the Industrial Disputes Act, 1947 has been finally dispersed by the Supreme Court in the latest decision reported in 57 F.J.R. Page 67. Regard being had to these peculiar circumstances, the attitude adopted by the Management towards the claim of the Claimant cannot be totally described as perverse or untenable.

(6) It is also submitted by the Management that the claim of the Petitioner for reinstatement has become stale as he is guilty of laches in raising the Industrial Dispute five years after the termination of his temporary service. Of course, there cannot be any valid bar of limitation to the claim. But one has to look to the attending circumstances to find out



if there is any plausible explanation for his failure to raise an industrial dispute for five years. I have already pointed out to the fact that at the intervention of the State Bank of India Staff Union, the Management has paid the Claimant 14 days' salary in lieu of notice as provided for in paragraph 522(4) of the Sasry Award. Meanwhile, the Management had also permitted the Claimant to sit for test to qualify himself for the post of clerk, but Claimant failed to qualify himself in the Recruitment Test held on 18-12-1977. The Claimant moves the Regional Labour Commissioner (Central), Madras for the first time only on 18-1-1979 vide Ex. W-4. From Ex. W-4, it can be noted that the Bank has appraised the Claimant by a letter dated 9-3-1978 to the effect that Claimant has not come out successful in the recruitment test held on 18-12-1977. Even after the receipt of such communication, the Claimant has not moved his little finger to claim for reinstatement by the Management. That apart, from 16-2-1974 till date several temporary candidates must have been duly confirmed as regular candidates and as I have already indicated that if the reinstatement of the Claimant is ordered, his status can only be that of a temporary candidate, thus unsettling the claims of several others who had been made as permanent clerks. Therefore, although the right of the Claimant to raise the present dispute even after five years is not barred by limitation, yet regard being had to the passage of time and several factors mentioned above it is not desirable or expedient that the reinstatement of the Claimant should be ordered. For the reasons listed by me. I am unable to find that on the facts of the case, only reinstatement of the Claimant is wholly justifiable or equitable.

(7) That takes me to the final consideration as to the actual relief that has to be granted to the Claimant. The ends of justice can be met by ordering payment of compensation to the Claimant full wages on the basis of last drawn pay from 17-2-1974 till the date of the Award.

(8) In the result, an Award is passed holding that the Claimant Thiru S. Santhanakrishnan is not entitled to be reinstated but that he is entitled to compensation of wages on the basis of last drawn from 17-2-1974 till the date of the Award. In the peculiar circumstances, I direct the parties to bear their respective costs.

Dated, this 4th day of May, 1981.

T. SUDARSANAM DANIEL, Presiding Officer

#### Witnesses Examined

For both sides : None.

#### Documents Marked

For Workmen :

Ex. W-1/17-5-73—Letter from the Bank to Thiru S. Santhanakrishnan calling him for interview.

Ex. W-2/22-5-73—Appointment order issued to Thiru S. Santhanakrishnan.

Ex. W-3/16-2-74—Termination order issued to Thiru S. Santhanakrishnan.

Ex. W-4/18-1-79.—Letter from Thiru S. Santhanakrishnan to the Regional Labour Commissioner (Central), Madras regarding his termination.

Ex. W-5/21-5-79.—Letter from the Bank to the Assistant Labour Commissioner (Central), Madras offering comments to Ex. W-4.

Ex. W-6/13-6-79.—Letter from the Union to the Assistant Labour Commissioner (Central), Madras regarding termination.

Ex. W-7/9-11-79.—Conciliation failure report.

For Management : Nil.

T. SUDARSANAM DANIEL, Presiding Officer

[No. L-12012/181/79-D.II(A)]

Note: Parties are directed to take return of their documents within six months from the date of publication of this Award.

**S.O. 1687.**—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal New Delhi, in the industrial dispute between the employers in relation to the management of Oriental Bank of Commerce Limited and their workmen, which was received by the Central Government on the 16-5-81

BEFORE SHRI MAHESH CHANDRA, PRESIDING OFFICER, CENTRAL GOVT. INDUSTRIAL TRIBUNAL-CUM-LABOUR COURT, NEW DELHI

I.D. No. 37 of 1979

In re :

STATE : New Delhi

The Secretary, UP Bank Employees' Union C/o Central Bank of India, Shahidganj, Saharanpur.

... Petitioner

Versus

The Asstt. General Manager (P), The Oriental Bank of Commerce Ltd., E-Block, Connaught Place, Harsha Bhavan, New Delhi.

... Respondent

#### AWARD

The Central Govt. as appropriate Govt. vide its order No. L-12012/19/79-D.II.A dated the 30th June, 1979 referred an Industrial Dispute to this Tribunal u/s 10 of the Industrial Disputes Act, 1947 in the following terms :

'Whether the action of the management of Oriental Bank of Commerce Ltd., New Delhi in appointing Sri Kulbhushan Jain as an Apprentice with effect from 1-5-1971 after his 118 days satisfactory temporary service in the Bank as a Clerk is justified ? If not, to what relief is the said workman entitled ?'

2. After the reference was registered usual notices were sent to the parties. The workman appeared in person while representative of the Management appeared. A statement of claim was filed. Then a written statement was filed by the Bank. Then finally a replication was filed and the case was adjourned for filing of documents to 6th December, 1979. Thereafter documents were filed by the parties. The case was fixed for 29th of September, 1980 for admission and denial. On which date none appeared for the workman while the counsel for the Management had appeared. Then the case was adjourned to 1st December, 1980 on which date again none appeared for the workman. The case was then adjourned to 5th January, 1981 and again none appeared for the workman. Finally when even on 23-2-1981, the next date fixed none appeared for the workman, ex-parte ordered against the workman side and following issues were framed:

#### ISSUES :

1. Whether the matter under reference does not qualify as an I. D. ?
2. Whether the workman side is estopped from raising this dispute ?
3. As in order of reference.

Thereafter ex-parte evidence of the Bank was recorded which consists of statement of Shri Surinder Narain Bhatnagar as MW 1 who has tendered his affidavit Ex. M.W. 1/1 apart from documents Ex. M/1 to Ex. M/8 in the evidence and thereafter arguments were heard. I have gone through the pleadings of the parties as also the evidence led by the Bank and after giving my considered thought to the matter before me I have come to the following findings :

3. The contention of the workman is that the workman was employed as a clerk in Dehradun Branch of the Bank on 8th January, 1971 and he worked there till the end of May 1971 ; that to utter surprise of the workman his appointment vide communication dated 28-5-1971 was converted into a case of fresh recruitment as a paid apprentice; that as the workman had been working as a clerk and was performing the job against a permanent vacancy his fresh appointment as an apprentice was irregular that on his raising objection he was threatened that his services even as apprentice would be terminated and therefore the workman could

do nothing; that after he had worked for about six months he was appointed as a probationer and subsequently he was confirmed from 5th May, 1972; that the Management had not taken into account 180 days rendered by the workman in the service of the Bank which is illegal and hence he was entitled that temporary service for 180 days from 8-1-71 to 31-5-71 and the period during such period from 8-1-71 to 31-5-71 be accounted for the purposes of fixing his seniority and wages and he is entitled to other benefits.

4. In reply the bank contended that no demand was raised upon the Bank and as such the matter did not qualify as an Industrial Dispute and as such the reference was bad; that the workman was estopped from raising the dispute in as much as the matter regarding counting of temporary service in respect of the workman's staff already is settled vide settlement dated the 16th March, 1978 which is duly registered settlement. The facts of the case are otherwise not denied but it is alleged that the workman was not entitled to any relief what-so-ever.

Issue No. 1 :

5. From the perusal of the order of reference it would be found that the matter under reference is a collective dispute and is not covered by the provisions of Section 2-A of the I. D. Act. In view thereof it would follow that certainly it was essential that a formal dispute should have been raised and then and then only an Industrial Dispute could be said to have come into existence. There is nothing on record to suggest even remotely that such a dispute was ever raised. In view thereof it would follow that the matter under reference does not qualify as an Industrial Dispute. From the perusal of para 2 of affidavit Ex. M.W. 1[1] it would be found that it is categorically stated that no such dispute was ever raised by the workman side with the Management and as such this issue is decided in favour of the Management.

Issue No. 2 :

6. The Management has filed on record extracts from settlement dated 16-3-1978 which have been exhibited as M/1. From the perusal of Ex. M/1 it would be found that the case of the workman is not covered by it and the workman side therefore would be estopped from now challenging what was arrived at in settlement Ex. M/1. It was open to the workman side and the union to take up this matter and if it has ignored it and has arrived at different settlement this workman cannot now be said to be entitled to raise it afresh. The case of the workman is not covered by item I and as such the workman could not now claim the benefit of 180 days service rendered by him and the union is estopped from raising this issue. Reference may also be made to para 3 of the affidavit which is categorical in this behalf and it proves the contentions of settlement Ex. M/1. In view of all these facts this issue is also decided against the workman side.

Issue No. 3 :

7. From the perusal of para 4 it would be found that the workman was appointed as a temporary clerk in leave arrangement for the period from 8-1-71 to 31-5-71 vide appointment letter Ex. M/2. That being the position this appointment to fill a leave vacancy temporarily would not enable the workman to the benefit he now claims. The appointment as paid apprentice of the workman was made in pursuance of advertisement in the Newspaper vide letter dated 15-3-1971. The workman also was advised to appear for written test dated 28-3-71 as a reference to para 6 of the affidavit would show. This was in pursuance to application Ex. M/4 by the workman. The workman had in fact appeared for the written test and was found suitable and was absorbed as a paid apprentice vide letter dated 28-3-71, copy Ex. M/5. It was in pursuance thereof that the workman joined duty as paid apprentice. It was thereafter that he was put on probation and finally was confirmed. Keeping in view these facts it is difficult to accept that there is any force in the claim of the workman. The workman could not get the benefit of his temporary service for the purposes of his regular appointment. The ex-parte evidence of the Management has clearly established the contention of the Management. Appointment letter Ex. M/5 is also categorical. Similarly his appointment letter on probation copy Ex. M/3 also would go to show that the workman now cannot claim the benefit of his previous service. There is nothing in the Desai Award or Sastry

Award or Bipartite Settlement which enables the workman the benefit of previous temporary service of 180 days or his service as paid apprentice for the purposes of his regular appointment with the bank and in view thereof it would follow that the workman is not entitled to any relief in this reference and the issue is decided accordingly and it is held that the action of the Management of Oriental Bank of Commerce Ltd., New Delhi in appointing as an apprentice w.e.f. 1-5-1971 after 180 days satisfactory temporary service in the bank as a clerk is justified and that he is not entitled to any relief what-so-ever. Parties however would bear their own costs.

Further ordered :

That requisite number of copies of this award may be sent to the appropriate Govt. for necessary action at their end.

MAHESH CHANDRA, Presiding Officer

Dated : the 29th April, 1981.

[No. L-12012(19)]79-D.II.A.]

S.O. 1688.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal New Delhi, in the industrial dispute between the employers in relation to the management of State Bank of India and their workman, which was received by the Central Government on the 16-5-81.

BEFORE SHRI MAHESH CHANDRA, PRESIDING OFFICER, CENTRAL GOVT. INDUSTRIAL TRIBUNAL-CUM-LABOUR, COURT, NEW DELHI.

**LD. No. 84 of 1980**

The General Secretary, State Bank of India Staff Association, 7/1184, Hari Singh High Street, Karol Bagh, New Delhi. ... Petitioner

Versus

The Regional Manager, State Bank of India, Region-III, Parliament Street, New Delhi ... Respondent

**AWARD**

The Central Govt. as appropriate Govt. vide its order No. L-12012/114/79-D.II(A) dated the 4th August, 1980 referred an Industrial Dispute u/s 10 of the I. D. Act, 1947 to this

Tribunal in the following terms :

"Whether the action of the management of State Bank of India, Parliament Street, New Delhi in terminating the services of Shri Ved Prakash Jain, Messenger on 1-5-73 is justified ? If not, to what relief is the workman concerned entitled ?

2. On receipt of the reference it was ordered to be registered and usual notices were sent to the parties. The workman side filed a statement of claim and the case was fixed for written statement today when the representative of the Bank Shri S. Mishra came forward with the following statement :

Statement of Shri S. Mishra on S.A. :

"The bank is prepared to appoint the workman as a messenger in the usual grade on regular permanent basis subject to formality of 6 months probation and police verification if the workman is prepared to forego his entire claim for back wages. If workman agrees consent would be made."

3. In view of the statements recorded above, a consent award directing the respondent-Bank to appoint Shri Ved Prakash Jain as a messenger in the usual grade on regular permanent basis subject to the formality of six months probation and medical examination and police verification w.e.f. 1st of May, 1981 is hereby made. It is further made



clear that workman would not be entitled to any arrears of wages or costs of this litigation which the parties would bear.

Further ordered :

That requisite number of copies of this award may be sent to the appropriate Govt. for necessary action at their end.

MAHESH CHANDRA, Presiding Officer

[No. L. 12012(14)/79-D.II.A.]

Dated, the 16th April, 1981

S.O. 1689.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal No. 2, Dhanbad, in the industrial dispute between the employers in relation to the management of State Bank of India, Giridih Branch, and their workman, which was received by the Central Government on the 12th May, 1981.

BEFORE SHRI J. P. SINGH, CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL (NO. 2) DHANBAD

Reference No. 3 of 1979

In the matter of an industrial dispute under S. 10(1)(d) of the I. D. Act, 1947

PARTIES :

Employers in relation to the management of State Bank of India, Giridih Branch and their workmen.

APPEARANCES :

On behalf of the employers—Shri Ranen Roy, Advocate.

On behalf of the workmen—Shri T. P. Choudhury, Advocate.

STATE - Bihar.

INDUSTRY : Bank.

Dhanbad, 30th April, 1981.

#### AWARD

This is a reference under S. 10 of the I.D. Act, 1947. The Central Government by its notification No. L-12012/79/78-D. II (A), dated 22nd February, 1979 has referred this dispute to this Tribunal for adjudication on the following terms ;

#### SCHEDULE

"Whether the action of the management of the State Bank of India, Giridih Branch, Dist. Giridih in dismissing Shri M. M. Mondal, Clerk-typist w.e.f. 16-2-78 is justified ? If not, to what relief he is entitled ?"

2. Before I proceed with the discussion of this case I would like to briefly place on the record the facts of the case. Shri M. M. Mondal the concerned workman happened to be a clerk in the Giridih Branch of the State Bank of India and for some time he was Assistant Secretary of the Union. On 8-9-76 the concerned workman came late and he learnt that the attendance register had been sent to the chamber of the Branch Manager. He then went to the chamber of the Branch Manager and wanted to sign the attendance in the general attendance register. The Branch Manager asked him to sign the attendance in the late attendance register giving reasons for his late arrival. The management's case is that in order to ensure punctuality of staff. The system was introduced since June, 1976 by a circular and office order under which late arrivals were to sign late attendance register and to explain the reasons for coming late. Shri Mondal refused to sign the late attendance register and insisted that he should be allowed to sign the regular attendance register. The Branch Manager refused to do so where upon Shri Mondal began shouting, hurling abuses in filthy language and attempted to snatch the attendance register from the hands of the manager. In that process the manager was violently pushed and he staggered to the wall and got some injury. The late attendance register was eventually snatched from the hands of the manager and the workman thereafter signed the attendance register. On 10-9-76 being advised by the head office the Branch Manager suspended the concerned workman and he further asked him not to come to the office without permission of the manager. A charge-sheet was issued against him 210 GI/81—12

on 24-9-76 and the concerned workman submitted his explanation to the charge-sheet on 6-10-76. The concerned workman completely denied the incident and alleged that the manager abused him and asked him to get out of his chamber. He further said that one of his colleague Shri N. Mukerjee intervened whereupon the manager on his own accord threw the attendance register on his table and asked him to sign it. Shri Mondal then signed the attendance register and went. This explanation was found to be unsatisfactory and a domestic enquiry was held. The enquiry officer conducted a departmental enquiry and submitted his report to the management on 21-11-77. The enquiry officer found that the charge of shouting at the manager, abusing the manager in filthy language and attempt to snatch the attendance register from the hands of the manager and pushing the manager violently against the wall was proved. But in his opinion the charge of assault had not been proved. On his report the management's disciplinary authority considered the entire matter and taking into consideration the past service record of the concerned workman ordered his dismissal by the letter dated 6-2-78. After that order the workman filed an appeal before the Appellate authority and that appeal was dismissed by order dated 18-6-78. The workman then raised an industrial dispute under S. 2A of the I. D. Act, and moved the conciliation officer for settling aside the order of dismissal and giving him the relief of reinstatement. On failure of conciliation this reference was made by the Government of India, Ministry of Labour to this Tribunal for adjudication. So far as the domestic enquiry is concerned a preliminary question was raised as to whether the enquiry was fair and proper. By order dated 11-6-80 it was found by this Tribunal that the domestic enquiry was fair and proper. Since then both the parties have been heard on merits. We will now discuss as to whether the order of dismissal of Shri M. M. Mondal, clerk/typist with effect from 16-2-78 is justified.

3. I would like to reproduce the charge-sheet dated 24th September, 1976 (Ext. M2) :

BM No. 27.

To

From :

Shri M. M. Mondal.

Clerk-Typist (under suspension)

State Bank of India,  
Giridih, 24th Sept., 1976.

State Bank of India,  
Giridih

#### CHARGE SHEET

Please show cause why disciplinary action should not be taken against you for the following charges :

- (1) That on the 8th September, 1976, you came into my chamber at 10.45 A.M. and on being asked by me to mark your attendance in the late attendance register, you shouted at me and attempted to forcibly snatch the Daily attendance register from my hands. You also assaulted me physically by pushing me towards the wall of my chamber. You, thus, displayed disorderly and indecent behaviour in the Bank's premises and also wilfully disobeyed my instructions to mark your attendance in the late Attendance Register.
- (2) The above charge, if proved, will hold you guilty of gross misconduct in terms of paragraph 521(d), (c) & (e) of Sastry Award as retained in the Desai Award.
- (3) Your reply to the above charge should be submitted to the undersigned by the 9th October, 1976, whereafter the Bank shall take such action as deemed necessary.

Sd/J. SINGH, Branch Manager.

I would also like to reproduce the Ext. M3 which is the

show cause of Shri M. M. Mondal, the concerned workman.

The Branch Manager,  
State Bank of India,  
Giridih.

Dear Sir,

With reference to the charge-sheet vide memorandum No. BM 27 dated 24-9-76, I beg to submit the following facts for your kind consideration and needful.

1. That the charges alleged against me are absolutely imaginary, got-up, false, baseless, motivated and mala fide.

2. That it is absolutely false to say that I attempted to forcibly snatch the Daily attendance register from you, assaulted you physically and pushed you towards the wall of your chamber. I am surprised at the above allegations which are far from truth.

3. That I have never acted any such things as alleged against me which may come under the purview of disorderly and indecent behaviour.

4. It is equally incorrect to say that I wilfully disobeyed your order to mark my attendance in late attendance register. During the course of my 2 years service in the Bank I have never heard if any such register is maintained in the Bank.

5. That the fact is that due to abrupt stomach pain I reached the bank late by 10 minutes on 8-9-76 and requested you to allow me to sign and to record the time of arrival in the attendance register which was kept by you on your table on the said date which you refused but later on, on my request and on request of other staffs you yourself threw the register in angry mood and asked me to mark the attendance, and consequently I put my initials and mentioned the time of arrival and the matter ended there peacefully. But I could not follow that you made it your prestige issue.

6. That the charges levelled against me are simply with a view to victimise me since I happen to be the Secretary of local unit of State Bank of India Staff Association and on several occasions I had to take up the cause of the union which sometimes could not favour your pleasure. The order of suspension followed by charge sheet is simply an outcome of retaliation and vengeance against the resolution adopted by the union on 30-6-76 and 9-9-76.

7. That the order of suspension passed and drawing up of charge-sheet by you are illegal and nullity.

I, therefore, request you to withdraw the order of suspension and drop the charges levelled against me and for this I shall be ever thankful to you.

Yours faithfully,

Sd/-

M. M. MONDAL, Clerk-typist,  
State Bank of India,  
Giridih.

Dated,

the 8th October, 1976.

I have mentioned these two documents because they are the earliest in connection with this case. It will appear that in the evidence there has been an attempt to show that Shri Mondal used abusive language. In the charge-sheet no mention has been made that Shri Mondal used abusive language. But there is a clear mention that Shri Mondal shouted at the Branch Manager. The enquiry officer found that there was no satisfactory evidence to prove that Shri Mondal assaulted the Branch Manager. The charge shows that Shri Mondal physically pushed the manager towards the wall of the chamber. In the evidence the contention is that he received injury due to being pushed against the wall. In the charge sheet there is no mention that the Branch Manager received injury. I need not recount the evidence of each and every witness of the management. 7 witnesses were examined for the management. They are Shri Jasbir Singh, the

branch manager, Shri D. L. Roy, Shri S. Singhal, Shri S. R. Sarkar, Shri S. Banerjee, Shri K. B. Banerjee and Shri R. Sehgal. They are consistent in their evidence on the point that Shri Mondal shouted at the manager and in the act of snatching the attendance register, pushed the manager as a result of which the manager collided with the wall. In the course of argument it was pointed out that in the evidence of the witnesses of the management there are certain discrepancies with regard to the time of arrival of the witnesses. Some of them have been used to signify that a number of witnesses were not present at the time of occurrence in the chamber of the manager. But it has been amply corroborated by the presence of at least some of the witnesses. It is also apparent that a great hue and cry was raised in the chamber of the manager and naturally a good number of staff rushed to the chamber of the manager to see what was happening. My nature of the case of both the parties it is apparent that some incident took place in the chamber of the manager. On his own admission Shri Mondal came a little late and he was required to sign the late attendance register. This occurrence took place because Shri Mondal wanted to sign the regular register instead of the late attendance register. It is clear that Shri Mondal did not obey the direction of the manager issued to him. Furthermore, Shri Mondal shouted at the manager which was not proper on his part to do. Probably Shri Mondal thought that he could do so as he was the secretary of the union and therefore could blow-beat the branch manager. This was further aggravated because the manager refused to oblige him by permitting him to sign the regular attendance register with the result that Shri Mondal deliberately wanted to snatch the attendance register by force. Shri Ranen Roy, Advocate representing the State Bank of India has argued that the workman cannot seek shelter on account of the finding of the enquiry officer that the assault story was not proved. According to him the very fact that the manager was pushed by Shri Mondal in the act of snatching the register would go to constitute assault within the definition provided in the Indian Penal Code. I agree that the use of force comes within the definition of assault. In the charge-sheet the manager has clarified as to what he meant by assault which is quite consistent with the definition of assault.

4. It has been pointed out to me that another clerk Shri N. Mukherjee was similarly charge-sheeted in a separate proceeding and was also found guilty. Since Shri Mukherjee admitted his guilt and begged forgiveness of the management he was lightly punished. Shri Mondal had however unsatisfactory conduct in the past. There was a proceeding against him for charging false T. A. in which he was punished with dismissal, but the appellate authority reinstated him with lighter punishment. This fact was used for the purpose of discriminatory attitude on the part of the management. But both the cases have to stand on a separate footing and within the discretion of the management to award the quantum of punishment. I therefore do not see that this is a case which could be struck down on the ground of discrimination.

5. It has further been urged that in the presentation of this case and the case against Shri N. Mukherjee there are vital discrepancies. Unfortunately the record of the case against Shri Mukherjee is not before me. Shri Roy has vehemently urged that since Shri Mukherjee is not a party to this proceeding, not a word of that proceeding could be used by him in this case. I agree that this is so and therefore discrepancies pointed out in the course of argument between the two proceedings cannot be regarded as relevant for a decision in this case.

6. It is apparent from the above that the charge against Shri Mondal has been amply proved by the evidence and circumstances. The management has also considered the previous conduct of Shri Mondal in awarding the extreme punishment of dismissal.

7. The main attempt on the part of the concerned workman is to show that the order of dismissal was passed because the management victimised him for his trade union activities. For this purpose a number of documents were filed to show that it raised a large number of industrial disputes and put forward a number of grievances of the workmen who were members of the union and even made complaint against the management in the capacity of being

secretary of the recognised union. There is no direct evidence on the point that for these activities the management have victimised him. I need not say that the onus to prove victimisation lies on the workman and the Tribunal must not take the plea of victimisation lightly. Moreover, in cases where the misconduct has been proved, the defence of victimisation cannot be entertained. Since this is a settled law it is not worthwhile to quote the number of decisions on this point. On behalf of the management it was pleaded that the reference was not maintainable. In fact the management wanted a decision on this point as a preliminary issue. But it was agreed that this point should also be heard along with the merits of the case. The State Bank of India, Giridih Branch is an establishment under the Bihar Shops & Establishment Act and the workman Shri Mondal was an employee as defined under that Act. The workman therefore had a right to file the complaint before the Labour Court under S. 26 of Bihar Shops & Establishment Act for quashing the order of dismissal and for getting the order of reinstatement. It has been conceded on behalf of the workman that under S. 26 of Bihar Shops & Establishment Act the concerned workman could seek the above relief in the Labour Court. In fact such a complaint was raised there and had been withdrawn, whereafter an industrial dispute was raised by the concerned workman himself and the reference was made under S.2A of the I.D. Act. Sri Ranen Roy has argued that since the Bihar Shops & Establishment Act got the assent of the President of India the provisions of the Bihar Shop and Establishment Act would be applicable in Bihar in supersession of the I. D. Act. The Full Bench of Andhra Pradesh High Court has dealt with this question. S. 41 of the Madras Shops & Establishment Act is identical to the provisions of S. 26 of Bihar Shops & Establishment Act. It was held in the Andhra Pradesh case that S. 41 of the Madras Act gives complete relief to an individual dismissed employee in the matter of reinstatement. S. 10 and S. 15 read with S. 2A of the I. D. Act also gives the same relief. Therefore so far as individual workman is concerned in the case of dismissal, he can seek relief only under S. 41 of the Madras Act and cannot raise an industrial dispute under S. 2A of the I. D. Act. The reference made under S. 2A by the Government of India was held in that decision to be without jurisdiction and was quashed. This decision is reported in 1977, Vol. II LLJ-332. It was followed by a decision reported in 1978 Vol. II LLJ-287. It was held that while an individual workman could not seek relief under S. 2A of the I. D. Act, the same bar could not apply to a union or a body of workmen who have no locus-standi under the Shops Act. In the instant case the reference is under S. 2A and therefore both these decisions were placed before me to show that the reference made by the Government of India in the instant case is without jurisdiction. For the purpose of jurisdiction Shri T. P. Choudhury, Advocate representing the workman has placed reliance on a decision of the Patna High Court as reported in 1972 Vol. II LLJ 395. It was a Full Bench decision. The question involved was as to whether S. 26 of the Bihar Shops & Establishment Act and the I. D. Act are repugnant to each other and therefore S. 26 of the Shops Act becomes void. The Full Bench held that they were not repugnant as a while because the scope and mandet of the I. D. Act and Bihar Shops & Establishment Act are different. The discussion of the Full Bench judgement will show that such matters as we have before us were also considered and the Court was of the view that the jurisdiction was co-extensive. Since we have to be guided by the Patna decision in preference to Andhra Pradesh decision, I have to hold that this reference is maintainable and not without jurisdiction.

8. In view of my findings above, I have no ample reason to interfere with the order of dismissal passed by the management of State Bank of India, Giridih. Accordingly, I hold that the action of the management of the State Bank of India, Giridih Branch Dist. Giridih in dismissing Shri M. M. Mondal, Clerktypist with effect from 16-2-78 is justified. Consequently, Shri M. M. Mondal is not entitled to any relief.

This is my award.

J. P. SINGH, Presiding Officer,  
[No. I. 12012(79)/78-D. II. A.]

210 GI/81-13

New Delhi, the 23th May, 1981

**S.O. 1690.**—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal, Calcutta, in the industrial dispute between the employers in relation to the management of Union Bank of India, Calcutta, and their workman, which was received by the Central Government on the 20-5-81.

# CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL CALCUTTA.

## PRESENT :

Mr. Justice R. Bhattacharya, M.A., B.L., Presiding Officer.

**Reference No. 37 of 1978**

## PARTIES :

Employers in relation to the management of Union Bank of India, Calcutta

AND

Their Workman.

## APPEARANCES :

### On behalf of Employers :

Dr. Monotosh Mukherjee, Counsel, with  
Mr. B. K. Mukherjee, Advocate,  
Mr. Promod Shroff, Advocate, and  
Mr. N. C. Roy, Advocate.

### On behalf of Workman :

Absent

STATE : West Bengal

INDUSTRY : Banking

## AWARD

This is a reference under Section 10 of the Industrial Disputes Act, 1947 sent to this Tribunal by the Government of India, by virtue of its Order No. F. No. L-12012/80/77-D. II.A dated 5th April, 1978 for adjudication of an industrial dispute between the employers in relation to the management of the Union Bank of India, Calcutta, hereinafter referred to as the "Bank" and their workman represented by the General Secretary, Bengal Bank Workers Organisation, 8-Kiron Sankar Roy Road, Calcutta, hereinafter referred to as the "Union". The dispute has been formulated in the Schedule to the Reference in the following words :

"Whether the action of the Union Bank of India, 15-India Exchange Place, Calcutta in withdrawing their representative Shri B. K. Nag from the Clearing House at Calcutta and depriving him of the Special Assistants allowance is legal and justified ? If not to what relief is the workman entitled ?"

2. Both the parties appeared in this case and filed their respective written statements and there is also a rejoinder on the side of the Union.

3. To be brief, the case of the Union is that the concerned workman B. K. Nag was in the clerical cadre. He was allotted the duties of Clearing House representative of the Bank at Reserve Bank of India and the said duties of Clearing House representative attracted the special allowance of Rs. 91/- per month in accordance with the provisions of paragraph 5.2. and 5.6 of the Bipartite Settlement dated 19th October, 1966. At first the concerned workman was not paid any special allowance but after the decision of the Supreme Court he was given special allowance for his working as representative at the Clearing House. Thereafter the Bank took B. K. Nag to the Branch office after taking him away from the assignment as Clearing House representative and thus the workman was deprived of the benefit of special allowance. According to the Union this transfer from the Clearing House was mala fide. The workman was entitled to be designated as Special Assistant-cum-Clerk by the management and he should have been allowed to work as representative of the Bank. As he worked for a period of more than three years as the Bank's representative at the Clearing House he should not have been deprived of the special allowance. The prayer of the Union is that the withdrawal of the concerned workman from the Clearing House and depriving him of the special allowance

fied, for a direction upon the Bank to allot duties of special assistant to the concerned workman and for a direction upon the Bank to reimburse the loss sustained by B. K. Nag due to malafide transfer.

4. According to the Bank's case the reference is not maintainable as the Union does not represent the workmen of the Bank and that the Union has no authority to espouse the cause of the concerned workman. It is also alleged that according to the provisions of the Bipartite Settlement dated 19th October, 1966 the concerned workman is entitled to get special allowance so long as he discharges the duties of the special assistant. The workman was in clerical cadre and he could be withdrawn from the Clearing House of the Reserve Bank and when he ceased to do any additional work or duty of any special assistant as representative of the Clearing House besides his own duties as clerk, he could not claim special allowance. The Bank is at liberty to transfer the workman to different assignments as clerk and he cannot as a matter of right claim to be posted as representative of the Clearing House and to get special allowance. The workman was not a special assistant and the Bank acted legally when he was taken away from his assignment as representative of the Bank at the Clearing House. There was no malice or malafides in the conduct of the Bank. According to the Bank the workman concerned can get no relief.

5. To-day was fixed for hearing of the case. On the last date the Union did not appear and no step was taken on the side of the Union. To-day also the Union has taken no step for its absence. The Bank is present with evidence. The Tribunal waited for the Union up to 12 Noon. Then the case was taken up. The Bank examined one witness J.P. Narayan. He is at present Personnel Officer in the Zonal office of the Bank at Madras. At the relevant time he was the Personnel Officer in Calcutta Zonal office. From him we get that B.K. Nag the concerned workman was a clerk. That was his substantive post. For a period the concerned workman acted as representative of the Bank at the Clearing House and at that time besides his own ordinary duties as clerk he performed some additional duties for which he was given special allowance according to the Bipartite Settlement in view of the Supreme Court decision. We also get that the concerned workman was never appointed as Special Assistant. He was withdrawn from the assignment of the representative at the Clearing House and was taken back to his own duties as clerk at the branch of the Bank and thereafter he ceased to do any duty of the Special Assistant. He had no responsibility of the Special Assistant and as such the Bank did not allow the concerned workman special allowance. From the witness we also get that the Bank has its own union which is known as Union Bank of India Employees Association, West Bengal. Almost all the employees of the Bank in West Bengal are members of the said Union. The witness has further stated that the Bengal Bank Workers Organisation is not a union of the Bank and the said union has no right to represent the workmen of the Bank.

6. The first question that arises as preliminary point is regarding the maintainability of the reference. We get that the Bank has its own union and that almost all the employees of the Bank in West Bengal are members of the said union. We also get that the Bengal Bank Workers Organisation is not a union of the Bank and that it has no right to represent the workmen of the Bank. The union does not come to prove that it is the representative body and that it has got right to represent the workmen of the Bank and to espouse or take up the case of the workman. The evidence is one sided and in favour of the Bank. It is therefore, clear that the Union at whose instance the reference has been made and which wants to represent the workmen of the Bank has no locus standi or right to do the same. According to the Industrial Disputes Act, the present dispute is not an industrial dispute. The preliminary point, therefore, goes in favour of the Bank and in that view of the matter the reference is incompetent.

7. In order to make the award complete, I may also deal with the merits of the claim made by the Union. The Union relies upon paragraphs 5.2 and 5.6 of the Bipartite Settlement dated 19-10-1966. When the two paragraphs are read together it is quite clear that an employee in the clerical cadre as in the present case is entitled to get special allowance for the performance or discharge of certain additional duties and functions over and above the routine duties and functions of the said workman. For getting that allowance the workman should continue to perform the duties whole time and not casually or occasionally. Paragraph 5.9 says that the workman would be entitled to special allowance only so long as he is in charge of such work or performance of such duties attracting special

allowance. Now, the duties to be performed for getting special allowance have been mentioned in Appendix 'B' to the Bipartite Settlement. For a clerk to get special assistant's special allowance he has to do some duties or any of them as mentioned in item (xix) of Part I in Appendix B. In the present case B. K. Nag the concerned workman was in the clerical cadre and as clerk when he was assigned to work as representative of the Bank at the Clearing House he was to do certain duties as mentioned in item No. (xix) in Part I of Appendix B over and above his routine and ordinary duties as clerk. This assignment as representative of the Bank was given to him and he performed the duties as clerk doing some additional duties as mentioned in item No. (xix). He was not promoted as Special Assistant. Clearly according to the terms of service a clerk can be transferred from one office to another and from one assignment to another, of course as a clerk. The clerk can not, as a matter of right, claim that he should have been allowed to continue in the post where special allowance was given. In the present case B. K. Nag was taken back to the branch of the Bank as clerk and he ceased to be the representative of the Bank at the Clearing House and he did not do any duty as mentioned in item (xix) of Part I of Appendix B of the Bipartite Settlement. Therefore, the claim of the Union that the workman should be reallocated duties as representative of the Bank or that he should be designated as Special Assistant-cum-clerk, which is the creation of the Union itself because there is no such office in the Bank, is unacceptable. There is no evidence of malafides on the part of the Bank when the workman was withdrawn from the Clearing House. The action of the Bank in withdrawing B. K. Nag from the Clearing House is quite legal and justified. There is no question of depriving him of the special assistant's allowance. As B. K. Nag was not required to do any additional duties besides his own, he is not entitled to get any special allowance.

8. I, therefore, find in view of my discussions above that the workman concerned is not entitled to get any relief either on preliminary point or on merit.

This is my award.

Calcutta,

Dated, The 11th May, 1981.

R. BHATTACHARYA, Presiding Officer

[No. L-12012/80/77-D. II.A.]

S.O. 1691.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal, New Delhi, in the industrial dispute between the employers in relation to the management of Union Bank of India and their workman, which was received by the Central Government on the 16-5-81.

BEFORE SHRI MAHESH CHANDRA, PRESIDING  
OFFICER, CENTRAL GOVT. INDUSTRIAL  
TRIBUNAL-CUM-LABOUR COURT, NEW DELHI

I.D. No. 173 of 1977

In re:

State: UP

Shri B. R. Trivedi, Govt. Press Colony,  
8/116, Type I, Aligarh.

.....Petitioner

Versus

The Regional Manager,  
Union Bank of India (Regional Office),  
Central Zone, 431-71, Pandu Nagar,  
Kanpur-208005.

.....Respondent

#### AWARD

The Central Govt. as appropriate Govt. vide its order No. L-12012/125/74-LR. III dated the 12th February, 1975 referred an Industrial Dispute to Industrial Tribunal, Kanpur u/s 10 of the I. D. Act, in the following terms:

"Is the management of the Union Bank of India justified in dismissing from service with effect from the

18th June, 1974 Shri B. R. Trivedi, Head Cashier, Aligarh Branch ? If not, to what relief is he entitled ?

2. On receipt of the reference it was ordered to be registered but before any proceedings could take place this reference was transferred to Labour Court (I), Kanpur where it was registered afresh and a statement of claim was filed by the workman. Before any further proceedings could take place the case was transferred to Industrial Tribunal, Delhi and finally the case was transferred to this Tribunal vide order dated 13-5-1977 but in so far as it was found out later that the order of reference was defective a fresh order of transfer was made by the appropriate Govt. in 1978. Even though a written statement had already been filed by the Management and a replication was also filed by the workman but in view of fresh order of transfer a fresh written statement was filed by the Management and a reprocreation thereto was also filed by the workman. Upon the pleadings of the parties following issues were framed vide my order dated the 15th February, 1979:

#### ISSUES:

1. Whether the inquiry is void for the grounds alleged?
2. What is the effect of non exhaustion of Departmental remedies on this reference.
3. As in order of reference.

3. Thereafter evidence of the parties was recorded. Evidence of the workman consists of his statement on affidavit as W.W.1. The said affidavit is Ex. A/1. While the evidence of the Management consists of the statement on affidavits of M.W.1 Shri S. K. Aggarwal, the said affidavit is Ex. M.W.1/1. Apart therefrom Shri S. K. Aggarwal the Enquiry Officer in this case has tendered into evidence enquiry proceedings Ex. M.W.1/2 an enquiry report Ex. M.W.1/3 apart from documents produced before me which are part of the enquiry proceedings. He has also produced show cause Notice Ex. M.W.1/4 and reply of the workman thereto which is Ex. M.W.1/5 and the order of termination, copy Ex. M.W.1/6 and order of punishment Ex. M.W.1/7. He has also tendered Ex. M.W.1/8 which is the order of Dy. General Manager confirming the punishment imposed by the Enquiry Officer. There is nothing material in the cross examinations of either W.W.1 or M.W.1. However reference would be made thereto as and when necessary.

4. It is in the light of this evidence and the pleadings that this case has to be considered I have gone through the evidence produced by the parties and have heard their representatives at length and after giving my considered thought to the matter before me I have come to the following findings upon these issues:

#### ISSUE NO. 1.

5. The contention of the workman is that he had joined the services of the Union Bank of India at Jabalpur Branch as a cashier on 3-5-66 and he was promoted as Head Cashier on 13-6-70 and was posted at Aligarh Branch; that at Aligarh Branch a charge sheet dated 10-7-72 was served upon him in pursuance whereof he was also suspended and an enquiry was held against him. After the enquiry his services were terminated; that the enquiry was vitiated for the reasons alleged in the statement of claim which I will presently examine

6. The Management has in its written statement admitted his employment and his promotion and service of a charge sheet and consequent suspension of this workman, holding of an enquiry and ultimate dismissal of this workman but it has been alleged by the management that none of the grounds challenging the validity of the enquiry holds any ground and as such it is urged that the enquiry was properly held in accordance with the principle of natural justice and was not void.

7. It has been urged on behalf of the workman that the order of his suspension was invalid. However from the perusal of order of suspension which Ex. W/53 I find that there is no weight in this contention of the workman. The representative of the workman has referred to rule 19.12.(6). From the perusal thereof I find that there is nothing in para 19.12(b) which invalidates the order of suspension

Ex. W/53. Last para of Ex. W/53 reads that 'since the charges levelled against Mr. Trivedi are of serious nature pending further enquiry, Mr. Trivedi is suspended from the Bank's service with immediate effect.' During the period of his suspension Mr. Trivedi will be entitled to subsistence allowance as per the rules.'

8. Para 19.12(b) provides that 'pending such enquiry he may be suspended.....'. There is absolutely no conflict in the provisions of para 19.12(b) and last para of the order of suspension Ex. W/53 and in view thereof I hold that there is no weight in this contention of the workman. It is further urged that a fresh charge sheet Ex. W/49 was served upon the workman on 28-12-72 but mere fact that a fresh charge sheet Ex. W/49 was served later on would not effect the suspension order. In fact Ex. W/53 is in the form of a memorandum in the form of a show cause calling out circumstances which have necessitated a disciplinary action and an enquiry against this workman while Ex. W/49 is the formal charge sheet. There is no conflict between Ex. W/49 and Ex. W/53 and therefore it cannot be said that the order of suspension was invalid. Even otherwise mere fact that the order of suspension was invalid would not in any manner effect the enquiry proceedings. The enquiry proceedings have to be seen independently of order of suspension. The enquiry can be vitiated only if it is shown that principles of natural justice were not complied with or it would be vitiated because of mis-carriage of justice and not because there was some defect in the order of suspension. In view thereof I hold that the order of suspension was not invalid and does not suffer from any lacunae and also does not adversely effect the enquiry proceedings or the enquiry or the findings.

9. The next objection taken before me against the enquiry is that it was a force in as much as Enquiry Officer and the punishing authority were the same. But the representative of the workman has not been able to show anything which goes to show that there is any bar that the Enquiry Officer and the Punishing officer cannot be the same person. Rather my attention on behalf of the Bank has been drawn to para 19.14 which goes to show that the Enquiry Officer and the punishing authority can be the same person as well. Even otherwise from the perusal of the enquiry proceedings and the orders passed ultimately by the Enquiry Officer I do not find that any prejudice has been caused to the workman by the fact that the Enquiry Officer and the punishing authority happen to be the same person and in the absence of any prejudice it also cannot be said that it has resulted in any injustice to the workman. In view thereof I hold that this objection does not hold any water and does not vitiate the enquiry in any manner what-so-ever.

10. It has then been urged by the representative of the workman that the charge sheeting authority and the authority which has confirmed the punishment happen to be the same. From the perusal of Ex. W/53 and Ex. W/49 I find that the charge sheet has been issued by the Deputy General Manager and admittedly it is the Deputy General Manager who had confirmed the order of termination of services of this workman but the representative of the workman has not been able to draw my attention to any para in either the Desal Award or the Bipartite Settlement which lays down that the charge sheeting authority and the authority confirming the punishment cannot be the same. It is not that the punishing authority and the confirming authority are the same in the instant case. Punishing authority is altogether different from the authority which has confirmed the punishment. In view thereof it cannot be said that there is any force in this contention of the workman and as such it cannot be said that this fact alone has the effect of invalidity the enquiry.

11. The next objection of the workman side that the Enquiry Officer was a Personnel Officer and was subordinate to the charge sheeting authority and such the enquiry is vitiated. There is no force in this contention. There is nothing in the Bank award or the Bipartite settlement which required that the Enquiry Officer shall not be a person subordinate to the charge sheeting authority. It also cannot be said that this in itself was against the principles of natural justice. Keeping in view the scope of the domestic enquiry it is inherent therein that the Enquiry Officer would invariably be a person subordinate to the disciplinary authority. A perusal of para 19.14 would show that the powers have been conferred upon the Chief Executive Officer or the Principal Officer or an

alternative officer at the Head office of Principal officer appointed by him to appoint an Enquiry Officer. Obviously he can be competent to deputing only his subordinate and not person not amenable to his administrative powers to hold the enquiry. In these circumstances I do not find any weight in this contention either and hold that this also does not vitiate the enquiry.

12. It has next been urged that the workman was not afforded full opportunity for representing himself by the Enquiry Officer. However it is admitted by the workman during his cross-examination as W.W.1 that it was correct that he was represented by Mr. Mishra and Jain his nominee in this behalf before the Enquiry Officer. This shows that the workman had been afforded full opportunity to represent or to be represented by his representative before the Enquiry Officer. Even otherwise from the perusal of enquiry proceedings which are Ex. M.W.1/2 I find that invariably the workman was represented by his representative at all hearings. He was always present as well. Almost each page of the enquiry proceedings is signed by the workman or his representative. That being the position it would be difficult to accept that the workman had not been afforded full opportunity for representing his case before the Enquiry Officer.

13. It is then urged that the workman has not been afforded full opportunity to cross examine the witnesses. However a reference to the statement of M.W.1, Shri S. K. Aggarwal would show that it is categorically stated by him during cross examination that 'it may be that certain irrelevant questions were disallowed but otherwise full opportunity was given to the workman and his representatives to cross examine the witnesses of the Management.' I have perused the entire enquiry proceedings Ex. M.W.1/2 and from the perusal thereof I find that all the witnesses of the respondent were cross examined on behalf of the workman and wherever the Enquiry Officer did not find proper to allow question in the cross examine, a formal order was passed by him. From the perusal of the enquiry proceedings it cannot be said that while dis-allowing cross examination occasionally the enquiry officer has mis-directed himself or acted mala fide and in view thereof I hold that there is no weight in this contention of the workman. In this context my special attention was drawn to pages 33, 34 and of the enquiry proceedings but a perusal of these pages even does not go to establish that the action of the Enquiry Officer in dis-allowing those questions was not justified in as much as these questions were not strictly relevant for the purposes of enquiry, rather these questions had a tendency to scandalise and as such the Enquiry Officer was justified in dis-allowing these questions. The net result is that the enquiry cannot be held to be vitiated on this ground either.

14. It has then been urged that newspaper cutting Ex. 22 and Ex. 23 were not allowed to be put to the witness. However these documents cannot be connected with the case of the workman. They are not directly relevant to the enquiry and in the absence thereof they cannot be permitted to be placed on record and exhibited and I do not see anything wrong in the action of the Enquiry Officer in this behalf and hold that the enquiry proceedings are not vitiated for this ground either.

15. It has then been urged upon charge no. 3 that relevant letter and couplet were not placed before the Enquiry Officer but this is not born out from the record. The couplet is essentially an annexure of letter Ex. 15. The workman has admitted the enclosure to Ex. 15 in his hand writing and under his signatures, as a reference to page 85 of enquiry proceedings would show. The Enquiry Officer has categorically stated in his affidavit Ex. M.W.1/1 in para 7 that the documents as contained in the enquiry file were actually produced before him. In the face of all these facts it cannot be said that the relevant letter or couplet was not produced before the Enquiry Officer and therefore it follows that the enquiry is not vitiated on this ground. In this context it has also been urged that the Enquiry Officer at page 6 of Ex. M.W.1/3 has given a finding which is not born out from the evidence on record but I have already held above that the couplet was an enclosure to letter Ex. 15 and the Enquiry Officer was justified to rely upon that in arriving at his conclusions and findings and therefore it cannot be said that finding at page 6 of Ex. M.W.1/3 are not based on evidence and in view thereof this objection is held to have no force and cannot vitiate the enquiry.

16. It has also been urged before me on behalf of the workman charge no. 5 in Ex. 5 regarding the mis-behaviour with the Accountant is not established in view of the difference in the dates of the incident. From the perusal of the evidence before the Enquiry Officer, it would be found that the incident he has admitted that on 23rd June, he was hit by an iron gate and had requested Mr. Mishra, the accountant to get the iron gate tied with a rope. That being the position it cannot be said that the finding upon charge no. 5 are not warranted merely because there is some difference as to the dates.

17. It has been urged that the Enquiry Officer had mis-directed himself by acting prejudicially and in biased manner but the representative of the workman has not been able to bear this fact out of the enquiry record. We have to go by the enquiry record. Each page of the enquiry proceedings bears the signatures of the workman. That being the position nothing which does not find place on the enquiry record can be accepted at this late stage and it cannot therefore be said that the Enquiry Officer was biased against the workman or had mis-directed himself. From the perusal of entire enquiry record it cannot be gathered that the enquiry officer had acted in a biased manner or had mis-directed himself or had acted in mis-carriage of the justice. Mere fact that now and then questions were put by Enquiry officer to elicit answers would not itself invalidate the enquiry. Mere fact that the Enquiry Officer dis-allowed certain irrelevant questions during cross examination would also not go to show that Enquiry Officer had acted in a biased manner or had mis-directed himself or the enquiry. It also cannot be said that Enquiry Officer had in any manner acted as a prosecutor. The bank was duly represented by its representative all throughout before the Enquiry Officer and therefore it cannot be said that the Enquiry Officer had mis-directed himself or the enquiry or had acted in a biased or prejudicial manner or that in any manner what-so-ever the conduct of the enquiry officer had prejudicially effected the workman. I have gone through the relevant documents as also the statements of various witnesses before the Enquiry Officer and after giving my considered thought thereto I am of the opinion that it cannot be said that the findings and conclusions of the Enquiry Officer were perverse or were such as no reasonable man would arrive at and in the face thereof it cannot be said that the findings of the Enquiry Officer are vitiated. It also cannot be said that the findings are not borne out from the evidence on record. It also cannot be said that the Enquiry Officer has ignored any evidence produced before me. The accumulative effect of my discussions above is that there is nothing which has been established to exist which vitiates the enquiry proceedings in the instant case. The enquiry has been held in due observance of principles of natural justice. Every opportunity was afforded to the workman to present his case. He had been afforded first an opportunity to explain in pursuance of Ex. M/53 and thereafter formal charge sheet Ex. M/49 was served upon the workman and thereafter enquiry was held by M.W.1 Ex. R/1 is the order appointing Shri S. K. Aggarwal as the Enquiry Officer. The order is categorical and is dated 12-1-1972. It also cannot be said that any new charges have been added in Ex. M/49 after the service of Ex. M/53. The workman was afforded an opportunity after the Enquiry Officer had arrived at his findings, opportunity to show cause against the proposed punishment after the Enquiry Officer had arrived at his findings. It was only after he had been heard that the order of punishment was passed. The appeal of the workman addressed to the Dy. General Manager was also considered and disposed of. From whichever angle the matter may be considered I do not find anything to even remotely suggest that the enquiry in the instant case was vitiated or that it was liable to be set aside. It may be mentioned here that unless the findings of the Enquiry Officer are held to be perverse and not born out of the evidence before me or based upon conjectures this court would not super impose its own findings upon the findings of the Enquiry Officer. From the perusal of various documents on record it would be found that the language used by the workman was intemperate and did not become of a gentleman particularly in the establishment where there were women employees as well. In view thereof I hold that the enquiry is not vitiated on any of the grounds alleged against it and accordingly issue no. 1 is decided against the workman and in favour of the Management.

Issue No. 2.

17. In view of my findings upon issue no. 1, this issue become redundant. In any case it is admitted that an appeal had



been preferred by the workman which was rejected and for that reason I hold that this reference is not vitiated by the alleged non-exertion of departmental remedies by the workman.

### Issue No. 3 :

18. In view of my findings upon issue no. 1 I hold that the Management of Union Bank of India is justified in dismissing from service w.e.f. 18th June, 1974 Shri B. R. Trivedi, Head Cashier, Aligarh Branch and that the workman was not entitled to any relief whatsoever. In this context I would like to refer to the charges levelled against the workman. Charge no. 1 was that on 16th June, 1972 at about 11.00 AM Mr. Trivedi (workman) entered the cabin of Mr. N. L. Sharma, Branch Manager and behaved with him in a rude and arrogant manner. In charge no. 2 workman was charged with having abused and threatened the Branch Manager and attempted to assault the Branch Manager with a wooden tray. Under charge no. 3 Mr. Trivedi had been charged with asking on 12-6-72 Mr. P. K. Sharma, another employee in the bank to handover a letter to Miss Pushpa Kaul in which paper contained indiscreet writing addressed to the lady staff member. Charge no. 4 and 6 were dropped. In charge no. 5 Mr. Trivedi has been charged with approaching on 23-6-72 at 3.30 PM the accountant with a complaint regarding the iron gate and behaved in an indecent and immoral manner in the presence of other staff member and on being advised by the accountant to behave in a decent and proper manner, Mr. Trivedi started abusing the accountant. Keeping in view the nature of the charges it cannot be said that the punishment of dismissal from service was unwarranted and is not justified. Even a reference to Ex. W/53 which re-produced certain language used by the workman also do not go to show that the punishment of dismissal is not warranted in the instant case. Even a perusal of Ex. M/1 the enclosure of Ex. 15 would show that the workman was hardly a person deserving a retention in the service in an establishment where women employees were working. The couplet written on Ex. M/1 tends to violate the modesty of any woman more so of a respectable employee in a banking establishment and keeping in view all these facts I do not think that the order of termination of services of the workman is unjustified and in view of my discussions and findings above, it is awarded that the Management of Union Bank of India in terminating the services of Shri B. R. Trivedi was justified w.e.f. 18-6-74 from the post of Head Cashier, Aligarh Branch and the workman is not entitled to any relief. However, in the circumstances of the case I leave the parties to bear their own costs.

### Further ordered :

That requisite number of copies of this award may be sent to the appropriate Govt. for necessary action at their end.

Dated : the 13th April, 1981.

Sd/-

MAHESH CHANDRA, Presiding Officer.

[No. L-12012/125/74-LR. III]

N. K. VERMA, Desk Officer

New Delhi, the 23rd May, 1981

**S.O. 1692.**—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the following award of the Central Government Industrial Tribunal, New Delhi, in the industrial dispute between the employers in relation to the management of B.S.L. Project and their workman Shri Raj Paul, which was received by the Central Government on the 16th May, 1981.

BEFORE SHRI MAHESH CHANDRA, PRESIDING OFFICER, CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL-CUM-LABOUR COURT, NEW DELHI

**I.D. No. 16 of 1980**

STATE : Punjab.

In re :

Shri Raj Paul, Ex. Time Keeper,  
Kothi No. 3302, Sector 35-D,  
Chandigarh.

....Petitioner.

Versus

The Chief Engineer,

B.S.L. Project, Sundernagar Township. ....Respondent.

### AWARD

The Central Government as appropriate Government vide its order No. L-42012(33)/79-D.II(B) dated the 26th March, 1980 referred an Industrial Dispute u/s 10 of the I.D. Act, 1947 to this Tribunal in the following terms :

'Whether the action of the management of B.S.L. Project P.O. Sundernagar Township (HP) in terminating the services of Shri Raj Paul under their letter No. 53009/20 Emergency dated 30-11-76 is justified? If not, to what relief the workman is entitled.'

2. On receipt of the reference usual notices were sent to the parties but none has appeared for the workman side and as such ex-parte proceedings were ordered against the workman. The BSL has put in appearance and filed a statement of claim. In view of the statement of claim filed by the BSL following issues were framed vide my order dated 5-12-80 and case was adjourned for ex-parte evidence of the BSL. Ex-Parte statement of BSL consists of Shri O. P. Yamdagni in the manner of an affidavit which is Ex. M/1 and documents Ex. M/2 to Ex. M/7. I have gone through the documents produced by the Management and also the evidence and after giving my considered thought to the matter before me I have come to the following findings :

### Issues :

1. As in the order of reference?
2. Whether the Industrial Dispute is not tenable?

### Issue No. 1 :

According to the statement of claim filed by the Management Raj Paul was employed as a Time Keeper with the respondent and his services were terminated in as much as he was irregular in attendance and his CRs also did not warrant his continuance in the service. It is further stated in the statement of claim by the BSL that Raj Paul was a Time Keeper and was not a workman in as much as he was governed by Civil service rules and as such this reference was bad.

3. In order to support its contention the Management has filed an affidavit of Superintending Engineer which is Ex. M/1 and from the perusal thereof I find that by and large the contention of the Management raised in the statement of claim has been repealed in the said affidavit Ex. M/1. Ex. M/2 is the notice served upon Shri Raj Paul by the Executive Engineer on 21-5-70 warning him to be careful in future, Ex. M/3 is the copy of report for 1975-76 of this workman, Ex. M/4 is the notice on the basis of the report Ex. M/3 issued to the workman on 4-11-76. Ex. M/5 is the receipt thereof, Ex. M/6 is another report for the period June, 1976 to December, 1976 immediately before his services were terminated and Ex. M/7 is copy of d.o. letter dated 25-8-75. From the perusal of the affidavit of BSL it cannot be said that Shri Raj Paul was not a workman as alleged by BSL. Admittedly Shri Raj Paul was working as a Time Keeper. It is also admitted that the respondent is an Industry. That being the position mere fact that Raj Paul was governed by Civil Service Rules would not exclude him from the category of a workman. Keeping in view the designation of Raj Paul who was a Time Keeper it would essentially follow that he was concerned with the charge staff and was part of work charge staff. As long as he was a part of work charge staff he would be a workman. There is nothing to suggest that he was working in a supervisory capacity or that his wages were more than Rs. 500 P.M. in that supervisory capacity. Keeping in view all these facts it would follow that the conclusion would be irresistible that Raj Paul was a workman. A cyclo-styled Judgment of Hon'ble Supreme Court of India in Writ Petition No. 3598, 4360, 4429, 4536, 4391, 4505, 4376, 4658 of 1978 and 565 of 1979 passed on 29-8-79 entitled as Jaswant Singh and others Vs. Union of India and others has been filed by the Management. From the perusal of this copy itself it would be clear that the entire strength of labour employed for the Project was work charge and as such they were governed by the provisions of Industrial Dispute Act, 1947. Once it is held that the workman was governed by the provisions of Industrial Dispute Act it would follow further that the provisions of Section 25-F would be equally applicable to the provisions of Industrial Dispute Act it would follow further that the in service of the respondent—BSI for a period of more than

one year and there is nothing to suggest that this workman was paid any retrenchment compensation within the meaning of Section 25-F of I.D. Act. This man was in service with the respondent w.e.f. 2-11-67 and remained in service till 1976 and his services were terminated w.e.f. 30-11-76. He was not paid any retrenchment compensation and hence in view of the principles of law laid down in N. Sundermany's case by the Hon'ble Supreme Court of India termination of his services would be illegal. Mere fact that the service rules applicable to this workman provided that his services could be terminated without notice at any time does not in any manner do away with the requirement of payment of retrenchment compensation and hence termination was in violation of law and therefore illegal and this issue is decided accordingly.

#### Issue No. 2:

In view of findings upon issue No. 1 that Shri Raj Paul was a workman and provisions of I.D. Act were applicable to him it cannot be said that the reference is not maintainable and accordingly this issue is also decided against the Management.

4. For my discussions and findings above, it is awarded that the termination of services of this workman Shri Raj Paul was not justified and accordingly the workman is entitled to be reinstated with full back wages and it is accordingly awarded. However parties would bear their own costs.

#### Further ordered :

That requisite number of copies of this award may be sent to the appropriate Govt. for necessary action at their end.

MAMESH CHANDRA, Presiding Officer

Dated : the 21st April, 1981.

[No. L. 12012(33)/79-D-II.B.]

S. S. BHALLA, Desk Officer.

#### आवेद

नई दिल्ली, 28 मई, 1981

का० भा० 1693.—बम्बई पत्तन श्याम, बम्बई के प्रबन्धतंत्र से सम्बद्ध नियोजकों और उनके कर्मचारों के बीच, जिनका प्रतिनिधित्व बी० पी० टी० जनरल वर्कर्स यूनियन करती है, एक औद्योगिक विवाद विद्यमान है;

और उक्त नियोजकों और कर्मचारों ने औद्योगिक विवाद 1947 अधिनियम, (1947 का 14) की धारा 10-क की उपधारा (1) के उपबन्धों के अनुसरण में एक लिखित करार द्वारा उक्त विवाद को उसमें वर्णित व्यक्ति के माध्यमस्वम् के लिए निर्देशित करने का करार कर लिया है और उक्त अधिनियम की धारा 10-क की उपधारा (3) के अधीन उक्त माध्यमस्वम् करार की एक प्रति केन्द्रीय सरकार को भेजी गई है ;

अतः, अब उक्त अधिनियम की धारा 10-क की उपधारा (3) के उपबन्धों के अनुसरण में, केन्द्रीय सरकार उक्त माध्यमस्वम् करार को, जो उसे 12 मई, 1981 को मिला था, एतद्वारा प्रकाशित करती है ।

#### करार

[औद्योगिक विवाद अधिनियम, 1947 की धारा 10-क के अधीन]

पक्षकारों के नाम :

नियोजकों का प्रतिनिधित्व करने वाले :

1. श्री टी० बी० रंगाराजन  
मुख्य कामिक और औद्योगिक  
संबंध प्रबन्धक,  
बम्बई पत्तन न्यास ।

कर्मचारों का प्रतिनिधित्व करने वाले : 1. डा० एम० मैत्रा,  
जनरल सैक्रेटरी,  
बी० पी० टी० जनरल वर्कर्स  
यूनियन, बम्बई ।

पक्षकारों के बीच निम्नलिखित औद्योगिक विवाद को श्री एफ० एच० लाला, "सन फ्लोवर", कुल्के परावे रिक्लेमेशन, बम्बई-400003 के माध्यमस्वम् के लिए निर्देशित करने का करार किया गया है ।

#### 1. निम्नलिखित विवादप्रश्न विषय :-

- (क) क्या 40 एन० एच० पी० से अधिक और 100 एन० एच० पी० से कम के इंजनों वाले डॉक टर्म्स में नियोजित और स्वतंत्र प्रभार वाले प्रथम श्रेणी इंजन ड्राइवरो को उच्च वेतनमान देने की मांग न्यायोचित है ?
- (ख) क्या यूनियन की 100 एन० एच० पी० और उससे ऊपर के इंजनों वाले हार्बर टर्म्स में नियोजित प्रथम श्रेणी इंजन ड्राइवरो को उच्च वेतनमान देने तथा उन्हें वेतन के इंजन सम के स्वतंत्र प्रभारी के रूप में मानने (बोर्ड पर मैरिन इंजीनियर होने पर भी) की कार्यवाही न्यायोचित है ?

2 विवाद के पक्षकारों का विवरण, 1 बम्बई पत्तन का न्यासी बोर्ड, जिसमें प्रांतीय स्थापन या पत्तनन्यास प्रशासनिक कार्यालय, उपक्रम का नाम और पता भी गूर जी बल्लभदास मार्ग, सम्मिलित है । बम्बई-400038

2. वि बी० पी० टी० जनरल वर्कर्स यूनियन, कवार्णा बिल्डिंग, प्रथम मंजिल, 26, पी० डी० मैलो रोड, बम्बई-400009 ।

पत्तन विभाग के डॉक टर्म्स और हार्बर टर्म्स में नियोजित प्रथम श्रेणी के इंजन ड्राइवरो की ओर से ।

(3) यदि कोई संघ, प्रबन्धन कर्मकार बी० पी० टी० जनरल वर्कर्स यूनियन, या कर्मचारों का प्रतिनिधित्व कवार्णा बिल्डिंग प्रथम मंजिल, करता हो तो उसका नाम । 26 पी० डी० मैलो रोड, बम्बई-400009 ।

(4) प्रभावित उपक्रम में नियोजित 30,200 कर्मचारों की कुल संख्या ।

(5) विवाद द्वारा प्रभावित या 82 सम्भाव्यतः प्रभावित होने वाले कर्मचारों की प्राक्कलित संख्या

माध्यमस्वम् अपना पंचाट सरकार द्वारा राजपत्र में इस करार के प्रकाशित होने की तारीख से तीन मास की कालावधि या इनने और समय के भीतर जो हमारे बीच पारस्परिक लिखित करार द्वारा बढ़ाया जाये, देगा । यदि पूर्व वर्णित कालावधि के भीतर पंचाट नहीं दिया जाता तो माध्यमस्वम् के लिए विशेष स्वतः रह हो जाएगा और हम नए माध्यमस्वम् के लिए बातचीत करने को स्वतंत्र होंगे ।

नियोजकों का प्रतिनिधित्व करने वाले . कर्मचारों का प्रतिनिधित्व करने वाले .

ह०/- (टी० बी० रंगाराजन) ह०/- (डा० एम० मैत्रा)

मुख्य कामिक और औद्योगिक जनरल सैक्रेटरी,

संबंध प्रबन्धक

बी० पी० टी० जनरल वर्कर्स यूनियन

साक्षी :

1 ह०/- (श्रीमती के० एम० पवार)

2 ह०/- (सी० एस० बालान्ध)

[संख्या एल०-31013/2/81-बी० 4 (ए०)]

मन्द लाल, डेस्क अधिकारी



## ORDER

New Delhi, the 28th May, 1981

**S.O. 1693** — Whereas an industrial dispute exists between the employers in relation to the management of Bombay Port Trust, Bombay and their workmen represented by BPT General Workers' Union,

And whereas the said employers and their workmen have by a written agreement under sub section (i) of section 10A of the Industrial Disputes Act, 1947 (14 of 1947), agreed to refer the said dispute to arbitration and have forwarded to the Central Government under sub-section (3) of section 10A of the said Act, a copy of the said arbitration agreement,

Now, therefore, in pursuance of sub-section (3) of section 10A of the said Act, the Central Government hereby publishes the said agreement which was received by it on the 12th May 1981

## AGREEMENT

(Under Section 10A of the Industrial Disputes Act, 1947)

## BETWEEN

Name of the parties

Representing employers	Shri T V Rangarajan, Chief Personnel and Industrial Relations Manager, Bombay Port Trust
Representing workmen	Dr S Maitra, General Secretary, B P T General Workers' Union, Bombay

It is hereby agreed between the parties to refer the following dispute to the arbitration of Shri F H Lala, 'Sun Flower', Cuffe Parade Reclamation, Bombay-400005

## (i) Specific matters in dispute

- (a) Whether demand of the union for grant of higher scale of pay to the First Class Engine Drivers employed on Dock tugs having engines of more than 40 NHP but less than 100 NHP and are in independent charge is justified ?
- (b) whether demand of the Union for grant of higher pay scale to First Class Engine Drivers employed on Harbour tugs having engines of 100 NHP and above, treating them as in independent charge of the engine room of the vessels even when there is a Marine Engineer on board the vessel is justified ?

(ii) Details of the parties to the dispute including the name and address of the establishment or undertaking involved

(1) The Board of Trustees of the Port of Bombay, Port Trust Administrative Offices Shoorji Vallabhdas Marg, Bombay-400038

(2) The B P T General Workers' Union, Kavarana Building, 1st Floor, 26, P D Mello Road, Bombay-400009

on behalf of the First Class Engine Drivers employed on dock tugs and harbour tugs of the Port Department

(iii) The name of the Union if any, representing the workman or workmen—

B P T General Workers' Union, Kavarana Building, 1st Floor, 26, P D Mello Road, Bombay-400009

(iv) Total number of workmen employed in the undertaking affected 30,200

(v) Estimated number of workmen affected or likely to be affected by the dispute 82

2 The Arbitrator shall make his award within a period of three months from the date of publication of this agreement in the official Gazette by the Government or within the such further time as is extended by mutual agreement between us in writing. In case the award is not made within the period aforementioned, the reference to arbitration shall stand automatically cancelled and we shall be free to negotiate for fresh arbitration

Representing Employers

Sd/-

T V RANGARAJAN,

Chief Personnel and Industrial Relations Manager

Representing Workmen

Sd/-

Dr S MAITRA,

General Secretary, B P T General Workers' Union.

Witness

Sd/-

(1) (Smt K M Pawar)

Sd/-

(2) (C S Valand)

[No L-31013/2/81-D IV(A)]

NAND LAL, Desk Officer

